

New York Implementation Standard

For Standard Electronic Transactions

TRANSACTION SET

814

Consumption History Request & Response

Ver/Rel 004010

	Summary of Changes
July 20, 2001	Version 1.0 Initial Release
August 7, 2002	Version 1.1 Issued.
	Inserted updated Field Descriptions Guideline Page
	Added new REF segment (REF*AJ) to accommodate exchange of a Utility Account Number for the ESCO/Marketer
	Example is revised to display use of REF*AJ in an accept response transaction.
	Changed the LIN Loop repeat from >1 to 1. There can only be one request and one response LIN in this transaction.
June 20, 2006	Version 1.2 Issued
	The "All meters per Account" section of the Front Matter Notes is revised to indicate that an ESCO/Marketer may separately enroll the un-metered electric service for accounts in Orange & Rockland's service territory where both metered and un-metered electric service are present on the account. To separately enroll the un-metered service the REF03 element must be present in the REF*12 (Utility Account Number) segment.
	The "Fees" section of the Front Matter Notes is deleted. Prior to November 21, 2003 fees could be assessed for requests for history data under specific conditions. To accommodate fees, a REF*93 (Fee Approved/Fee Applied) segment was required to be sent in the LIN loop containing requests for historic usage (HU) or a gas profile (GP) to indicate whether the E/M was willing to pay a fee for the data if one was applicable. Under the current Uniform Business Practices fees may no longer be assessed for satisfying EDI requests for consumption history.
	The usage attribute for the N3/N4 segments (Service Address) in an N1*8R (Customer) Loop is revised from Optional to Conditional in Accept Responses to comply with the Uniform Business Practices (Section 4, C.2.a.1.).
	The FNA code (Fee Not Authorized) is deleted from the list of possible reject reason codes in the REF*7G segment (Reject Response Reasons) and the REF*93 (Fee Approved/Fee Applied) segment is deleted from the standard. Fees are no longer being assessed for consumption history provided via EDI.
	The REF*93 (Fee Approved/Fee Applied) segment is deleted. Fees are no longer being assessed for consumption history provided via EDI.
	A REF03 element is added to the REF*12 segment (Utility Account Number) for use on Enrollment Requests sent to, or received from, Orange & Rockland Utilities when the transaction pertains to enrolling the un-metered portion of a customers customer's electric service when both metered and un-metered service are present on the same account.
	All dates in segment or element notes and in examples have been updated to reflect 2006 dates.
	Examples have been updated to reflect revised structure.

<u>October 23, 2014</u>	<u>Version 1.3</u>
	Notes pertaining to the use of this document <u>Case - 12-M-0476</u> <u>Added code “CAB” for Enrollment Block and/or Historical Block response in REF*7G. Detail Notes in REF*7G segment</u>
	<u>Utility specific notes are generalized, as appropriate, and designated for relocation to/reference within Utility Maintained EDI Guides, as necessary.</u>
	<u>Replaced references to Marketer and E/M with ESCO.</u>

	<u>Notes pertaining to the use of this document</u>
Purpose	<ul style="list-style-type: none"> This 814 Consumption History Transaction Set is used to request either electric or gas history on a customer's account. A request for a customer's history data may also be made in conjunction with an enrollment request (See the NY 814 Enrollment Transaction Implementation Guide). These standards are based on the ASC X12 Ver/Rel 004010 standard and related UIG guidelines.
One account per 814	<ul style="list-style-type: none"> Each transaction may contain only one account for one commodity (i.e. electric or gas). E/M's<u>ESCO's</u> who want to receive a customer's consumption history for both electric and gas service must transmit two 814 history requests – one for the electric history and another for the gas history.
All meters per account	<ul style="list-style-type: none"> Except for requests sent to Orange & Rockland<u>a utility that supports separate enrollment of the un-metered electric service for accounts</u>, an EDI request for consumption history is a request for history data for all service delivery points (metered and/or un-metered) for the account requested for the commodity indicated. In Orange & Rockland's<u>a</u> service territory <u>where the utility supports separate enrollment of the un-metered electric service for accounts</u>, when both metered and un-metered electric service is present on an account, an ESCO/Marketer may separately request consumption history for the electric un-metered service on an account when both metered and un-metered service are present on the same account. To request consumption history only for the un-metered service on the account the REF03 element in the REF*12 (Utility Account Number) segment should be transmitted.
Validation Fields	<ul style="list-style-type: none"> Transactions will be validated based on the customer's utility account number (with check digit, if included).
814 Response is Required	<ul style="list-style-type: none"> The Utility must return an 814 response, either positive or negative, for each history request received.
Cross referencing Request and Response transactions	<ul style="list-style-type: none"> The BGN02 element in the BGN segment received on a Request transaction must be returned in the BGN06 element of the BGN segment sent in the Response transaction. There must be one Response LIN for each Request LIN sent. The response to LIN loop on the Request must be uniquely identified in the LIN loop on the Response with the same identification sent in the request LIN01.

Types of History Requests	<ul style="list-style-type: none"> The requests covered by this implementation guide are the request for history data (LIN05 = HU) and the request for a gas profile (LIN05=GP). LIN05 = HU is a request for consumption history for the most recent 12-month period on an account for the commodity requested (or for the life of the account for that service, if shorter). When the 814 Request is accepted, the E/MESCO will receive an 867 containing the consumption history as available from the utility. Consumption history for electric customers with interval meters will be transmitted in summary form in an 867. Arrangements for access to the detailed interval data on an account must be made directly with the applicable utility since this data will not be returned in a TS867 transaction. LIN05 = GP is a request for a gas profile for a specific customer account. The gas profile is a weather-normalized forecast derived from the customers' consumption history. The profile represents an estimate of a customer's gas consumption for each month in a twelve-month period. If the 814 Request is accepted, the gas profile data will be returned in an 867 transaction. Consolidated Edison and Keyspan support the EDI GP requestFor utilities that provide gas profiles (see Conditional Data Segments below).If, if the quantity of consumption history is insufficient to derive a profile, the GP request may be rejected. For Con Edison customers, ifIf a GP request is rejected due to insufficient data, a <u>utility that provides gas profiles may elect to permit ESCOs to submit a new 814 Request transaction with an HU request may be transmitted.</u>Keyspan does not support the HU request. <u>A. Otherwise, a</u> customer's Gas Profile may be periodically updated but these updates will not be transmitted via EDI.
Conditional Data Segments	<ul style="list-style-type: none"> As noted above, only Consolidated Edison and Keyspan currently<u>Each utility may elect to support gas profile requests and the details of a utility's gas profile implementation will be explained in its Utility Maintained EDI Guide.</u> If the LIN05 = GP and the Utility does not support gas profiles, the Utility will return the default consumption history on an 867 (i.e. up to 12 months of usage, or the life of the account).
Definitions	<ul style="list-style-type: none"> The term Utility or LDC (Local Distribution Company) is used in this document to refer to the local gas or electric distribution company, i.e. the entity providing regulated bundled commodity service. The term ESCO/Marketer is used in this document to refer to either a gas or electric supplier. The principal parties involved in this Transaction Set 814 implementation guide are: <ul style="list-style-type: none"> ➤ The end-use customer (Code 8R) ➤ The Utility (LDC) (Code 8S) ➤ The Supplier (ESCO/Marketer or E/MESCO) (Code SJ).

Companion Documents	<ul style="list-style-type: none">• All of the business rules applicable to consumption history requests in New York are not necessarily documented in this implementation guide. Accordingly, the following documents should be reviewed where further clarification is necessary:<ul style="list-style-type: none">➤ Business Processes – Consumption History➤ TS814 Consumption History Request & Response Data Dictionary➤ TS814 Enrollment Request & Response Implementation Guide.
---------------------	--

Implementation Guideline Field Descriptions

Segment: **REF** Reference Identification (Utility Customer Account Number)

Position: 050

Loop:

Level: Heading

Usage: Optional (Must Use)

Max Use: 1

Purpose: To specify identifying information

Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:

This section shows the X12 Rules for this segment but the Usage and Max Use fields will also reflect NY rules. For Usage, “Optional (Must Use)” means that this segment is Optional for X12, but is required in NY. “Optional (Dependent)” means Optional for X12, but use is conditional in NY. The gray boxes below should also be reviewed for additional NY Rules.

Notes: Required

The Utility account number assigned to the customer is used for validation and must be present on all transactions.

REF~12~011231287654398

This section displays the NY Rules for implementation of this segment.

One or more examples.

Data Element Summary

	Ref Des.	Data Element	Name	X12 Attributes
Mand.	REF01	128	Reference Identification Qualifier 12 Billing Account REF02 contains the Utility-assigned account number for the customer.	M ID 2/3
Must Use	REF02	127	Reference Identification Utility assigned customer account number The utility account number must be supplied. Non-alphanumeric characters. (Characters on a bill, for example, should be removed)	AN 1/30

This column documents differences between X12 and NY use for each data element:

Mand. (Mandatory) — Required by X12
Must Use — Required by NY
Cond. (Conditional)
Optional

These columns show the X12 attributes for each data element:

M = Mandatory
O = Optional
X = Conditional

AN = Alphanumeric
N# = Implied Decimal
ID = Identification
R = Real
DT = Date (CCYYMMDD)

1/30 = Minimum 1, Maximum 30

814 Consumption History Request and Response

Functional Group ID=**GE**

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the General Request, Response or Confirmation Transaction Set (814) for use within the context of an Electronic Data Interchange (EDI) environment. This standard can be used to request actions to be performed, to respond to a request for actions to be performed or to confirm information related to actions performed.

Notes:

A request for a customer's history data may be included as a secondary request in a TS 814 enrollment request for that customer or as a separate stand-alone request. This guideline is limited to such stand-alone requests for either historic consumption (the HU request) OR a gas profile (the GP request).

Heading:

Page No.	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
2	010	ST	Transaction Set Header	M	1		
3	020	BGN	Beginning Segment	M	1		
			LOOP ID - N1			1	
4	040	N1	Name (ESCO/ Marketer)	O	1		
			LOOP ID - N1			1	
5	040	N1	Name (Utility)	O	1		
			LOOP ID - N1			1	
6	040	N1	Name (Customer)	O	1		
7	050	N3	Address Information (Service Address)	O	1		
8	060	N4	Geographic Location (Service Address)	O	1		

Detail:

Page No.	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
			LOOP ID - LIN			1	
9	010	LIN	Item Identification	O	1		
vi	020	ASI	Action or Status Indicator	O	1		
12	030	REF	Reference Identification (Reject Response Reasons)	O	>1		
14 13	030	REF	Reference Identification (ESCO/ Marketer Customer Account Number)	O	1		
15 14	030	REF	Reference Identification (Utility Account Number)	O	1		
16 15	030	REF	Reference Identification (Previous Utility Account Number)	O	1		
17 16	030	REF	Reference Identification (Utility Account Number for ESCO/ Marketer)	O	1		
18 17	150	SE	Transaction Set Trailer	M	1		
E-1			Examples				

Transaction Set Notes

1. The N1 loop is used to identify the parties to this transaction.
2. The LIN loop is used to transmit account level data.

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Comments:

Notes: Request: Required
Response: Required

ST~814~0001

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Mand.	ST01	143	Transaction Set Identifier Code	M ID 3/3
			814 General Request, Response or Confirmation	
Mand.	ST02	329	Transaction Set Control Number	M AN 4/9
			Identifying control number assigned by the originator of a transaction set. This identifier must be unique for each transaction set within a functional group.	

Segment: **BGN** Beginning Segment
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the beginning of a transaction set
Syntax Notes: 1 If BGN05 is present, then BGN04 is required.
Semantic Notes: 1 BGN02 is the transaction set reference number.
 2 BGN03 is the transaction set date.
 3 BGN04 is the transaction set time.
 4 BGN05 is the transaction set time qualifier.
 5 BGN06 is the transaction set reference number of a previously sent transaction affected by the current transaction.

Comments:

Notes:

Request: Required
 Response: Required

Request: BGN~13~20060301145101~20060301

Response: BGN~11~20060402072434~20060302~~~20060301145101

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	BGN01	353	Transaction Set Purpose Code 11 Response 13 Request	M ID 2/2
Mand.	BGN02	127	Reference Identification A unique transaction identifier assigned by the originator of this transaction. The BGN02 element from a request transaction is placed in the BGN06 element on the transaction sent in response to the request. This number must be unique over time.	M AN 1/30
Mand.	BGN03	373	Date The date the transaction was created by the sender's application system in the form CCYYMMDD.	M DT 8/8
Cond.	BGN06	127	Reference Identification This is the BGN02 identification number sent in the original Request. This element is not used on a Request but is required on a Response.	O AN 1/30

Segment:	N1 Name (ESCO/ Marketer)
Position:	040
Loop:	N1 Optional (Must Use)
Level:	Heading
Usage:	Optional (Must Use)
Max Use:	1
Purpose:	To identify a party by type of organization, name, and code
Syntax Notes:	1 At least one of N102 or N103 is required. 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:	
Comments:	1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. 2 N105 and N106 further define the type of entity in N101.
Notes:	Request: Required Response: Required N1~SJ~24~123456789

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	N101	98	Entity Identifier Code SJ Service Provider Identifies the ESCO/ Marketer participating in this transaction.	M ID 2/3
Optional	N102	93	Name Free Form ESCO/ Marketer Company Name Supplemental text information supplied, if desired, to provide "eyeball" identification of the ESCO/ Marketer . It is not necessary for successful completion of the transaction but may be provided by mutual agreement between trading partners.	X AN 1/60
Must Use	N103	66	Identification Code Qualifier 1 D-U-N-S Number, Dun & Bradstreet 9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix 24 Employer's Identification Number Federal Tax ID	X ID 1/2
Must Use	N104	67	Identification Code The D-U-N-S number or the Federal Tax ID	X AN 2/80

Segment:	N1 Name (Utility)
Position:	040
Loop:	N1 Optional (Must Use)
Level:	Heading
Usage:	Optional (Must Use)
Max Use:	1
Purpose:	To identify a party by type of organization, name, and code
Syntax Notes:	1 At least one of N102 or N103 is required. 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:	
Comments:	1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. 2 N105 and N106 further define the type of entity in N101.
Notes:	Request: Required Response: Required N1~8S~UTILITY NAME~1~012345678

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	N101	98	Entity Identifier Code	M ID 2/3
			8S Consumer Service Provider (CSP) Identifies the Utility participating in this transaction.	
Optional	N102	93	Name	X AN 1/60
			Free Form Utility Company Name Supplemental text information that may be supplied to provide "eyeball" identification of the Utility. It is not necessary for successful completion of the transaction but may be provided by mutual agreement between trading partners.	
Must Use	N103	66	Identification Code Qualifier	X ID 1/2
			1 D-U-N-S Number, Dun & Bradstreet 9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix 24 Employer's Identification Number Federal Tax ID	
Must Use	N104	67	Identification Code	X AN 2/80
			The D-U-N-S number or the Federal Tax ID	

Segment:	N1 Name (Customer)
Position:	040
Loop:	N1 Optional
Level:	Heading
Usage:	Optional
Max Use:	1
Purpose:	To identify the customer in this transaction.
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of N102 or N103 is required. 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:	
Comments:	<ol style="list-style-type: none"> 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. 2 N105 and N106 further define the type of entity in N101.
Notes:	Request: Optional Accept Response: Conditional Other Responses: Not Used N1~8R~NAME N1~8R~MARY SMITH

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	N101	98	Entity Identifier Code 8R	M ID 2/3 Consumer Service Provider (CSP) Customer Identifies the end use customer targeted by this transaction.
Must Use	N102	93	Name	X AN 1/60 Supplemental text information that may be supplied to provide "eyeball" identification of the customer in this transaction. It is not necessary for successful completion of the transaction but may be provided by mutual agreement between trading partners. Some utilities may not provide the actual customer name but will send the literal 'NAME' in this position. To ensure compliance with ANSI X12 requirements, this segment must be sent in an Accept Response when the Response contains service address information (see segments N3 and N4).

Segment: **N3** Address Information (Service Address)
Position: 050
Loop: N1 Optional
Level: Heading
Usage: Optional (Dependent)
Max Use: 1
Purpose: To specify the location of the named party
Syntax Notes:
Semantic Notes:
Comments:
Notes:

Request : Not Used
Accept Response: Conditional
Other Responses: Not Used

N3~123 N MAIN ST~Service Address Overflow

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	N301	166	Address Information	M AN 1/55
			Customer Service Address	
Cond.	N302	166	Address Information	O AN 1/55
			Service address overflow	

Segment: **N4** Geographic Location (Service Address)

Position: 060

Loop: N1 Optional

Level: Heading

Usage: Optional (Dependent)

Max Use: 1

Purpose: To specify the geographic place of the named party

Syntax Notes: 1 If N406 is present, then N405 is required.

Semantic Notes:

Comments: 1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2 N402 is required only if city name (N401) is in the U.S. or Canada.

Notes: Request: Not Used
Accept Response: Conditional
Other Responses: Not Used

N4~MYCITY~NY~19123
N4~MYCITY~NY~191230123

Data Element Summary

	Ref.	Data		Attributes
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	
Must Use	N401	19	City Name	O AN 2/30
Optional	N402	156	State or Province Code	O ID 2/2
Must Use	N403	116	Postal Code	O ID 3/15

Segment:	LIN Item Identification
Position:	010
Loop:	LIN Optional (Must Use)
Level:	Detail
Usage:	Optional (Must Use)
Max Use:	1
Purpose:	To specify basic item identification data
Syntax Notes:	<ol style="list-style-type: none"> 1 If either LIN04 or LIN05 is present, then the other is required. 2 If either LIN06 or LIN07 is present, then the other is required. 3 If either LIN08 or LIN09 is present, then the other is required. 4 If either LIN10 or LIN11 is present, then the other is required. 5 If either LIN12 or LIN13 is present, then the other is required. 6 If either LIN14 or LIN15 is present, then the other is required. 7 If either LIN16 or LIN17 is present, then the other is required. 8 If either LIN18 or LIN19 is present, then the other is required. 9 If either LIN20 or LIN21 is present, then the other is required. 10 If either LIN22 or LIN23 is present, then the other is required. 11 If either LIN24 or LIN25 is present, then the other is required. 12 If either LIN26 or LIN27 is present, then the other is required. 13 If either LIN28 or LIN29 is present, then the other is required. 14 If either LIN30 or LIN31 is present, then the other is required.
Semantic Notes:	1 LIN01 is the line item identification
Comments:	<ol style="list-style-type: none"> 1 See the Data Dictionary for a complete list of IDs. 2 LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.
Notes:	<p>Request : Required Response: Required</p> <p>Request only one action event per LIN Loop. The LIN01 contains a unique identifier for the action event. The LIN03 specifies the product (electric or gas) and the LIN05 specifies the type of service request.</p> <p>LIN~AACCCDD0102005A~SH~EL~SH~HU Request for Historic Usage LIN~AACCCDD0102006A~SH~EL~SH~GP Request for Gas Profile</p>

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	LIN01	350	Assigned Identification The identifier supplied in this element either by itself or in conjunction with the BGN02 element from the BGN segment must uniquely identify each LIN request. This identifier must be unique over time to ensure no ambiguity between requests and responses.	O AN 1/20
Mand.	LIN02	235	Product/Service ID Qualifier SH Service Requested	M ID 2/2
Mand.	LIN03	234	Product/Service ID Commodity - there may be only one commodity (Electric or Gas) for each 814 transaction. EL GAS	M AN 1/48
Must Use	LIN04	235	Product/Service ID Qualifier SH Service Requested	X ID 2/2

GP	<div>Gas Profile</div> <div>Request a 12 month forecasted gas delivery profile. Valid only when LIN03=GAS.</div> <div>Gas Profiles are not supported by all utilities. If a Gas Profile request is sent to a Utility that does not support gas profiles, -the Utility will return Historic Usage, if available, in the 867 sent in response to the Gas Profile request. When supported, a GP request may still be rejected if there is insufficient data to develop a gas profile for that customer.</div>
HU	<div>Historic Usage</div> <div>Request for Usage History.</div> <div>GAS note: Some utilities support a Gas Profile in lieu of actual history and will -return a Gas Profile, if sufficient data exists, in the 867 sent in response to the request for Historic Usage.</div>

Segment: **ASI** Action or Status Indicator
Position: 020
Loop: LIN Optional (Must Use)
Level: Detail
Usage: Optional (Must Use)
Max Use: 1
Purpose: To indicate the action to be taken with the information provided or the status of the entity described
Syntax Notes:
Semantic Notes:
Comments:
Notes:

Request: Required
Response: Required

Identifies the action to be taken or the status of a requested action for the service identified in the LIN segment.

ASI~7~029 Request
ASI~WQ~029 Accept Response
ASI~U~029 Reject Response

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	ASI01	306	Action Code	M ID 1/2
			7 Request	
			AC Acknowledge	
			This code is sent to acknowledge receipt of a request for historic usage or gas profile for an account that is traditionally processed 'off-line'. A response for these requests will be sent via non-EDI means.	
			U Reject	
			Inability to accept for processing due to the lack of required information	
			WQ Accept	
Mand.	ASI02	875	Maintenance Type Code	M ID 3/3
			029 Inquiry	

Segment: **REF** Reference Identification (Reject Response Reasons)
Position: 030
Loop: LIN Optional (Must Use)
Level: Detail
Usage: Optional (Dependent)
Max Use: >1
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:
Notes:

Request: Not Used
Reject Response: Required (ASI01 = U)
Other Responses: ~~Not Used~~Conditional

REF~7G~HUR

~~REF~7G~CAB~~

REF~7G~A13~HU NOT SUPPORTED

For utilities that employ a comprehensive block, when the customer has placed a block on the account, a CAB code will be sent in the 814 Response to indicate:

- Release of Historic Usage data is not permitted, i.e. the 867 HU will not be provided.
- Enrollment will not be permitted.

For utilities that employ a two level block configuration, the customer may block access to Historic Usage information and/or enrollment. When the customer has placed a block on the account, the 814 Response will include one or more codes in REF02:

- HUR to indicate a Historic Usage block; i.e. release of Historic Usage data is not permitted and the 867 HU will not be provided.
- CAB to indicate an Enrollment block, i.e. enrollment will not be permitted.
- If the customer has an enrollment block in place but no Historical Usage block, an 867 HU will be sent (to the extent data is available) and the 814 Response will include the code CAB which in this case, will indicate the presence of an Enrollment block only.

Data Element Summary

	Ref.	Data	Name	Attributes
Mand.	Des.	Element		
	REF01	128	Reference Identification Qualifier	M ID 2/3
			7G	Data Quality Reject Reason
				Reason for Reject Response
Must Use	REF02	127	Reference Identification	X AN 1/30
			A13	Other
				See REF03.
			A76	
			A91	Account does not have service requested
				Requested commodity does not exist on account.
			FNACAB	Fee Not Authorized Customer Account Block
			HUR	Historical Usage not Released
			HUU	Historical UseUsage not Available
				New Customer
Cond.	REF03	352	Description	X AN 1/80
				Text information to clarify the reason for the reject response.
				REF03 must be sent when REF02 contains A13.

Segment: **REF** **Reference Identification (Response Information or Warnings)**

Position: 030

Loop: LIN Optional (Must Use)

Level: Detail

Usage: Optional

Max Use: >1

Purpose: To specify identifying information

Syntax Notes: 1 At least one of REF02 or REF03 is required.

2 If either C04003 or C04004 is present, then the other is required.

3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes: 1 REF04 contains data relating to the value cited in REF02.

Notes: Request: Not used

Response: Optional

REF~1P~HUL

Data Element Summary

Ref.	Data			
Des.	Element	Name	Attributes	
Mand.	REF01	128	Reference Identification Qualifier	M ID 2/3
		1P	Accessorial Status Code	
			Warnings or information associated with an accepted status notification	
Must Use	REF02	127	Reference Identification	X AN 1/30
		A13	Other	
			See REF03.	
		HUL	Historical Usage Limited	
			This is limited to the PTD*FG loop in the 867HU transaction. i.e. no usage data to be reported or exchange.	
Cond.	REF03	352	Description	X AN 1/80
			Additional text information may be sent in REF03 to clarify the details of an Accept Response. REF03 must be sent when REF02 in this segment contains A13 or API.	

Segment: **REF** Reference Identification (ESCO/~~Marketer~~ Customer Account Number)
Position: 030
Loop: LIN Optional (Must Use)
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:
Notes: Request: Optional
Response: Optional

REF~11~A12345009Z

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	REF01	128	Reference Identification Qualifier	M ID 2/3
			11 Account Number Number identifies a telecommunications industry account REF02 is the ESCO/ Marketer Assigned account number for the customer.	
Must Use	REF02	127	Reference Identification	X AN 1/30
			ESCO Marketer Assigned account number for the customer.	

Segment: **REF** Reference Identification (Utility Account Number)
Position: 030
Loop: LIN Optional (Must Use)
Level: Detail
Usage: Optional (Must Use)
Max Use: 1
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:
Notes: Request: Required
Response: Required

REF~12~011231287654398

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	REF01	128	Reference Identification Qualifier 12 Billing Account REF02 is the Utility-assigned account number for the customer.	M ID 2/3
Must Use	REF02	127	Reference Identification Utility Assigned Account Number The utility account number must be supplied without intervening spaces or non- alphanumeric characters. (Characters added to aid in visible presentation on a bill, for example, should be removed)	X AN 1/30
Cond.	REF03	352	Description The Where a utility supports separate enrollment of the un-metered electric service for accounts, the REF03 element in the REF*12 segment should only be sent to, or received by, Orange & Rockland when the commodity indicated in the LIN segment is Electric but the request pertains only to the un-metered portion of the electric service on the account. This element should not be sent when the LIN request pertains to all electric service on the account. U Un-Metered Service	X AN 1/80

Segment:	REF Reference Identification (Previous Utility Account Number)
Position:	030
Loop:	LIN Optional (Must Use)
Level:	Detail
Usage:	Optional (Dependent)
Max Use:	1
Purpose:	To specify identifying information
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of REF02 or REF03 is required. 2 If either C04003 or C04004 is present, then the other is required. 3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.
Comments:	
Notes:	<p>Request: Not Used</p> <p>Accept Response: Required when the utility assigned account number for the customer has changed in the last 90 days.</p> <p>REF~45~9194132485705971</p>

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	REF01	128	Reference Identification Qualifier	M ID 2/3
			45	Old Account Number
				REF02 is the Utility's previous account number for the customer.
Must Use	REF02	127	Reference Identification	X AN 1/30
				Previous Utility account number for the customer.
				This segment would be sent, for example, when a change in meter reading routes results in a change in the account number assigned to the customer.

Segment: **REF** Reference Identification (Utility Account Number for ESCO/~~Marketer~~)
Position: 030
Loop: LIN Optional (Must Use)
Level: Detail
Usage: Optional (Dependent)
Max Use: 1
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:
Notes:

Request: Conditional
Response: Conditional

This segment is used to communicate an account number assigned by the Utility to the ESCO/~~Marketer~~ and may be sent with the mutual agreement of the parties.

REF~AJ~3134597

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	REF01	128	Reference Identification Qualifier AJ	M ID 2/3
			Accounts Receivable Customer Account REF02 contains the Utility assigned account number for the ESCO/ Marketer	
Must Use	REF02	127	Reference Identification Utility account number for the ESCO/ Marketer	X AN 1/30

Segment: **SE** Transaction Set Trailer
Position: 150
Loop:
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)
Syntax Notes:
Semantic Notes:
Comments: 1 SE is the last segment of each transaction set.
Notes: Request: Required
Response: Required
SE~37~000000001

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	SE01	96	Number of Included Segments	M N0 1/10
Mand.	SE02	329	Transaction Set Control Number	M AN 4/9

EXAMPLES

These examples are presented for illustrative purposes only. Although they are syntactically correct with respect to the published transaction standard for the TS814 Consumption History Request & Response, it should be understood that these examples reflect certain assumptions regarding optional and conditional data segments in this standard. Accordingly, these examples are not necessarily indicative of the manner in which a specific Utility or ESCO/~~marketer~~ would map a specific transaction.

Scenario 1: Request for a Gas Profile

ST*814*0034/	Transaction Set header; transaction defined is an 814 ; control number assigned by originator
BGN*13*20000301145101*20060608/	Transaction is a Request ; Unique id number for this transaction; transaction creation date
N1*SJ*ESCO NAME*1*1234467899/	E/MESCO Name and DUNS number
N1*8S*CON EDISON*1*006982359/	Utility Name and DUNS number
N1*8R*MARY SMITH/	Customer Name
LIN*AACCDD0102006A*SH*GAS*SH*GP/	Unique transaction reference number; service is Gas ; request is for a Gas Profile
ASI*7*029/	Transaction is a Request ; action is an Inquiry
REF*11*A12345009Z/	E/MESCO assigned account number for the customer
REF*12*2339393600100025/	Utility assigned account number for the customer
SE*10*0034/	Transaction Set trailer; segment count; control number

Scenario 1: Accept Response

ST*814*0034/	Transaction Set header; transaction defined is an 814 ; control number assigned by originator
BGN*11*200106Q1145103*20060610***20000301145101/	Transaction is a Response ; Unique id number for this transaction; transaction creation date; BGN02 from Request transaction
N1*SJ*ESCO NAME*1*1234467899/	E/MESCO Name and DUNS number
N1*8S*CON EDISON*1*006982359/	Utility Name and DUNS number
N1*8R*MARY SMITH/	Customer Name
N3*136-39 41 AVE/	Customer Service Address-Street
N4*FLUSHING*NY*11355/	Customer Service Address-City/State
LIN*ZZXXYY0901001C*SH*GAS*SH*GP/	Unique transaction reference number; service is Gas ; response pertains to Request for Gas Profile
ASI*WQ*029/	Status is Accept ; action is an Inquiry
REF*11*A12345009Z/	E/MESCO assigned account number for the customer
REF*12*2339393600100025/	Utility assigned account number for the customer
SE*12*0034/	Transaction Set trailer; segment count; control number

Scenario 1: Reject Response

ST*814*0034/	Transaction Set header; transaction defined is an 814 ; control number assigned by originator
BGN*11*200106Q1145103*20060610***20000301145101/	Transaction is a Response ; Unique id number for this transaction; transaction creation date; BGN02 from Request transaction
N1*SJ*ESCO NAME*1*1234467899/	E/MESCO Name and DUNS number
N1*8S*CON EDISON*1*006982359/	Utility Name and DUNS number
N1*8R*MARY SMITH/	Customer Name
LIN*ZZXXYY0901001C*SH*GAS*SH*GP/	Unique transaction reference number; service is Gas ; response pertains to Request for Gas Profile
ASI*U*029/	Status is Reject ; action is an Inquiry
REF*7G*A13*NO DATA FOR GP SEND HU REQ/	Reject reason code and qualifier
REF*11*A12345009Z/	E/MESCO assigned account number for the customer
REF*12*2339393600100025/	Utility assigned account number for the customer
SE*11*0034/	Transaction Set trailer; segment count; control number

Scenario 2: Request for Historic Usage

ST*814*0039/	Transaction Set header; transaction defined is an 814 ; control number assigned by originator
BGN*13*20000301145101*20060608/	Transaction is a Request ; Unique id number for this transaction; transaction creation date
N1*SJ*ESCO NAME*1*006749723/	E/MESCO Name and DUNS number
N1*8S*ROCHESTER G&E*24*160612110/	Utility Name and Tax Id number
N1*8R*INCORPORATED VILLAGE OF FAIRPORT/	Customer Name
LIN*AACCDD0102006A*SH*EL*SH*HU/	Unique transaction reference number; service is Electric ; request is for Historic Usage
ASI*7*029/	Status is Request ; action is an Inquiry
REF*11*A12345009Z/	E/MESCO assigned account number for the customer
REF*12*96135/	Utility assigned account number for the customer
SE*10*0039/	Transaction Set trailer; segment count; control number

Scenario2: Accept Response

ST*814*0041/	Transaction Set header; transaction defined is an 814 ; control number assigned by originator
BGN*11*20010610E96135*20060610***20000301145101/	Transaction is a Request ; Unique id number for this transaction; transaction creation date
N1*SJ*ESCO NAME*1*006749723/	E/MESCO Name and DUNS number
N1*8S*ROCHESTER G&E*24*160612110/	Utility Name and Tax Id number
N1*8R*INCORPORATED VILLAGE OF FAIRPORT/	Customer Name
N3*1001 SCOTTSDALE RD/	Customer Service Address - Street
N4*ROCHESTER*NY*14624-5121/	Customer Service Address - City/State
LIN*HUE9613520010610A*SH*EL*SH*HU/	Unique transaction reference number; service is Electric ; request is for Historic Usage
ASI*WQ*029/	Status is Accept ; action is an Inquiry
REF*11*A12345009Z/	E/MESCO assigned account number for the customer
REF*12*96135/	Utility assigned account number for the customer
SE*12*0041/	Transaction Set trailer; segment count; control number

Scenario 2: Reject Response

ST*814*0045/	Transaction Set header; transaction defined is an 814 ; control number assigned by originator
BGN*11*20010610E96135*20060610***20000301145101/	Transaction is a Response ; Unique id number for this transaction; transaction creation date; BGN02 from Request transaction
N1*SJ*ESCO NAME*1*006749723/	E/MESCO Name and DUNS number
N1*8S*ROCHESTER G&E*24*160612110/	Utility Name and Tax Id number
LIN*HUE9613520010610A*SH*EL*SH*HU/	Unique transaction reference number; service is Electric ; response pertains to Request for Historic Usage
ASI*U*029/	Status is Reject ; action is an Inquiry
REF*7G*HUR/	Reject reason code - Historic Usage Not Released
REF*11*A123450009Z/	E/MESCO assigned account number for the customer
REF*12*96135/	Utility assigned account number for the customer
SE*13*0045/	Transaction Set trailer; segment count; control number

|

Scenario 2: Reject Response – to enrollment block and historical block

<u>ST*814*0034/</u>	<u>Transaction Set header; transaction defined is an 814; control number assigned by originator</u>
<u>BGN*11*200106Q1145103*20060610***20000301145101/</u>	<u>Transaction is a Response; Unique id number for this transaction; transaction creation date; BGN02 from Request transaction</u>
<u>N1*SJ*ESCO NAME*1*1234467899/</u>	<u>ESCO Name and DUNS number</u>
<u>N1*8S*CON EDISON*1*006982359/</u>	<u>Utility Name and DUNS number</u>
<u>N1*8R*MARY SMITH/</u>	<u>Customer Name</u>
<u>LIN*ZZXXYY0901001C*SH*GAS*SH*GP/</u>	<u>Unique transaction reference number; service is Gas; response pertains to Request for Gas Profile</u>
<u>ASI*U*029/</u>	<u>Status is Reject; action is an Inquiry</u>
<u>REF*7G*CAB/</u>	<u>Reject Reason for Enrollment Block</u>
<u>REF*7G*HUR/</u>	<u>Reject Reason for Historical Block</u>
<u>REF*11*A12345009Z/</u>	<u>ESCO assigned account number for the customer</u>
<u>REF*12*2339393600100025/</u>	<u>Utility assigned account number for the customer</u>
<u>SE*11*0034/</u>	<u>Transaction Set trailer; segment count; control number</u>

Scenario 3: Request for Historic Usage

<u>ST*814*0040/</u>	<u>Transaction Set header; transaction defined is an 814; control number assigned by originator</u>
<u>BGN*13*20000301145101*20010608/</u>	<u>Transaction is a Request; Unique id number for this transaction; transaction creation date</u>
<u>N1*SJ*ESCO NAME*1*745862317/</u>	<u>E/MESCO Name and DUNS number</u>
<u>N1*8S*NYSEG*1*006977763/</u>	<u>Utility Name and DUNS number</u>
<u>N1*8R*City of Cortland/</u>	<u>Customer Name</u>
<u>LIN*AACDD0102006A*SH*EL*SH*HU/</u>	<u>Unique transaction reference number; service is Electric; request is for Historic Usage</u>
<u>ASI*7*029/</u>	<u>Status is Request; action is an Inquiry</u>
<u>REF*11*A12345009Z/</u>	<u>E/MESCO assigned account number for the customer</u>
<u>REF*12*158103080400027/</u>	<u>Utility assigned account number for the customer</u>
<u>SE*10*0040/</u>	<u>Transaction Set trailer; segment count; control number</u>

Scenario 3: Acknowledge Response

ST*814*0042/	Transaction Set header; transaction defined is an 814 ; control number assigned by originator
BGN*11*158103080400027E0610A*20060610***20000301145101/	Transaction is a Request ; Unique id number for this transaction; transaction creation date
N1*SJ*ESCO NAME*1*745862317/	E/M ESCO Name and DUNS number
N1*8S*NYSEG*1*006977763/	Utility Name and DUNS number
LIN*1581030800400027HRSP*SH*EL*SH*HU/	Unique transaction reference number; service is Electric ; request is for Historic Usage
ASI*AC*029/	Request is Acknowledged ; action is an Inquiry
REF*11*A123450009Z/	E/M ESCO assigned account number for the customer
REF*12*158103080400027/	Utility assigned account number for the customer
REF*45*158100980400027/	Previous Utility account number for this customer
REF*AJ*3134597/	Utility Account Number for ESCO/ Marketer
SE*11*0042/	Transaction Set trailer; segment count; control number

Scenario 3: Reject Response

ST*814*0046/	Transaction Set header; transaction defined is an 814 ; control number assigned by originator
BGN*11*158103080400027E0610A*20060614***20000301145101/	Transaction is a Response ; Unique id number for this transaction; transaction creation date; BGN02 from Request transaction
N1*SJ*ESCO NAME*1*745862317/	E /MESCO Name and DUNS number
N1*8S*NYSEG*1*006977763/	Utility Name and DUNS number
LIN*1581030800400027HRSP*SH*EL*SH*HU/	Unique transaction reference number; service is Electric ; response pertains to Request for Historic Usage
ASI*U*029/	Status is Reject ; action is an Inquiry
REF*7G*A91/	Reject reason code - No Electric Service on this account
REF*11*A123450009Z/	E /MESCO assigned account number for the customer
REF*12*158103080400027/	Utility assigned account number for the customer
SE*13*0046/	Transaction Set trailer; segment count; control number

Scenario 4: Request for a Gas Profile

<u>ST*814*0034/</u>	<u>Transaction Set header; transaction defined is an 814; control number assigned by originator</u>
<u>BGN*13*20000301145101*20060608/</u>	<u>Transaction is a Request; Unique id number for this transaction; transaction creation date</u>
<u>N1*SJ*ESCO NAME*1*1234467899/</u>	<u>ESCO Name and DUNS number</u>
<u>N1*8S*CON EDISON*1*006982359/</u>	<u>Utility Name and DUNS number</u>
<u>N1*8R*MARY SMITH/</u>	<u>Customer Name</u>
<u>LIN*AACCDD0102006A*SH*GAS*SH*GP/</u>	<u>Unique transaction reference number; service is Gas; request is for a Gas Profile</u>
<u>ASI*7*029/</u>	<u>Transaction is a Request; action is an Inquiry</u>
<u>REF*11*A12345009Z/</u>	<u>ESCO assigned account number for the customer</u>
<u>REF*12*2339393600100025/</u>	<u>Utility assigned account number for the</u>

	customer
<u>SE*10*0034/</u>	<u>Transaction Set trailer; segment count; control number</u>

Scenario 4: Reject Response – Combination Block of Enrollment Request and Historical Request

<u>ST*814*0034/</u>	<u>Transaction Set header; transaction defined is an 814; control number assigned by originator</u>
<u>BGN*11*200106Q1145103*20060610***20000301145101/</u>	<u>Transaction is a Response; Unique id number for this transaction; transaction creation date; BGN02 from Request transaction</u>
<u>N1*SJ*ESCO NAME*1*1234467899/</u>	<u>ESCO Name and DUNS number</u>
<u>N1*8S*CON EDISON*1*006982359/</u>	<u>Utility Name and DUNS number</u>
<u>N1*8R*MARY SMITH/</u>	<u>Customer Name</u>
<u>LIN*ZZXXYY0901001C*SH*GAS*SH*GP/</u>	<u>Unique transaction reference number; service is Gas; response pertains to Request for Gas Profile</u>
<u>ASI*U*029/</u>	<u>Status is Reject; action is an Inquiry</u>
<u>REF*7G*CAB/</u>	<u>Reject Reason for Enrollment Block and Historical Block</u>
<u>REF*11*A12345009Z/</u>	<u>ESCO assigned account number for the customer</u>
<u>REF*12*2339393600100025/</u>	<u>Utility assigned account number for the customer</u>
<u>SE*11*0034/</u>	<u>Transaction Set trailer; segment count; control number</u>

Scenario 4: Reject Response – to enrollment block and historical block

<u>ST*814*0034/</u>	<u>Transaction Set header; transaction defined is an 814; control number assigned by originator</u>
<u>BGN*11*200106Q1145103*20060610***20000301145101/</u>	<u>Transaction is a Response; Unique id number for this transaction; transaction creation date; BGN02 from Request transaction</u>
<u>N1*SJ*ESCO NAME*1*1234467899/</u>	<u>ESCO Name and DUNS number</u>
<u>N1*8S*CON EDISON*1*006982359/</u>	<u>Utility Name and DUNS number</u>
<u>N1*8R*MARY SMITH/</u>	<u>Customer Name</u>
<u>LIN*ZZXXYY0901001C*SH*GAS*SH*GP/</u>	<u>Unique transaction reference number; service is Gas; response pertains to Request for Gas Profile</u>
<u>ASI*U*029/</u>	<u>Status is Reject; action is an Inquiry</u>
<u>REF*7G*CAB/</u>	<u>Reject Reason for Enrollment Block</u>
<u>REF*7G*HUR/</u>	<u>Reject Reason for Historical Usage not Released</u>
<u>REF*11*A12345009Z/</u>	<u>ESCO assigned account number for the customer</u>

<u>REF*12*2339393600100025/</u>	<u>Utility assigned account number for the customer</u>
<u>SE*11*0034/</u>	<u>Transaction Set trailer; segment count; control number</u>