

# New York Implementation Standard

## For Standard Electronic Transactions

TRANSACTION SET

# 867

## Consumption History/Gas Profile

### Ver/Rel 004010

	<b>Summary of Changes</b>
July 20, 2001 Version 1.0	Initial Release
August 23, 2001	Errata Notice Issued MEA07 element was deleted from PTD Loop where PTD01=BC (Unmetered Usage) in the corresponding 867HU data dictionary.
March 17, 2004 Version 1.1	<p>Version 1.1 Issued</p> <ul style="list-style-type: none"> <li>• The following codes were added to element MEA07 in the MEA segments present in the QTY loops for the PTD*BO and PTD*BQ loops to provide for more detailed descriptions of electric consumption/usage data: 45 (Summer On Peak), 49 (Winter On Peak), 50 (Winter Mid Peak), 57 (Summer Total), 58 (Winter Total), 73 (Summer Off Peak), 74 (Summer Intermediate Peak), 75 (Winter Off Peak), 84 (High Tension On Peak Energy), 85 (High Tension Off Peak Energy), 86 (Low Tension On Peak Energy), 87 ( Low Tension Off Peak Energy), 88 (Low Tension Total Energy), 89 (Low Tension Primary Demand), 90 ( Low Tension Transmission Demand), 92 (High Tension Total Energy), 93 (High Tension Primary Demand) and 94 (High Transmission Demand).</li> <li>• Notes were added to clarify the use of codes 41 (Off Peak), 42 (On Peak) and 51 (Total) by Consolidated Edison of New York..</li> <li>• Notes regarding the attributes of "R" elements were added to the Front Matter notes.</li> <li>• Use of the QTY*99 was corrected from 'Required' to 'Conditional'.</li> </ul>

<u>October 23, 2014</u> <u>Version 1.2</u>	<u>Version 1.2 Issued</u>
	<ul style="list-style-type: none"> <li><del>Notes pertaining to the use of this document</del>The PTD*FG (Additional Information) loop was added to include REF*0N (Customer Shopping Status), REF*IJ (Industrial Classification Code), REF*TX (Utility Tax Exempt Status), REF*ZV (Block on Account), REF*TDT (Account Settlement Indicator), REF*YP (NYPA/ReCharge New York), REF*SG (Utility Discount), QTY*KZ (ICAP Tag), QTY*9N (Number of Meters) and REF*MG (Meter Number).</li> </ul> <p><u>This loop is used when data is available from the utility. This loop is sent when there is no historical usage available if the utility has any of these data available for the ESCO.</u></p>
	<u>Utility specific notes are generalized, as appropriate, and designated for relocation to/reference within Utility Maintained EDI Guides, as necessary.</u>
	<u>Replaced references to Marketer and E/M with ESCO.</u>

	<p><b><u>Notes pertaining to the use of this document</u></b></p>
Purpose	<ul style="list-style-type: none"> <li>This 867 Transaction Set is used to return Historic Usage or Gas Profile information in response to an 814 Consumption History/Gas Profile Request or to a secondary request for history/gas profile data sent in an 814 Enrollment Request transaction. These standards are based on the ASC X12 Ver/Rel 004010 standard and related UIG guidelines.</li> </ul>
One account/one commodity per 867	<ul style="list-style-type: none"> <li>Each response will contain up to 12 months of consumption history for one account for one commodity (i.e. electric or gas). If a customer takes both electric and gas bundled service from the utility under a single account number, <del>the E/MESCO</del> must request history for each commodity in separate transactions (i.e. two 814 Consumption History Request transactions or <del>two 814 Enrollment Request transactions</del>). If the requests are valid, the Utility will respond with two 867 transactions – one for each commodity.</li> </ul>
All meters per account	<ul style="list-style-type: none"> <li>When an <del>E/MESCO</del> requests consumption history for electric service on an account, the response will contain history data for all electric meters, and/or all unmetered electric service on the account. Similarly, when a request for consumption history is received for gas service on an account, <del>the response will contain history data or gas profile(s) for all gas meters on the account.</del></li> </ul>
Historic usage	<ul style="list-style-type: none"> <li>The responses reflected in this Implementation Guide are for history data or gas profile data. <u>Each utility may elect to support gas profile requests and the details of a utility's gas profile implementation will be explained in its Utility Maintained EDI Guide.</u> The history data is billing period information for the previous 12 months, or life of the account, whichever is shorter. The gas profile data is a weather normalized forecast for a 12 month period. <del>Gas profiles are only supported by Con Edison and Keyspan.</del> If a gas profile is requested from <del>another</del> utility <u>that does not support gas profiles</u>, the 867 response will contain historic gas usage.</li> </ul>
Interval Data	<ul style="list-style-type: none"> <li>Historic interval consumption will be transmitted on an 867 in summarized form as used for billing. Actual interval data will be made available upon request in a non-EDI format.</li> </ul>
Fees	<ul style="list-style-type: none"> <li>Fees may be assessed for requests for consumption history. When requesting history, the <del>E/MESCO</del> must indicate a willingness to pay a fee. No 867 will be returned if the 814 request was rejected for fees. Refer to the Notes section of the Implementation Guides for the 814 Enrollment Request and Response and the 814 Consumption History Request and Response or the Usage Business Process – Historical document for the procedures for handling fees.</li> </ul>

Description of PTD Loops	<ul style="list-style-type: none"> <li>Each PTD loop must contain the Utility Rate Service Class, Rate Sub Class (if applicable) and Load Profile code (for electric service) associated with the usage being sent.</li> <li>Responses to requests for historic usage may contain one or more PTD loops depending upon the type of data being sent. Summarized metered consumption is sent in PTD*BO loops; summarized unmetered consumption data is sent in PTD*BC loops; and detailed consumption by meter will be sent in PTD*BQ loops. These PTD segments will contain multiple QTY loops for usage data by period start and end dates. The data provided is data as available from the utility's Customer Information System. See examples at the back of this Implementation Guide.</li> <li><u>Two PTD loops will be used to transmit Gas Profile data. The PTD*BG segment will contain gas profile factors in a series of QTY loops. The PTD*SM segment contains the gas profile data. The profile data will be sent in multiple PTD*SM loops – one for each forecast month and <u>optionally</u>, one for an Annual Period (<del>KeySpan only</del>). See examples at the back of this Implementation Guide.</u></li> <li><u>The PTD*FG (Additional Information) loop will be used to transmit additional information such as ICAP Tag and customer information.</u></li> </ul>
Data Element Attributes	<ul style="list-style-type: none"> <li>Data elements whose X12 attribute type is 'R' (for example the QTY02 or AMT02 elements) are treated as real numbers. Real numbers are assumed to be positive numbers and a minus (-) sign must precede the amount when a negative number is being sent. Real numbers do NOT provide for an implied decimal position; therefore a decimal point must be sent when decimal precision is required. Note that in transmitting real numbers it is acceptable, but not necessary, to transmit digits that have no significance i.e. leading or trailing zeros.</li> </ul>
Definitions	<ul style="list-style-type: none"> <li>The term Utility or LDC (Local Distribution Company) is used in this document to refer to the local gas or electric distribution company, i.e. the entity providing regulated bundled commodity service. The term <del>ESCO/Marketer</del> is used in this document to refer to either a gas or electric supplier. The principal parties involved in this Transaction Set 814 implementation guide are: <ul style="list-style-type: none"> <li>The end-use customer (Code 8R)</li> <li>The Utility (LDC) (Code 8S)</li> <li>The Supplier (<del>ESCO/Marketer or E/M</del>) (Code SJ).</li> </ul> </li> <li>The terms Usage, Consumption, and Data used in this document refer to the calculated amount of the commodity (kWh, therms, etc.) used for utility billing.</li> </ul>
Companion Documents	<ul style="list-style-type: none"> <li>All of the applicable business rules for New York are not necessarily documented in this implementation guide. Accordingly, the Usage Business Processes – Historical document and the data dictionary for the TS867 Consumption History/Gas Profile should be reviewed where further clarification is needed.</li> </ul>

# Implementation Guideline Field Descriptions

**Segment:** **REF** **Reference Identification**

**Position:** 030

**Loop:** LIN Optional

**Level:** Detail

**Usage:** Optional

**Max Use:** >1

**Purpose:** To specify identifying information

**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

**Notes:**

Account numbers will only contain uppercase letters (A to Z) and digits (0 to 9). Note that punctuation (spaces, dashes, etc.) must be excluded, and leading and trailing zeros that are part of the account number must be present.

Request: Required

Accept Response: Required

Reject Response: Required unless account number was not provided on the request.

REF\*12\*2931839200

This section shows the X12 Rules for this segment, with the exception of the Usage and Max Use fields, which include NY rules. For Usage, “Optional (Must Use)” means that the segment is Optional for X12, but required for NY. You must also review the gray boxes below for additional NY Rules.

This section displays the NY Rules for implementation of this segment.

One or more examples.

## Data Element Summary

	Ref. Des.	Data Element	Name	X12 Attributes
Mand.	REF01	128	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification Billing Account Utility-assigned account number for the customer.	M ID 2/3
Must Use	REF02	127	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

This column documents differences between X12 and NY use for each data element within a segment.

**Mand.** = X12 Required

**Must Use** = NY Required

**Optional** = NY Optional

**Cond.** = NY Conditional

These are X12 code descriptions, which often do not relate to retail access functions/descriptions. In these guides the meaning of codes has been changed to correspond to retail access transactions as needed.

These columns show the X12 attributes for each data element:

M = Mandatory

O = Optional

X = Conditional

AN = Alphanumeric

N# = Implied Decimal

ID = Identification

R = Real

DT = Date (CCYYMMDD)

1/30 = Minimum 1, Maximum 30

# 867 Consumption History/Gas Profile

Functional Group ID=**PT**

## Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Product Transfer and Resale Report Transaction Set (867) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to: (1) report information about product that has been transferred from one location to another; (2) report sales of product from one or more locations to an end customer; or (3) report sales of a product from one or more locations to an end customer, and demand beyond actual sales (lost orders). Report may be issued by either buyer or seller.

## Notes:

This guide documents the format and content of the TS867 used to respond to either an 814 Request for Consumption History or a secondary request for history data made coincident with an 814 Enrollment Request.

Each 867 transaction contains consumption history data for a single account -for a single commodity (Electric or Gas). The consumption history may be either historic usage data or a gas profile.

## Heading:

Page No.	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
4	010	ST	Transaction Set Header	M	1		
5	020	BPT	Beginning Segment for Product Transfer and Resale	M	1		
LOOP ID - N1							1
6	080	N1	Name (ESCO/Marketer)	O	1		
LOOP ID - N1							1
7	080	N1	Name (Utility)	O	1		
LOOP ID - N1							1
8	080	N1	Name (Customer)	O	1		
9	100	N3	Address Information (Service Address)	O	1		
10	110	N4	Geographic Location (Service Address)	O	1		
11	120	REF	Reference Identification (Utility Account Number)	O	1		
12	120	REF	Reference Identification (Previous Utility Account Number)	O	1		

## Detail:

Page No.	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
LOOP ID - PTD							>1
13	010	PTD	Product Transfer and Resale Detail (Metered Summary)	O	1		
14	030	REF	Reference Identification (Utility Rate Service Class)	O	1		
15	030	REF	Reference Identification (Rate Sub Class)	O	1		
16	030	REF	Reference Identification (Load Profile)	O	1		
LOOP ID - QTY							>1
17	110	QTY	Quantity	O	1		
18	160	MEA	Measurements	O	40		
20	210	DTM	Date/Time Reference (Period Start Date)	O	1		
21	210	DTM	Date/Time Reference (Period End Date)	O	1		

NY 867 Consumption History/Gas Profile – Draft Revisions for 8/29/2014 Meeting

LOOP ID - PTD				>1	
22	010	PTD	Product Transfer and Resale Detail (Unmetered Usage)	O	1
23	030	REF	Reference Identification (Utility Rate Service Class)	O	1
24	030	REF	Reference Identification (Rate Sub Class)	O	1
25	030	REF	Reference Identification (Load Profile)	O	1
LOOP ID - QTY				>1	
26	110	QTY	Quantity	O	1
27	160	MEA	Measurements	O	1
28	210	DTM	Date/Time Reference (Period Start Date)	O	1
29	210	DTM	Date/Time Reference (Period End Date)	O	1
LOOP ID - PTD				>1	
30	010	PTD	Product Transfer and Resale Detail (Metered Consumption Detail)	O	1
31	030	REF	Reference Identification (Meter Number)	O	1
32	030	REF	Reference Identification (Utility Rate Service Class)	O	1
33	030	REF	Reference Identification (Rate Sub Class)	O	1
34	030	REF	Reference Identification (Load Profile)	O	1
LOOP ID - QTY				>1	
35	110	QTY	Quantity	O	1
36	160	MEA	Measurements	O	40
38	210	DTM	Date/Time Reference (Period Start Date)	O	1
39	210	DTM	Date/Time Reference (Period End Date)	O	1
LOOP ID - PTD				1	
40	010	PTD	Product Transfer and Resale Detail (Gas Profile Factors)	O	1
41	020	DTM	Date/Time Reference (Profile Period Start Date)	O	1
42	020	DTM	Date/Time Reference (Date Customer Initiated Service)	O	1
43	030	REF	Reference Identification (Utility Rate Service Class)	O	1
44	030	REF	Reference Identification (Rate Sub Class)	O	1
LOOP ID - QTY				1	
45	110	QTY	Quantity (Base)	O	1
LOOP ID - QTY				1	
46	110	QTY	Quantity (Slope)	O	1
LOOP ID - QTY				1	
47	110	QTY	Quantity (Load Factor)	O	1
LOOP ID - QTY				1	
48	110	QTY	Quantity (UFG Rate)	O	1
LOOP ID - QTY				1	
49	110	QTY	Quantity (Maximum Delivery)	O	1
LOOP ID - PTD				13	
50	010	PTD	Product Transfer and Resale Detail (Gas Profile Data)	O	1
51	020	DTM	Date/Time Reference (Report Month)	O	1
52	020	DTM	Date/Time Reference (Annual Period)	O	1
LOOP ID - QTY				1	
53	110	QTY	Quantity (Projected Usage - Normal)	O	1
LOOP ID - QTY				1	
54	110	QTY	Quantity (Projected Monthly Usage)	O	1
LOOP ID - QTY				1	
55	110	QTY	Quantity (Projected Delivery - Normal)	O	1



			LOOP ID - QTY			1
56	110	QTY	Quantity (Projected Monthly Delivery Quantity)	O	1	
			LOOP ID - QTY			1
57	110	QTY	Quantity (Projected Daily Delivery Quantity)	O	1	
			LOOP ID - QTY			1
58	110	QTY	Quantity (Projected Usage - Design)	O	1	
			LOOP ID - QTY			1
59	110	QTY	Quantity (Projected Delivery - Design)	O	1	
			LOOP ID - QTY			1
60	110	QTY	Quantity (Projected Balancing Use)	O	1	
61	140	AMT	Monetary Amount (Projected Swing Charges)	O	1	

### Summary:

<u>Page No.</u>	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
61	030	SE	Transaction Set Trailer	M	1		
E-1			Examples				

### Transaction Set Notes:

1. The N1 loop is used to identify the transaction participants.
2. The PTD\*BO and/or the PTD\*BC and/or the PTD\*BQ loops are sent in response to requests for historic usage.
3. The PTD\*BG loop is sent by ~~Consolidated Edison or KeySpan~~ utilities that support gas profiles in response to requests for gas profile data.

<b>Segment:</b>	<b>ST</b> Transaction Set Header
<b>Position:</b>	010
<b>Loop:</b>	
<b>Level:</b>	Heading
<b>Usage:</b>	Mandatory
<b>Max Use:</b>	1
<b>Purpose:</b>	To indicate the start of a transaction set and to assign a control number
<b>Syntax Notes:</b>	
<b>Semantic Notes:</b>	1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
<b>Comments:</b>	
<b>Notes:</b>	Required ST~867~0001

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	ST01	143	Transaction Set Identifier Code	M ID 3/3
			867 Product Transfer and Resale Report	
Mand.	ST02	329	Transaction Set Control Number	M AN 4/9
			This control number uniquely identifies the transaction set delimited by this ST and it's corresponding SE segment within a functional group.	

**Segment:** **BPT** Beginning Segment for Product Transfer and Resale

**Position:** 020

**Loop:**

**Level:** Heading

**Usage:** Mandatory

**Max Use:** 1

**Purpose:** To indicate the beginning of the Product Transfer and Resale Report Transaction Set and transmit identifying data

**Syntax Notes:** 1 If either BPT05 or BPT06 is present, then the other is required.

**Semantic Notes:** 1 BPT02 identifies the transfer/resale number.

2 BPT03 identifies the transfer/resale date.

3 BPT08 identifies the transfer/resale time.

4 BPT09 is used when it is necessary to reference a Previous Report Number.

**Comments:**

**Notes:** Required

BPT~52~2001062730326001~20010627~DD

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>BPT01</b>	<b>353</b>	<b>Transaction Set Purpose Code</b>	<b>M ID 2/2</b>
			52	Response to Historical Inquiry
				Response to a request for consumption history or gas profile.
<b>Must Use</b>	<b>BPT02</b>	<b>127</b>	<b>Reference Identification</b>	<b>O AN 1/30</b>
<b>Mand.</b>	<b>BPT03</b>	<b>373</b>	<b>Date</b>	<b>M DT 8/8</b>
				This is the date that the transaction was created by the sender's application system.
<b>Must Use</b>	<b>BPT04</b>	<b>755</b>	<b>Report Type Code</b>	<b>O ID 2/2</b>
			41	Statistical Model
				Gas Profile
			DD	Distributor Inventory Report
				Historic Usage

<b>Segment:</b>	<b>N1</b> Name (ESCO/ <del>Marketer</del> )
<b>Position:</b>	080
<b>Loop:</b>	N1 Optional (Must Use)
<b>Level:</b>	Heading
<b>Usage:</b>	Optional (Must Use)
<b>Max Use:</b>	1
<b>Purpose:</b>	To identify a party by type of organization, name, and code
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 At least one of N102 or N103 is required.</li> <li>2 If either N103 or N104 is present, then the other is required.</li> </ol>
<b>Semantic Notes:</b>	
<b>Comments:</b>	<ol style="list-style-type: none"> <li>1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.</li> <li>2 N105 and N106 further define the type of entity in N101.</li> </ol>
<b>Notes:</b>	Required N1~SJ~~24~163456789

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>N101</b>	<b>98</b>	<b>Entity Identifier Code</b>	<b>M ID 2/3</b>
			SJ Service Provider	
			Identifies the ESCO/ <del>Marketer</del> participating in this transaction.	
	<b>N102</b>	<b>93</b>	<b>Name</b>	<b>X AN 1/60</b>
			Free Form ESCO/ <del>Marketer</del> Company Name	
			Supplemental text information supplied, if desired, to provide "eyeball" identification of the ESCO/ <del>Marketer</del> . It is not necessary for successful completion of the transaction but may be provided by mutual agreement between trading partners.	
<b>Must Use</b>	<b>N103</b>	<b>66</b>	<b>Identification Code Qualifier</b>	<b>X ID 1/2</b>
			1 D-U-N-S Number, Dun & Bradstreet	
			9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix	
			24 Employer's Identification Number	
			Federal Tax ID	
<b>Must Use</b>	<b>N104</b>	<b>67</b>	<b>Identification Code</b>	<b>X AN 2/80</b>
			The D-U-N-S number or the Federal Tax ID	

<b>Segment:</b>	<b>N1</b> Name (Utility)
<b>Position:</b>	080
<b>Loop:</b>	N1 Optional (Must Use)
<b>Level:</b>	Heading
<b>Usage:</b>	Optional (Must Use)
<b>Max Use:</b>	1
<b>Purpose:</b>	To identify a party by type of organization, name, and code
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 At least one of N102 or N103 is required.</li> <li>2 If either N103 or N104 is present, then the other is required.</li> </ol>
<b>Semantic Notes:</b>	
<b>Comments:</b>	<ol style="list-style-type: none"> <li>1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.</li> <li>2 N105 and N106 further define the type of entity in N101.</li> </ol>
<b>Notes:</b>	Required N1~8S~~1~006994708

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>N101</b>	<b>98</b>	<b>Entity Identifier Code</b>	<b>M ID 2/3</b>
			8S Consumer Service Provider (CSP)	
			Identifies the Utility participating in this transaction.	
	<b>N102</b>	<b>93</b>	<b>Name</b>	<b>X AN 1/60</b>
			Free Form Utility Company Name	
			Supplemental text information that may be supplied to provide "eyeball" identification of the Utility. It is not necessary for successful completion of the transaction but may be provided by mutual agreement between trading partners.	
<b>Must Use</b>	<b>N103</b>	<b>66</b>	<b>Identification Code Qualifier</b>	<b>X ID 1/2</b>
			1 D-U-N-S Number, Dun & Bradstreet	
			9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix	
			24 Employer's Identification Number	
			Federal Tax ID	
<b>Must Use</b>	<b>N104</b>	<b>67</b>	<b>Identification Code</b>	<b>X AN 2/80</b>

<b>Segment:</b>	<b>N1</b> Name (Customer)
<b>Position:</b>	080
<b>Loop:</b>	N1 Optional (Must Use)
<b>Level:</b>	Heading
<b>Usage:</b>	Optional (Must Use)
<b>Max Use:</b>	1
<b>Purpose:</b>	To identify the customer in this transaction.
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 At least one of N102 or N103 is required.</li> <li>2 If either N103 or N104 is present, then the other is required.</li> </ol>
<b>Semantic Notes:</b>	
<b>Comments:</b>	<ol style="list-style-type: none"> <li>1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.</li> <li>2 N105 and N106 further define the type of entity in N101.</li> </ol>
<b>Notes:</b>	<p>Required</p> <p>The customer's current tax district must be sent in the N4 segment in this N1 loop. When an N4 segment is required, an N1 segment must also be sent to comply with X12 requirements.</p> <p>N1~8R~MARY SMITH N1~8R~NAME</p>

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>N101</b>	<b>98</b>	<b>Entity Identifier Code</b>	<b>M ID 2/3</b>
			8R Consumer Service Provider (CSP) Customer	
			Identify the end use customer targeted by this transaction.	
<b>Must Use</b>	<b>N102</b>	<b>93</b>	<b>Name</b>	<b>X AN 1/60</b>
			Supplemental text information that may be supplied to provide "eyeball" identification of the customer. It is not necessary for successful completion of the transaction but may be provided by mutual agreement between trading partners.	
			Some utilities may not transmit the actual customer name but will send the literal 'NAME' in N102 position to ensure compliance with ANSI X12 requirements.	

**Segment:** **N3** Address Information (Service Address)  
**Position:** 100  
**Loop:** N1 Optional (Must Use)  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To specify the location of the named party  
**Syntax Notes:**  
**Semantic Notes:**  
**Comments:**  
**Notes:**

Optional  
 N3~STREET ADDRESS~OVERFLOW ADDRESS

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	N301	166	Address Information	M AN 1/55
Cond	N302	166	Address Information	O AN 1/55

<b>Segment:</b>	<b>N4 Geographic Location (Service Address)</b>
<b>Position:</b>	110
<b>Loop:</b>	N1 Optional (Must Use)
<b>Level:</b>	Heading
<b>Usage:</b>	Optional (Must Use)
<b>Max Use:</b>	1
<b>Purpose:</b>	To specify the geographic place of the named party
<b>Syntax Notes:</b>	1 If N406 is present, then N405 is required.
<b>Semantic Notes:</b>	
<b>Comments:</b>	<p>1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.</p> <p>2 N402 is required only if city name (N401) is in the U.S. or Canada.</p>
<b>Notes:</b>	<p>Optional: City Name (N101), State (N102), and postal code (N103) .</p> <p>Required: The N405 qualifier (TX) and N406 (Tax District) are required.</p> <p>N4~FLUSHING~NY~11355-2426~~TX~8005</p>

#### Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
N401	19	City Name	O AN 2/30
N402	156	State or Province Code	O ID 2/2
N403	116	Postal Code	O ID 3/15
Must Use	N405	309 Location Qualifier	X ID 1/2
		TX Taxing District	
Must Use	N406	310 Location Identifier	O AN 1/30
		State assigned civil division code for the tax district where the customer service is located.	



**Segment:** **REF** Reference Identification (Utility Account Number)  
**Position:** 120  
**Loop:** N1 Optional (Must Use)  
**Level:** Heading  
**Usage:** Optional (Must Use)  
**Max Use:** 1  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**  
**Notes:** Required  
 REF~12~011231287654398

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
			12 Billing Account	
			REF02 is the Utility-assigned account number for the customer.	
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
			Utility assigned customer account number	
			The utility account number must be supplied without intervening spaces or non-alphanumeric characters. (Characters added to aid in visible presentation on a bill, for example, should be removed)	

<b>Segment:</b>	<b>REF</b> Reference Identification (Previous Utility Account Number)
<b>Position:</b>	120
<b>Loop:</b>	N1 Optional (Must Use)
<b>Level:</b>	Heading
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To specify identifying information
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 At least one of REF02 or REF03 is required.</li> <li>2 If either C04003 or C04004 is present, then the other is required.</li> <li>3 If either C04005 or C04006 is present, then the other is required.</li> </ol>
<b>Semantic Notes:</b>	1 REF04 contains data relating to the value cited in REF02.
<b>Comments:</b>	
<b>Notes:</b>	<p>Conditional</p> <p>Required when the utility assigned account number for the customer has changed in the last 90 days.</p> <p>REF~45~9194132485705971</p>

#### Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
			45 Old Account Number	
			REF02 contains the Utility's previous account number for the customer.	
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
			Previous Utility account number for the customer	
			This segment would be sent, for example, when a change in meter reading routes results in a change in the account number assigned to a customer.	

**Segment:** **PTD** **Product Transfer and Resale Detail (Metered Summary)**

**Position:** 010

**Loop:** PTD Optional (Dependent)

**Level:** Detail

**Usage:** Optional (Dependent)

**Max Use:** 1

**Purpose:** To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data

**Syntax Notes:** 1 If either PTD02 or PTD03 is present, then the other is required.

2 If either PTD04 or PTD05 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Conditional

Three PTD Loops with codes of BO, BC, or BQ have been provided for transmitting historic usage. Two PTD loops with codes of BG and SM are provided for transmitting gas profile data. The sender must use the correct PTD loop for the type of data being transmitted. For example, do not use PTD\*BQ to send unmetered usage information. Data on unmetered service points should be summarized in the PTD\*BC loop.

The PTD\*BO loop is for summarized metered consumption. An account with 12 months of consumption history reported for two metered service end points would be transmitted in one PTD loop but that loop would contain multiple QTY segments - one for each period reported with separate consumption for each unit of measure and daily reported peaks as applicable (see examples).

The same Utility rate service class, rate subclass and load profile code must apply to all service points summarized in the same PTD loop. If some service end points are in a different rate service class then others, the data from those service end points should be sent in a separate PTD\*BO loop.

PTD~BO~~OZ~EL

**Data Element Summary**

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Mand.</b>	<b>PTD01</b>	<b>521</b>	<b>Product Transfer Type Code</b>	<b>M ID 2/2</b>
			BO	Designated Items
				Metered Summary
				This loop contains a summary of the usage data from metered service points on an account for the commodity type indicated in PTD05.
<b>Must Use</b>	<b>PTD04</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X ID 2/3</b>
			OZ	Product Number
				PTD05 contains a code identifying the commodity reported in this transaction.
<b>Must Use</b>	<b>PTD05</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
			EL	Electric Service
			GAS	Gas Service

**Segment:** **REF** Reference Identification (Utility Rate Service Class)  
**Position:** 030  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Must Use)  
**Max Use:** 1  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**  
**Notes:** Required  
 REF~NH~A001  
 REF~NH~1150100

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b> NH Rate Card Number REF02 contains the Utility specific rate code that references the service class and rates applicable to the service delivery point(s) summarized in this PTD loop.	<b>M ID 2/3</b>
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b> Utility Rate code as found in the tariff. (This code can be used to retrieve rates from a utility's web site.)	<b>X AN 1/30</b>

**Segment:** **REF** Reference Identification (Rate Sub Class)  
**Position:** 030  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**  
**Notes:**

Conditional

This segment must be sent if a rate subclass is applicable to the service delivery points summarized in this PTD loop.

REF~PR~RSVD

REF~PR~NRSVD

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	REF01	128	Reference Identification Qualifier	M ID 2/3
			PR	Price Quote Number
				Utility Rate Subclass
Must Use	REF02	127	Reference Identification	X AN 1/30
			Provides further clarification of the Utility Rate Service Class specified in the REF*NH segment.	

**Segment:** **REF** Reference Identification (Load Profile)  
**Position:** 030  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify identifying information  
**Syntax Notes:**  
 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:**  
 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**  
**Notes:**

Conditional  
 Load Profile codes must be sent when the service is electric (PTD05=EL).  
 REF~LO~L01

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
			LO Load Planning Number	
			Load Profile	
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
			Utility assigned load profile code. Load profile code definitions are accessible from the Utility's web site.	

**Segment:** **QTY** Quantity

**Position:** 110

**Loop:** QTY Optional (Must Use)

**Level:** Detail

**Usage:** Optional (Must Use)

**Max Use:** 1

**Purpose:** To specify quantity information. A separate Quantity loop is used for each register or measurement type provided by the meter.

**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.

2 Only one of QTY02 or QTY04 may be present.

**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.

**Comments:**

**Notes:** Required

QTY~FL~2 Data is summarized for 2 meters

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>QTY01</b>	<b>673</b>	<b>Quantity Qualifier</b>	<b>M ID 2/2</b>
			FL	Units
				QTY02 contains the number of metered service delivery points represented by the summarized data in this PTD loop.
<b>Must Use</b>	<b>QTY02</b>	<b>380</b>	<b>Quantity</b>	<b>X R 1/15</b>
				Report the number of meters represented in the summarized data for the period indicated in the DTM segment.

**Segment:** **MEA** Measurements

**Position:** 160

**Loop:** QTY Optional (Must Use)

**Level:** Detail

**Usage:** Optional (Must Use)

**Max Use:** 40

**Purpose:** To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)

- Syntax Notes:**
- 1 At least one of MEA03 MEA05 MEA06 or MEA08 is required.
  - 2 If MEA05 is present, then MEA04 is required.
  - 3 If MEA06 is present, then MEA04 is required.
  - 4 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required.
  - 5 Only one of MEA08 or MEA03 may be present.

**Semantic Notes:** 1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.

**Comments:** 1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

**Notes:** Required

An MEA segment must be sent for each unit of measure and time interval where time intervals are applicable.

MEA~BR~PRQ~10101~KH~~~41 — 10101 kWh billed off peak use

MEA~AN~PRQ~12.3~K1~~~51 12.3 kW total recorded demand

MEA~BR~PRQ~11.4~K1~~~51 11.4 kW total billed demand

MEA~AN~PRQ~2.1~K1~~~41 2.1 kW recorded off peak demand

MEA~AN~PRQ~7.3~K1~~~42 7.3 kW recorded on peak demand

MEA~AN~PRQ~3~K1~~~43 3 kW recorded shoulder peak demand

MEA~BR~PRQ~750~KH~~~41 —750 kWh billed off peak kilowatt hours

MEA~EN~PRQ~1275~TD —1275 Estimated Therms

#### Data Element Summary

	Ref.	Data		Attributes	
	Des.	Element	Name		
Must Use	MEA01	737	Measurement Reference ID Code		O ID 2/2
			AN	Work	
				Period Actual	
			BR	Billed History	
				Use where the utility tariff provides for minimum charges regardless of actual consumption. Utility does not retain the actual consumption data.	
			EN	Environmental Conditions	
				Period Estimated	
Must Use	MEA02	738	Measurement Qualifier		O ID 1/3
			PRQ	Product Reportable Quantity	
				Consumption	
Must Use	MEA03	739	Measurement Value		X R 1/20
				Quantity of the consumption for the period indicated in the DTM segment.	
Must Use	MEA04	C001	Composite Unit of Measure		X
Mand.	C00101	355	Unit or Basis for Measurement Code		M ID 2/2
			<del>HH</del> Ccf		Hundred Cubic Feet
					eef
			K1	Kilowatt Demand	
			K2	Kilovolt Amperes Reactive Demand	
			K3	Kilovolt Amperes Reactive Hour	
			K4	Kilovolt Amperes	
			K5	Kilovolt Amperes Reactive	
			K7	Kilowatt	
			KH	Kilowatt Hour	
			TD	Therms	



Cond MEA07 935 Measurement Significance Code O ID 2/2

This element is required for electric service but not used for gas service.

41	Off Peak	<del>For Consolidated Edison</del> At the utility's option, this code is used to designate Sma
42	On Peak	<del>For Consolidated Edison</del> At the utility's option, this code is used to designate Sma
43	Intermediate	
45	Per Gallon	
	Summer On Peak	
49	Mist	
	Winter On Peak	
50	Predominant	
	Winter Mid Peak	
51	Total	<del>For Consolidated Edison</del> At the utility's option, this code will be used to designate
57	Boarded or Blocked Up	
	Summer Total	
58	Planned	
	Winter Total	
73	Low to High	
	Summer Off Peak	
74	Low to Medium	
	Summer Intermediate Peak	
75	Low to Moderate	
	Winter Off Peak	
84	Good to High	
	High Tension On Peak Energy	
85	High	
	High Tension Off Peak Energy	
86	Budgeted	
	Low Tension On Peak Energy	
87	Forecast	
	Low Tension Off Peak Energy	
88	Adjusted	
	Low Tension Total Energy	
89	Allocated	
	Low Tension Primary Demand	
90	Increasing	
	Low Tension Secondary Demand	
91	Stable	
	Low Tension Transmission Demand	
92	Declining	
	High Tension Total Energy	
93	Previous	
	High Tension Primary Demand	
94	Potential	
	High Tension Transmission Demand	

**Segment:** **DTM** **Date/Time Reference (Period Start Date)**  
**Position:** 210  
**Loop:** QTY Optional (Must Use)  
**Level:** Detail  
**Usage:** Optional (Must Use)  
**Max Use:** 1  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:** 1 At least one of DTM02 DTM03 or DTM05 is required.  
 2 If DTM04 is present, then DTM03 is required.  
 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Required  
 DTM~150~20010315

**Data Element Summary**

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>M ID 3/3</b>
			150 Service Period Start	
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b>	<b>X DT 8/8</b>
			Start date of the period reported in the current QTY loop in the form CCYYMMDD.	

**Segment:** **DTM** **Date/Time Reference (Period End Date)**  
**Position:** 210  
**Loop:** QTY Optional (Must Use)  
**Level:** Detail  
**Usage:** Optional (Must Use)  
**Max Use:** 1  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:** 1 At least one of DTM02 DTM03 or DTM05 is required.  
 2 If DTM04 is present, then DTM03 is required.  
 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Required  
 DTM~151~20010415

**Data Element Summary**

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>M ID 3/3</b>
			151 Service Period End	
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b>	<b>X DT 8/8</b>
			End date of the period reported in the current QTY loop in the form CCYYMMDD.	

**Segment:** **PTD** Product Transfer and Resale Detail (Unmetered Usage)

**Position:** 010

**Loop:** PTD Optional (Dependent)

**Level:** Detail

**Usage:** Optional (Dependent)

**Max Use:** 1

**Purpose:** To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data

**Syntax Notes:** 1 If either PTD02 or PTD03 is present, then the other is required.

2 If either PTD04 or PTD05 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Conditional

This PTD loop is sent to report unmetered usage history data.

All unmetered consumption history data associated with the service delivery points on an account that have the same rate service class, rate subclass and load profile can be reported in a single PTD loop. It may be necessary to send multiple PTD loops where an account has multiple unmetered service delivery points but some delivery points are associated with a different rate service class or subclass (see examples). Separate QTY loops are used to report the usage data for each period.

PTD~BC~~~OZ~EL

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>PTD01</b>	<b>521</b>	<b>Product Transfer Type Code</b>	<b>M ID 2/2</b>
			BC	Issue - Other Agency
				Total for all unmetered Service points on the account for the commodity type indicated in PTD05.
<b>Must Use</b>	<b>PTD04</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X ID 2/3</b>
			OZ	Product Number
				PTD05 contains a code identifying the commodity reported in this transaction.
<b>Must Use</b>	<b>PTD05</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
			EL	Electric Service
			GAS	Gas Service

**Segment:** **REF** Reference Identification (Utility Rate Service Class)  
**Position:** 030  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Must Use)  
**Max Use:** 1  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**  
**Notes:** Required  
 REF~NH~A001  
 REF~NH~1150100

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
			NH	Rate Card Number
				REF02 contains the Utility specific rate code that references the service class and rates applicable to this service delivery point.
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
				Utility Rate code as found in the tariff. (This code can be used to retrieve rates from a utility's web site.)

**Segment:** **REF** Reference Identification (Rate Sub Class)  
**Position:** 030  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**  
**Notes:** Conditional

This segment must be sent if a rate subclass is applicable to the service delivery points summarized in this PTD loop.  
 REF~PR~RSVD  
 REF~PR~NRSVD

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	REF01	128	Reference Identification Qualifier	M ID 2/3
			PR	Price Quote Number
				Utility Rate Subclass
Must Use	REF02	127	Quantity	X AN 1/30
				Provides further clarification of the Utility Rate Service Class specified in the REF*NH segment.

**Segment:** **REF** Reference Identification (Load Profile)  
**Position:** 030  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify identifying information  
**Syntax Notes:**  
 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:**  
 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**  
**Notes:**

Conditional  
 Load profile codes must be sent when the service is electric (PTD05=EL).  
 REF~LO~L01

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
			LO	Load Planning Number
			Load Profile	
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Quantity</b>	<b>X AN 1/30</b>
			Utility assigned load profile code. Load profile code definitions are accessible from the Utility's web site.	

<b>Segment:</b>	<b>QTY</b> Quantity
<b>Position:</b>	110
<b>Loop:</b>	QTY Optional (Must Use)
<b>Level:</b>	Detail
<b>Usage:</b>	Optional (Must Use)
<b>Max Use:</b>	1
<b>Purpose:</b>	To specify quantity information. A separate Quantity loop is used for each period reported.
<b>Syntax Notes:</b>	<p>1 At least one of QTY02 or QTY04 is required.</p> <p>2 Only one of QTY02 or QTY04 may be present.</p>
<b>Semantic Notes:</b>	1 QTY04 is used when the quantity is non-numeric.
<b>Comments:</b>	
<b>Notes:</b>	<p>Required</p> <p>This segment must be sent to indicate the number of <del>unmetered</del>unmetered service end points associated with the unmetered usage data sent in this PTD loop.</p> <p>QTY~FL~44 Reported consumption is summarized from 44 unmetered points</p>

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>QTY01</b>	<b>673</b>	<b>Quantity Qualifier</b>	<b>M ID 2/2</b>
			FL Units	
<b>Must Use</b>	<b>QTY02</b>	<b>380</b>	<b>Quantity</b>	<b>X R 1/15</b>
			Contains the number of unmetered points represented by the usage data reported for the period indicated in the DTM segment.	



**Segment:** **MEA** Measurements

**Position:** 160

**Loop:** QTY Optional (Must Use)

**Level:** Detail

**Usage:** Optional (Must Use)

**Max Use:** 1

**Purpose:** To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)

**Syntax Notes:** 1 At least one of MEA03 MEA05 MEA06 or MEA08 is required.

2 If MEA05 is present, then MEA04 is required.

3 If MEA06 is present, then MEA04 is required.

4 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required.

5 Only one of MEA08 or MEA03 may be present.

**Semantic Notes:** 1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.

**Comments:** 1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

**Notes:** Required

MEA~BR~PRQ~10101~KH Billed consumption is 10,101 kilowatt hours

#### Data Element Summary

Ref.	Des.	Data Element	Name	Attributes
Must Use	MEA01	737	Measurement Reference ID Code	O ID 2/2

AN Work

Period Actual

BR

Billed History

Use where the utility tariff provides for minimum charges regardless of actual consumption below the minimum and the Utility does not retain the actual consumption data.

EN

Environmental Conditions

Period Estimated

Must Use	MEA02	738	Measurement Qualifier	O ID 1/3
----------	-------	-----	-----------------------	----------

PRQ

Product Reportable Quantity

Consumption

Must Use	MEA03	739	Measurement Value	X R 1/20
----------	-------	-----	-------------------	----------

Quantity of Consumption delivered for service period.

Must Use	MEA04	C001	Composite Unit of Measure	X
----------	-------	------	---------------------------	---

Mand.	C00101	355	Unit or Basis for Measurement Code	M ID 2/2
-------	--------	-----	------------------------------------	----------

HH

Hundred Cubic Feet

ccf

K1

Kilowatt Demand

K2

Kilovolt Amperes Reactive Demand

K3

Kilovolt Amperes Reactive Hour

K4

Kilovolt Amperes

K5

Kilovolt Amperes Reactive

K7

Kilowatt

KH

Kilowatt Hour

TD

Therms

TZ

Thousand Cubic Feet

**Segment:** **DTM** **Date/Time Reference (Period Start Date)**  
**Position:** 210  
**Loop:** QTY Optional (Must Use)  
**Level:** Detail  
**Usage:** Optional (Must Use)  
**Max Use:** 1  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:** 1 At least one of DTM02 DTM03 or DTM05 is required.  
 2 If DTM04 is present, then DTM03 is required.  
 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Required  
 DTM~150~20000315

**Data Element Summary**

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>M ID 3/3</b>
			150 Service Period Start	
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b>	<b>X DT 8/8</b>
			Start date of the period reported in the current QTY loop in the form CCYYMMDD.	

**Segment:** **DTM** Date/Time Reference (Period End Date)  
**Position:** 210  
**Loop:** QTY Optional (Must Use)  
**Level:** Detail  
**Usage:** Optional (Must Use)  
**Max Use:** 1  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:** 1 At least one of DTM02 DTM03 or DTM05 is required.  
 2 If DTM04 is present, then DTM03 is required.  
 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Required  
 DTM~151~20000415

**Data Element Summary**

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>M ID 3/3</b>
			151 Service Period End	
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b>	<b>X DT 8/8</b>
			End date of the period reported in the current QTY loop in the form CCYYMMDD.	

**Segment:** **PTD** **Product Transfer and Resale Detail (Metered Consumption Detail)**

**Position:** 010

**Loop:** PTD Optional (Dependent)

**Level:** Detail

**Usage:** Optional (Dependent)

**Max Use:** 1

**Purpose:** To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data

**Syntax Notes:** 1 If either PTD02 or PTD03 is present, then the other is required.

2 If either PTD04 or PTD05 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:** Conditional

This PTD loop is required when metered consumption history is being reported by meter. [The PTD\\*BQ loop is not required when consumption is reported on an account basis or when a gas profile is provided.](#)

Usage from each metered service point is sent in a separate PTD\*BQ loop with each period reported in separate QTY loops within that PTD loop. An account with 12 months of non-interval usage history for two metered delivery points would require 2 PTD\*BQ loops with 12 QTY loops within each PTD loop. Each PTD loop must include the meter number, Utility rate service class (and subclass if applicable), and a load profile code where applicable. Consumption must be reported for each unit of measure (kW, kWh, ccf, etc), and time interval (peak, off peak, etc) where applicable, for each measurement period. For example, an electric account with a single metered service delivery point where consumption is being measured for on-peak, off-peak and intermediate peak periods would require a single PTD loop but 36 QTY loops to report consumption for a 12 month period (see examples).

PTD~BQ~~~OZ~EL

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	PTD01	521	Product Transfer Type Code	M ID 2/2
			BQ Other	
			Detail of metered service points on the account for the commodity type indicated in PTD05.	
Must Use	PTD04	128	Reference Identification Qualifier	X ID 2/3
			OZ Product Number	
			PTD05 contains a code identifying the commodity reported in this transaction.	
Must Use	PTD05	127	Reference Identification	X AN 1/30
			EL Electric Service	
			GAS Gas Service	

**Segment:** **REF** Reference Identification (Meter Number)  
**Position:** 030  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Must Use)  
**Max Use:** 1  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**  
**Notes:** Required  
 REF~MG~012345678

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	REF01	128	Reference Identification Qualifier MG Meter Number	M ID 2/3
Must Use	REF02	127	Reference Identification Utility assigned meter number	X AN 1/30

**Segment:** **REF** Reference Identification (Utility Rate Service Class)  
**Position:** 030  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Must Use)  
**Max Use:** 1  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**  
**Notes:** Required  
 REF~NH~A001  
 REF~NH~1150100

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
			NH	Rate Card Number
				REF02 contains the Utility specific rate code that references the service class and rates applicable to this service delivery point.
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
				Utility Rate code as found in the tariff. (This code can be used to retrieve rates from a utility's web site.)

**Segment:** **REF** Reference Identification (Rate Sub Class)  
**Position:** 030  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**  
**Notes:**

Conditional

This segment must be sent if a rate subclass is applicable to the service delivery points summarized in this PTD loop.

REF~PR~RSVD

REF~PR~NRSVD

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	REF01	128	Reference Identification Qualifier	M ID 2/3
			PR	Price Quote Number
				Utility Rate Subclass
Must Use	REF02	127	Quantity	X AN 1/30
			Provides further clarification of the Utility Rate Service Class specified in the REF*NH segment.	

**Segment:** **REF** Reference Identification (Load Profile)  
**Position:** 030  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify identifying information  
**Syntax Notes:**  
 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:**  
 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**  
**Notes:**

Conditional  
 Load profile codes must be sent when the service is electric (PTD05=EL).  
 REF~LO~L01

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
			LO Load Planning Number	
			Load Profile	
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
			Utility assigned load profile code. Load profile code definitions are provided on the Utility web site.	



**Segment:** **QTY** Quantity

**Position:** 110

**Loop:** QTY Optional (Must Use)

**Level:** Detail

**Usage:** Optional (Must Use)

**Max Use:** 1

**Purpose:** To specify quantity information. A separate Quantity loop is used for each register or measurement type provided by the meter.

**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.

2 Only one of QTY02 or QTY04 may be present.

**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.

**Comments:**

**Notes:** Required

QTY~FL~1 Data is associated with 1 service delivery point.

#### Data Element Summary

	Ref.	Data		
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	QTY01	673	Quantity Qualifier	M ID 2/2
			FL Units	
Must Use	QTY02	380	Quantity	X R 1/15

Valid value for this element in this segment will always be 1.

**Segment:** **MEA** Measurements

**Position:** 160

**Loop:** QTY Optional (Must Use)

**Level:** Detail

**Usage:** Optional (Must Use)

**Max Use:** 40

**Purpose:** To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)

- Syntax Notes:**
- 1 At least one of MEA03 MEA05 MEA06 or MEA08 is required.
  - 2 If MEA05 is present, then MEA04 is required.
  - 3 If MEA06 is present, then MEA04 is required.
  - 4 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required.
  - 5 Only one of MEA08 or MEA03 may be present.

**Semantic Notes:** 1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.

**Comments:** 1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

**Notes:** Required

An MEA segment must be sent for each unit of measure and time interval where time intervals are applicable.

MEA~BR~PRQ~10101~KH~~~41	—	10101 kWh billed off peak use
MEA~AN~PRQ~12.3~K1~~~51		12.3 kW total recorded demand
MEA~BR~PRQ~11.4~K1~~~51		11.4 kW total billed demand
MEA~AN~PRQ~2.1~K1~~~41		2.1 kW recorded off peak demand
MEA~AN~PRQ~7.3~K1~~~42		7.3 kW recorded on peak demand
MEA~AN~PRQ~3~K1~~~43		3 kW recorded shoulder peak demand
MEA~BR~PRQ~750~KH~~~41	—	750 kWh billed off peak kilowatt hours
MEA~EN~PRQ~1275~TD	—	1275 Estimated Therms

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Must Use	MEA01	737	Measurement Reference ID Code	O ID 2/2
			AN	Work
				Period Actual
			BR	Billed History
				Use where the utility tariff provides for minimum charges regardless of actual consumption below the minimum and the Utility does not retain the actual consumption data.
			EN	Environmental Conditions
				Period Estimated
Must Use	MEA02	738	Quantity PRQ	O ID 1/3
				Product Reportable Quantity
				Consumption
Must Use	MEA03	739	Measurement Value	X R 1/20
				Quantity of the consumption for the period indicated in the DTM segment.
Must Use	MEA04	C001	Composite Unit of Measure	X
Mand.	C00101	355	Unit or Basis for Measurement Code	M ID 2/2
			HH	Hundred Cubic Feet
				ccf
			K1	Kilowatt Demand
			K2	Kilovolt Amperes Reactive Demand
			K3	Kilovolt Amperes Reactive Hour
			K4	Kilovolt Amperes
			K5	Kilovolt Amperes Reactive
			K7	Kilowatt
			KH	Kilowatt Hour
			TD	Therms

Cond	MEA07	935	TZ Thousand Cubic Feet	Measurement Significance Code	O ID 2/2
------	-------	-----	---------------------------	-------------------------------	----------

This element is required for electric service but not used for gas service.

41	Off Peak
	<del>For Consolidated Edison</del> At the utility's option, this code will be used to designate Small Time of Use Off Peak Energy.
42	On Peak
	<del>For Consolidated Edison</del> At the utility's option, this code will be used to designate Small Time of Day On Peak Energy.
43	Intermediate
	Intermediate Peak
45	Per Gallon
	Summer On Peak
49	Mist
	Winter On Peak
50	Predominant
	Winter Mid Peak
51	Total
	<del>For Consolidated Edison</del> At the utility's option, this code will be used to designate Total Energy or Total Billed Demand.
57	Boarded or Blocked Up
	Summer Total
58	Planned
	Winter Total
73	Low to High
	Summer Off Peak
74	Low to Medium
	Summer Intermediate Peak
75	Low to Moderate
	Winter Off Peak
84	Good to High
	High Tension On Peak Energy
85	High
	High Tension Off Peak Energy
86	Budgeted
	Low Tension On Peak Energy
87	Forecast
	Low Tension Off Peak Energy
88	Adjusted
	Low Tension Total Energy
89	Allocated
	Low Tension Primary Demand
90	Increasing
	Low Tension Secondary Demand
91	Stable
	Low Tension Transmission Demand
92	Declining
	High Tension Total Energy
93	Previous
	High Tension Primary Demand
94	Potential
	High Tension Transmission Demand

**Segment:** **DTM** **Date/Time Reference (Period Start Date)**  
**Position:** 210  
**Loop:** QTY Optional (Must Use)  
**Level:** Detail  
**Usage:** Optional (Must Use)  
**Max Use:** 1  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:** 1 At least one of DTM02 DTM03 or DTM05 is required.  
 2 If DTM04 is present, then DTM03 is required.  
 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Required  
 DTM~150~20000315

**Data Element Summary**

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>M ID 3/3</b>
			150 Service Period Start	
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b>	<b>X DT 8/8</b>
			Start date of the period reported in the current QTY loop in the form CCYYMMDD.	

**Segment:** **DTM** **Date/Time Reference (Period End Date)**  
**Position:** 210  
**Loop:** QTY Optional (Must Use)  
**Level:** Detail  
**Usage:** Optional (Must Use)  
**Max Use:** 1  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:** 1 At least one of DTM02 DTM03 or DTM05 is required.  
 2 If DTM04 is present, then DTM03 is required.  
 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Required  
 DTM~151~20000415

**Data Element Summary**

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>M ID 3/3</b>
			151 Service Period End	
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b>	<b>X DT 8/8</b>
			End date of the period reported in the current QTY loop in the form CCYYMMDD.	

**Segment:** **PTD** Product Transfer and Resale Detail (Gas Profile Factors)

**Position:** 010

**Loop:** PTD Optional (Dependent)

**Level:** Detail

**Usage:** Optional (Dependent)

**Max Use:** 1

**Purpose:** To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data

**Syntax Notes:** 1 If either PTD02 or PTD03 is present, then the other is required.

2 If either PTD04 or PTD05 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Conditional

The PTD\*BG loop is used to transmit certain non-recurring data associated with the development of a customer's gas profile including the factors used to determine the quantities and amounts transmitted in the PTD\*SM loop.

The PTD\*SM loop (following this loop) is used to transmit the month-by-month profile data. ~~KeySpan will~~A utility that supports gas profiles may also provide an annual forecast of total quantities for the account in the PTD\*SM loop.

The PTD\*BG and SM loops are only sent by ~~Consolidated Edison or KeySpan~~utilities that support gas profiles.

PTD~BG~~~OZ~GAS

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>PTD01</b>	<b>521</b>	<b>Product Transfer Type Code</b>	<b>M ID 2/2</b>
			BG	Test and Evaluation
				Gas Profile Factors
				This PTD loop contains the factors used to determine the monthly forecast quantities in a gas profile and other non-recurring account attributes.
<b>Must Use</b>	<b>PTD04</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X ID 2/3</b>
			OZ	Product Number
				PTD05 contains the code for the commodity reported in this PTD loop.
<b>Must Use</b>	<b>PTD05</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
			GAS	Gas Service

**Segment:** **DTM** Date/Time Reference (Profile Period Start Date)  
**Position:** 020  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Must Use)  
**Max Use:** 1  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:** 1 At least one of DTM02 DTM03 or DTM05 is required.  
 2 If DTM04 is present, then DTM03 is required.  
 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Required  
 This segment is sent to provide the date a customer's gas profile was created.  
 DTM~193~20010315

**Data Element Summary**

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>M ID 3/3</b>
			193	Period Start
				Profile Period Start Date
				This is the date a customer's gas profile was created.
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b>	<b>X DT 8/8</b>
				Date profile was created in the form CCYYMMDD.

**Segment:** **DTM** Date/Time Reference (Date Customer Initiated Service)  
**Position:** 020  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:** 1 At least one of DTM02 DTM03 or DTM05 is required.  
 2 If DTM04 is present, then DTM03 is required.  
 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Conditional

This segment ~~is~~[may be](#) sent by [KeySpan utility that supports gas profiles](#) to indicate the date the customer initiated service at the location for which a gas profile has been generated. If this date is unavailable, this segment will not be sent.  
 DTM~629~20010315

**Data Element Summary**

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>M ID 3/3</b>
			629 Account Opened	
			Date Customer Initiated Service	
			At the premise for which a gas profile has been created.	
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b>	<b>X DT 8/8</b>
			Date on which customer initiated service in the form CCYYMMDD.	



**Segment:** **REF** Reference Identification (Utility Rate Service Class)  
**Position:** 030  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Must Use)  
**Max Use:** 1  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**  
**Notes:** Required

Although the profile is a forecast of gas consumption, this is the current rate class associated with the account for which a gas profile has been requested.  
 REF~NH~A001  
 REF~NH~1150100

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Mand.	REF01	128	Reference Identification Qualifier NH	M ID 2/3
			Rate Card Number	
			Utility Rate Service Class	
			REF02 contains the Utility specific rate code that references the service class and rates applicable to this service delivery point.	
Must Use	REF02	127	Reference Identification Utility Rate code	X AN 1/30

**Segment:** **REF** Reference Identification (Rate Sub Class)  
**Position:** 030  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**  
**Notes:** Conditional

This segment must be sent if a rate subclass is applicable to the service delivery points summarized in this PTD loop.  
 REF~PR~RSVD  
 REF~PR~NRSVD

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
			PR	Price Quote Number
				Utility Rate Subclass
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Quantity</b>	<b>X AN 1/30</b>
				Provides further clarification of the Utility Rate Service Class specified in the REF*NH segment.

**Segment:** **QTY** Quantity (Base)  
**Position:** 110  
**Loop:** QTY Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**  
**Notes:**

Conditional.

This segment ~~will~~may be sent by [KeySpan utility that supports gas profiles](#) to provide the customer's non-heating load factor.

QTY~1Y~12.24~TD

QTY~1Y~12.2357~TD

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	QTY01	673	Quantity Qualifier	M ID 2/2
			1Y	Rate Per Day (RPD)
				Base Quantity
				This is the customer's non-heating load factor based on daily consumption.
Must Use	QTY02	380	Quantity	X R 1/15
			<a href="#">The form of a numeric factor in may be specified by the form utility in its Utility Maintained EDI Guide.</a>	
			<del>x.xx when sent by KeySpan—Long Island</del> <del>x.xxxx when sent by KeySpan—New York</del>	
Must Use	QTY03	C001	Composite Unit of Measure	O
			Unit of Measurement	
Mand.	C00101	355	Unit or Basis for Measurement Code	M ID 2/2
			TD	Therms

**Segment:** **QTY** Quantity (Slope)  
**Position:** 110  
**Loop:** QTY Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**  
**Notes:** Conditional.

This segment ~~will~~may be sent by [KeySpan utility that supports gas profiles](#) to provide the customer's weather normalized load factor.  
 QTY~FJ~.2303~TD Load factor is .2303 Therms per day

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	QTY01	673	Quantity Qualifier	M ID 2/2
			FJ	Trunked Channels Slope Quantity This is the customer's weather normalized load factor based on average daily consumption.
Must Use	QTY02	380	Quantity	X R 1/15
				A numeric factor in the form x.xxxx.
Must Use	QTY03	C001	Composite Unit of Measure	O
			Unit of Measurement	
Mand.	C00101	355	Unit or Basis for Measurement Code	M ID 2/2
			TD	Therms

**Segment:** **QTY** Quantity (Load Factor)  
**Position:** 110  
**Loop:** QTY Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**  
**Notes:** Conditional.

This segment will be sent by [KeySpan utility that supports gas profiles](#) to provide a load factor expressed as the ratio of non-heating to heating daily demand.

QTY~LP~3.03 The ratio is approximately 1:3 for this customer

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	QTY01	673	Quantity Qualifier	M ID 2/2
			LP	Lease Periods
				Load Factor
				Expressed as the ratio of non-heating to heating daily demand.
Must Use	QTY02	380	Quantity	X R 1/15
			Factor expressed in the form x.xx.	

**Segment:** **QTY** Quantity (UFG Rate)  
**Position:** 110  
**Loop:** QTY Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**  
**Notes:** Conditional.

This segment ~~will~~may be sent by [KeySpan utility that supports gas profiles](#) to provide the factor used for lost and unaccounted for gas in generating a gas profile for this customer.  
 QTY~LH~3.3~TD A UFG factor of 3.3% was used for this profile.

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	QTY01	673	Quantity Qualifier	M ID 2/2
			LH	Lost Gas
				UFG Rate
				Factor used to estimate lost and unaccounted for gas.
Must Use	QTY02	380	Quantity	X R 1/15
				Show whole percents with decimal points: 2.1 = 2.1%, .500 = .5%, etc.
Must Use	QTY03	C001	Composite Unit of Measure	O
			Unit of Measurement	
Mand.	C00101	355	Unit or Basis for Measurement Code	M ID 2/2
			TD	Therms

**Segment:** **QTY** Quantity (Maximum Delivery)  
**Position:** 110  
**Loop:** QTY Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**  
**Notes:** Conditional.

This segment ~~will~~may be sent by ~~Con Edison~~a utility that supports gas profiles to provide the forecast Maximum Monthly Delivery Quantity for the profile period for the account requested.  
 QTY~CG~2131~TD

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	QTY01	673	Quantity Qualifier	M ID 2/2
			CG	Cumulative Gas Volume
				Maximum Delivery Quantity
				For the period covered by the gas profile.
Must Use	QTY02	380	Quantity	X R 1/15
Must Use	QTY03	C001	Composite Unit of Measure	O
			Unit of Measurement	
Mand.	C00101	355	Unit or Basis for Measurement Code	M ID 2/2
			TD	Therms

**Segment:** **PTD** Product Transfer and Resale Detail (Gas Profile Data)

**Position:** 010

**Loop:** PTD Optional (Dependent)

**Level:** Detail

**Usage:** Optional (Dependent)

**Max Use:** 1

**Purpose:** To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data

**Syntax Notes:** 1 If either PTD02 or PTD03 is present, then the other is required.

2 If either PTD04 or PTD05 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Conditional

The PTD\*SM loop is used to transmit gas profile data and must be sent with the PTD\*BG loop containing the gas profile factors. A separate PTD loop is required for each period being reported. A DTM segment is sent in each PTD loop to identify the report period, either a month or an annual period, associated with the data sent in the QTY loop. ~~Con Edison Utilities that support gas profiles~~ will send 12 PTD\*SM loops - one for each report month in the gas profile. ~~KeySpan will send 13 and optionally, a 13th~~ PTD\*SM loops ~~one for each report month and one loop~~ for annual totals for each profile.

PTD~SM~~~OZ~GAS

**Data Element Summary**

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>PTD01</b>	<b>521</b>	<b>Product Transfer Type Code</b>	<b>M ID 2/2</b>
			SM	Sample
				Gas Profile Data This PTD loop contains forecast monthly, and annual, gas consumption data for this customer.
<b>Must Use</b>	<b>PTD04</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>X ID 2/3</b>
			OZ	Product Number
<b>Must Use</b>	<b>PTD05</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
			GAS	Gas Service



**Segment:** **DTM** **Date/Time Reference (Report Month)**  
**Position:** 020  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:** 1 At least one of DTM02 DTM03 or DTM05 is required.  
 2 If DTM04 is present, then DTM03 is required.  
 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:** Conditional

**Notes:**

Conditional

Each PTD\*SM loop must include a DTM\*582 segment (either Report Month or Annual Period) to indicate the time period associated with the gas profile data sent in the QTY segment.

DTM~582~~~~MM~01 Report period is January

DTM~582~~~~MM~10 Report period is October

**Data Element Summary**

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>M ID 3/3</b>
			582 Report Period	
			Reporting month associated with the gas profile data.	
<b>Must Use</b>	<b>DTM05</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X ID 2/3</b>
			MM Month of Year in Numeric Format	
<b>Must Use</b>	<b>DTM06</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X AN 1/35</b>
			The month for which QTY Loop values apply in the form MM i.e. 01 = January, 02 = February, etc.	

**Segment:** **DTM** **Date/Time Reference (Annual Period)**  
**Position:** 020  
**Loop:** PTD Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:** 1 At least one of DTM02 DTM03 or DTM05 is required.  
 2 If DTM04 is present, then DTM03 is required.  
 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:**

Conditional

This segment ~~is~~[may be](#) sent by [Keyspan utility that supports gas profiles](#) to describe the Annual Period associated with the forecast total quantities in a gas profile.  
 DTM~582~~~~RMD~1001-0930 Annual period is from October to the following Sept.

**Data Element Summary**

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b>	<b>M ID 3/3</b>
			582 Report Period	
<b>Must Use</b>	<b>DTM05</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X ID 2/3</b>
			RMD Range of Months and Days Expressed in Format MMDD-MMDD	
<b>Must Use</b>	<b>DTM06</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X AN 1/35</b>
			Starting and ending month and day for which amounts in the QTY loops contained in PTD*SM are reported in the form MMDD-MMDD.	

**Segment:** **QTY** Quantity (Projected Usage - Normal)  
**Position:** 110  
**Loop:** QTY Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**  
**Notes:** Conditional

This segment ~~is~~[may be](#) sent by ~~KeySpan~~[a utility that supports gas profiles](#) to report the forecasted normal use for the period indicated in the DTM segment.  
 QTY~99~4880.00~TD

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	QTY01	673	Quantity Qualifier	M ID 2/2
			99	Quantity Used
				Normal projected gas usage for the period indicated.
Must Use	QTY02	380	Quantity	X R 1/15
Must Use	QTY03	C001	Composite Unit of Measure	O
			Unit of Measurement.	
Mand.	C00101	355	Unit or Basis for Measurement Code	M ID 2/2
			TD	Therms

**Segment:** **QTY** Quantity (Projected Monthly Usage)  
**Position:** 110  
**Loop:** QTY Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**  
**Notes:** Conditional

This segment ~~is~~[may be](#) sent by ~~Con Edison~~[a utility that supports gas profiles](#) to report the projected monthly weather normalized usage (including line losses).  
 QTY~AY~5075~TD

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	QTY01	673	Quantity Qualifier	M ID 2/2
			AY	Forecast
				Projected Monthly Usage
				QTY02 contains a projected monthly weather normalized usage which includes line losses.
Must Use	QTY02	380	Quantity	X R 1/15
Must Use	QTY03	C001	Composite Unit of Measure	O
			Unit of Measurement	
Mand.	C00101	355	Unit or Basis for Measurement Code	M ID 2/2
			TD	Therms

**Segment:** **QTY** Quantity (Projected Delivery - Normal)  
**Position:** 110  
**Loop:** QTY Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**  
**Notes:** Conditional

This segment ~~is~~[may be](#) sent by ~~KeySpan~~[a utility that supports gas profiles](#) to report the unadjusted projected gas delivery quantity for the period indicated.  
 QTY~QD~5075~TD

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	QTY01	673	Quantity Qualifier	M ID 2/2
			QD	Quantity Delivered
				Projected Delivery - Normal
				Normal projected gas delivery quantity for the report month indicated
Must Use	QTY02	380	Quantity	X R 1/15
Must Use	QTY03	C001	Composite Unit of Measure	O
			Unit of Measurement	
Mand.	C00101	355	Unit or Basis for Measurement Code	M ID 2/2
			TD	Therms

**Segment:** **QTY** Quantity (Projected Monthly Delivery Quantity)  
**Position:** 110  
**Loop:** QTY Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**  
**Notes:** Conditional

This segment ~~is~~may be sent by ~~Consolidated Edison~~a utility to report the projected weather normalized monthly delivery quantity for the report month.  
 QTY~70~131~TD

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	QTY01	673	Quantity Qualifier	M ID 2/2
			70	Maximum Order Quantity
				Projected Monthly Delivery Quantity
				A projected weather normalized delivery quantity for the report month indicated.
Must Use	QTY02	380	Quantity	X R 1/15
Must Use	QTY03	C001	Composite Unit of Measure	O
			Unit of Measurement	
Mand.	C00101	355	Unit or Basis for Measurement Code	M ID 2/2
			TD	Therms

**Segment:** **QTY** Quantity (Projected Daily Delivery Quantity)  
**Position:** 110  
**Loop:** QTY Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**  
**Notes:** Conditional

This segment ~~is~~may be sent by ~~Consolidated Edison~~a utility to report the forecasted weather normalized daily delivery quantity (including line losses) for the account requested for the report month indicated.  
 QTY~WD~123~TD

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	QTY01	673	Quantity Qualifier	M ID 2/2
			WD	Units Worked per Day
				Projected Daily Delivery Quantity
				Forecast quantity for the report month indicated based on weather normalization and including line losses.
Must Use	QTY02	380	Quantity	X R 1/15
Must Use	QTY03	C001	Composite Unit of Measure	O
			Unit of Measurement	
Mand.	C00101	355	Unit or Basis for Measurement Code	M ID 2/2
			TD	Therms

**Segment:** **QTY** Quantity (Projected Usage - Design)  
**Position:** 110  
**Loop:** QTY Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**  
**Notes:** Conditional

This segment ~~is~~[may be](#) sent by ~~KeySpan~~[a utility that supports gas profiles](#) to report the customer's projected gas usage on a design basis.  
 QTY~9D~130~TD

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	QTY01	673	Quantity Qualifier	M ID 2/2
			9D	Engineered Standard
				Projected Usage - Design
Must Use	QTY02	380	Quantity	X R 1/15
Must Use	QTY03	C001	Composite Unit of Measure	O
			Unit of Measurement	
Mand.	C00101	355	Unit or Basis for Measurement Code	M ID 2/2
			TD	Therms



**Segment:** **QTY** Quantity (Projected Delivery - Design)  
**Position:** 110  
**Loop:** QTY Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**  
**Notes:** Conditional

This segment ~~is~~[may be](#) sent by [KeySpan utility that supports gas profiles](#) to report the projected delivery quantity based on design factors.  
 QTY~DD~120~TD

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	QTY01	673	Quantity Qualifier	M ID 2/2
			DD Distributed	
			Projected Delivery Quantity QTY02 contains a projected delivery quantity based on design factors for the report month indicated.	
Must Use	QTY02	380	Quantity	X R 1/15
Must Use	QTY03	C001	Composite Unit of Measure	O
			Unit of Measurement	
Mand.	C00101	355	Unit or Basis for Measurement Code	M ID 2/2
			TD Therms	

**Segment:** **QTY** Quantity (Projected Balancing Use)  
**Position:** 110  
**Loop:** QTY Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**  
**Notes:** Conditional

~~Con Edison will~~[A utility may](#) send this segment to report the difference between the average daily usage for an historical monthly billing period (weather normalized) and the average daily summer usage.  
 QTY~BA~123~TD

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Mand.</b>	<b>QTY01</b>	<b>673</b>	<b>Quantity Qualifier</b>	<b>M ID 2/2</b>
			BA	Due-In
				Projected Balancing Use The difference between the average daily usage for the historical monthly billing period (weather normalized) and the average daily summer usage for the report month indicated.
<b>Must Use</b>	<b>QTY02</b>	<b>380</b>	<b>Quantity</b>	<b>X R 1/15</b>
<b>Must Use</b>	<b>QTY03</b>	<b>C001</b>	<b>Composite Unit of Measure</b>	<b>O</b>
			Unit of Measurement	
<b>Mand.</b>	<b>C00101</b>	<b>355</b>	<b>Unit or Basis for Measurement Code</b>	<b>M ID 2/2</b>
			TD	Therms

**Segment:** **AMT** Monetary Amount (Projected Swing Charges)  
**Position:** 140  
**Loop:** QTY Optional (Dependent)  
**Level:** Detail  
**Usage:** Optional (Dependent)  
**Max Use:** 1  
**Purpose:** To indicate the total monetary amount  
**Syntax Notes:**  
**Semantic Notes:**  
**Comments:**  
**Notes:**

Conditional

~~Consolidated Edison will~~[A utility may](#) send this segment to report the forecasted charges for balancing services for the report month indicated.  
 AMT~SW~100.00

#### Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Mand.	AMT01	522	Amount Qualifier Code	M ID 1/3
			SW	Base Award Fee
				Projected Swing Charges
				Forecast charges for balancing services for the report month indicated.
Mand.	AMT02	782	Monetary Amount	M R 1/18

<b>Segment:</b>	<b>PTD</b> <b>Product Transfer and Resale Detail (Additional Information)</b>
<b>Position:</b>	010
<b>Loop:</b>	PTD Optional (Must Use)
<b>Level:</b>	Detail
<b>Usage:</b>	Mandatory
<b>Max Use:</b>	1
<b>Purpose:</b>	To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data
<b>Syntax Notes:</b>	1 If either PTD02 or PTD03 is present, then the other is required. 2 If either PTD04 or PTD05 is present, then the other is required.
<b>Semantic Notes:</b>	
<b>Comments:</b>	

**Notes:**

Required  
The PTD\*FG loop will be sent even when there is no historical usage data available, (i.e.new accounts), unless the customer has established a historical usage block with the utility. The data provided is based upon what is available on the date the 867HU is provided.  
For utilities that employ a comprehensive block, the PTD\*FG loop will not be sent when the customer has put an account block in place or for utilities that employ a dual (historical usage and enrollment) block in place, when the customer has put a historical usage block in place.  
PTD~FG~OZ~GAS

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>				
	<b>Des.</b>	<b>Element</b>	<b>Name</b>	<b>Attributes</b>		
<b>Mand.</b>	<b>PTD01</b>	<b>521</b>	<b>Product Transfer Type Code</b>		<b>M</b>	<b>ID 2/2</b>
			FG	Flowing Gas Information		
				Additional Information		
<b>Must Use</b>	<b>PTD04</b>	<b>128</b>	<b>Reference Identification Qualifier</b>		<b>X</b>	<b>ID 2/3</b>
			OZ	Product Number		
<b>Must Use</b>	<b>PTD05</b>	<b>127</b>	<b>Reference Identification</b>		<b>X</b>	<b>AN 1/30</b>
			EL	Electric Service		
			GAS	Gas Service		

<b>Segment:</b>	<b>REF</b>	<b>Reference Identification (Customer Supply Status)</b>
<b>Position:</b>	030	
<b>Loop:</b>	PTD	Optional (Dependent)
<b>Level:</b>	Detail	
<b>Usage:</b>	Must Use	
<b>Max Use:</b>	20	
<b>Purpose:</b>	To specify identifying information	
<b>Syntax Notes:</b>	1	At least one of REF02 or REF03 is required.
	2	If either C04003 or C04004 is present, then the other is required.
	3	If either C04005 or C04006 is present, then the other is required.
<b>Semantic Notes:</b>	1	REF04 contains data relating to the value cited in REF02.
<b>Comments:</b>		
<b>Notes:</b>	Required REF~0N~E	

#### Data Element Summary

Ref.	Data			
Des.	Element	Name	Attributes	
<b>Mand.</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
		0N	Attached To	
			Customer Supply Status	
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
		E	Customer is receiving supply from an ESCO at the time the transaction is created.	
		U	Customer is receiving supply from the Utility at the time the transaction is created.	

<b>Segment:</b>	<b>REF</b>	<b>Reference Identification (Industrial Classification Code)</b>
<b>Position:</b>	030	
<b>Loop:</b>	PTD	Optional (Dependent)
<b>Level:</b>	Detail	
<b>Usage:</b>	Optional (Dependent)	
<b>Max Use:</b>	20	
<b>Purpose:</b>	To specify identifying information	
<b>Syntax Notes:</b>	1	At least one of REF02 or REF03 is required.
	2	If either C04003 or C04004 is present, then the other is required.
	3	If either C04005 or C04006 is present, then the other is required.
<b>Semantic Notes:</b>	1	REF04 contains data relating to the value cited in REF02.
<b>Comments:</b>		
<b>Notes:</b>	<u>Conditional</u>  <u>Required if available in the utility's system</u> <u>REF~IJ~123456~NAISC</u> <u>REF~IJ~1234~SIC</u>	

#### Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
<b><u>Mand.</u></b>	<b><u>REF01</u></b>	<b><u>128</u></b>	<b><u>Reference Identification Qualifier</u></b>
		<u>IJ</u>	<u>Standard Industry Classification (SIC) Code</u>
			<u>Standard Industry Classification (SIC) Code, or North American Industry Classification System (NAISC) Code</u>
<b><u>Must Use</u></b>	<b><u>REF02</u></b>	<b><u>127</u></b>	<b><u>Reference Identification</u></b>
			<u>SIC or NAISC Code as stored in the Utility's system</u>
<b><u>Must Use</u></b>	<b><u>REF03</u></b>	<b><u>352</u></b>	<b><u>Description</u></b>
		<u>NAISC</u>	<u>Value contained in REF02 is an NAISC code</u>
		<u>SIC</u>	<u>Value contained in REF02 is an SIC code</u>

<b>Segment:</b>	<b>REF</b>	<b>Reference Identification (Utility Tax Exempt Status)</b>
<b>Position:</b>	030	
<b>Loop:</b>	PTD	Optional (Dependent)
<b>Level:</b>	Detail	
<b>Usage:</b>	Optional (Dependent)	
<b>Max Use:</b>	20	
<b>Purpose:</b>	To specify identifying information	
<b>Syntax Notes:</b>	1	At least one of REF02 or REF03 is required.
	2	If either C04003 or C04004 is present, then the other is required.
	3	If either C04005 or C04006 is present, then the other is required.
<b>Semantic Notes:</b>	1	REF04 contains data relating to the value cited in REF02.
<b>Comments:</b>		

**Notes:** Required

The Utility Tax Exempt Status signifies the existence of exemptions and/or certifications, if any, held by the utility, that are used to bill the customer for utility services. The indicator is informational only; the utility's exemption is not transferable to the ESCO to bill the customer for ESCO services. The ESCO should not rely upon the utility's information for billing purposes and should contact the customer to obtain necessary information consistent with the requirements of the New York State Department of Taxation & Finance and any applicable laws.  
REF~TX~Y

**Data Element Summary**

Ref.	Data			
Des.	Element	Name	Attributes	
<b>Mand.</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
		TX	Tax Exempt Number	
			Indicates the Utility's Tax Exemption Status at the time the transaction is created.	
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
		N	No, the customer is fully taxed for distribution charges at the time the transaction is created.	
		Y	Yes, customer has some level of tax exemption for distribution charges at the time the transaction is created.	

<b>Segment:</b>	<b>REF</b>	<b>Reference Identification (Account Settlement Indicator)</b>
<b>Position:</b>	030	
<b>Loop:</b>	PTD	Optional (Dependent)
<b>Level:</b>	Detail	
<b>Usage:</b>	Optional (Dependent)	
<b>Max Use:</b>	20	
<b>Purpose:</b>	To specify identifying information	
<b>Syntax Notes:</b>	1	At least one of REF02 or REF03 is required.
	2	If either C04003 or C04004 is present, then the other is required.
	3	If either C04005 or C04006 is present, then the other is required.
<b>Semantic Notes:</b>	1	REF04 contains data relating to the value cited in REF02.
<b>Comments:</b>		

**Notes:** Conditional  
 Required for Electric only  
 This indicator reflects how the usage is settled with NYISO, not necessarily how the usage is metered.  
 REF~TDT~H

#### Data Element Summary

	<u>Ref.</u>	<u>Data</u>			<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>	<u>Name</u>		
<u>Cond.</u>	<u>REF01</u>	<u>128</u>	<u>Reference Identification Qualifier</u>		<u>M</u> <u>ID 2/3</u>
			<u>TDT</u>	<u>Technical Documentation Type</u>	
				<u>Account Settlement Indicator</u>	
<u>Must Use</u>	<u>REF02</u>	<u>127</u>	<u>Reference Identification</u>		<u>X</u> <u>AN 1/30</u>
			<u>C</u>	<u>Class Shape</u>	
			<u>H</u>	<u>Hourly</u>	
			<u>M</u>	<u>Mixed</u>	
				<u>Account is settled with the NYISO with both Class Shape and Hourly data.</u>	



<b>Segment:</b>	<b>REF</b> Reference Identification (NYPA/ReCharge New York)
<b>Position:</b>	030
<b>Loop:</b>	PTD Optional (Dependent)
<b>Level:</b>	Detail
<b>Usage:</b>	Optional (Dependent)
<b>Max Use:</b>	20
<b>Purpose:</b>	To specify identifying information
<b>Syntax Notes:</b>	<b>1</b> At least one of REF02 or REF03 is required. <b>2</b> If either C04003 or C04004 is present, then the other is required. <b>3</b> If either C04005 or C04006 is present, then the other is required.
<b>Semantic Notes:</b>	<b>1</b> REF04 contains data relating to the value cited in REF02.
<b>Comments:</b>	
<b>Notes:</b>	Conditional Required for Electric accounts, if available in the utility's system. REF~YP~N

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>			<b>Attributes</b>
	<b>Des.</b>	<b>Element</b>	<b>Name</b>		
<b><u>Cond.</u></b>	<b><u>REF01</u></b>	<b><u>128</u></b>	<b><u>Reference Identification Qualifier</u></b>		<b><u>M</u></b> <b><u>ID 2/3</u></b>
			<u>YP</u>	<u>Selling Arrangement</u>	
<b><u>Must Use</u></b>	<b><u>REF02</u></b>	<b><u>127</u></b>	<b><u>Reference Identification</u></b>		<b><u>X</u></b> <b><u>AN 1/30</u></b>
			<u>N</u>	<u>No, the customer does not participate in NYPA/ReCharge New York</u>	
			<u>Y</u>	<u>Yes, the customer participates in NYPA/ReCharge New York</u>	

<b>Segment:</b>	<b>REF</b> Reference Identification (Utility Discount)
<b>Position:</b>	030
<b>Loop:</b>	PTD Optional (Dependent)
<b>Level:</b>	Detail
<b>Usage:</b>	Optional (Must Use)
<b>Max Use:</b>	20
<b>Purpose:</b>	To specify identifying information
<b>Syntax Notes:</b>	<b>1</b> At least one of REF02 or REF03 is required. <b>2</b> If either C04003 or C04004 is present, then the other is required. <b>3</b> If either C04005 or C04006 is present, then the other is required.
<b>Semantic Notes:</b>	<b>1</b> REF04 contains data relating to the value cited in REF02.
<b>Comments:</b>	
<b>Notes:</b>	<u>Conditional</u>  Required for non-residential accounts where the customer receives a commodity discount from the utility or a delivery discount that is dependent upon purchase of commodity from the utility. Further, the indicator should be set to "N" in cases where all customers in a rate class or service receive the same discount or when the delivery discount is portable, i.e. it applies whether the customer purchases commodity from the ESCO or the utility.  <u>REF~SG~Y</u>

Data Element Summary

	<u>Ref.</u>	<u>Data</u>			<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>	<u>Name</u>		
<u>Cond.</u>	<u>REF01</u>	<u>128</u>	<u>Reference Identification Qualifier</u>		<u>M</u> <u>ID 2/3</u>
			<u>SG</u>	<u>Savings</u>	
				<u>Utility Discounts/Incentive Rate</u>	
<u>Must Use</u>	<u>REF02</u>	<u>127</u>	<u>Reference Identification</u>		<u>X</u> <u>AN 1/30</u>
			<u>N</u>	<u>No, there are not Utility Discounts/Incentive Rates</u>	
			<u>Y</u>	<u>Yes, there are Utility Discounts/Incentive Rates</u>	

<b>Segment:</b>	<b>QTY</b> Quantity (Electric Capacity Assignment)
<b>Position:</b>	110
<b>Loop:</b>	QTY Optional (Dependent)
<b>Level:</b>	Detail
<b>Usage:</b>	Optional (Dependent)
<b>Max Use:</b>	1
<b>Purpose:</b>	To specify quantity information
<b>Syntax Notes:</b>	1 At least one of QTY02 or QTY04 is required.
	2 Only one of QTY02 or QTY04 may be present.
<b>Semantic Notes:</b>	1 QTY04 is used when the quantity is non-numeric.
<b>Comments:</b>	
<b>Notes:</b>	Required for Electric accounts, if available QTY~KZ~476~K1

<u>Data Element Summary</u>				
<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
<u>Cond.</u>	<u>QTY01</u>	<u>673</u>	<u>Quantity Qualifier</u>	<u>M</u> <u>ID 2/2</u>
			<u>KZ</u>	<u>Corrective Action Requests-Written</u>
				<u>ICAP Tag</u>
<u>Must Use</u>	<u>QTY02</u>	<u>380</u>	<u>Quantity</u>	<u>X</u> <u>R 1/15</u>
			<u>ICAP Tag</u>	
	<u>QTY03</u>	<u>C001</u>	<u>Composite Unit of Measure</u>	<u>O</u>
<u>Mand.</u>	<u>C00101</u>	<u>355</u>	<u>Unit or Basis for Measurement Code</u>	<u>M</u> <u>ID 2/2</u>
			<u>K1</u>	<u>Kilowatt Demand</u>

<b>Segment:</b>	<b>QTY</b>	<b>Quantity (Number of Meters)</b>
<b>Position:</b>	110	
<b>Loop:</b>	QTY	Optional (Dependent)
<b>Level:</b>	Detail	
<b>Usage:</b>	Optional (Dependent)	
<b>Max Use:</b>	1	
<b>Purpose:</b>	To specify quantity information	
<b>Syntax Notes:</b>	1	At least one of QTY02 or QTY04 is required.
	2	Only one of QTY02 or QTY04 may be present.
<b>Semantic Notes:</b>	1	QTY04 is used when the quantity is non-numeric.
<b>Comments:</b>		

**Notes:** Required - One QTY loop will be provided to indicate the Number of Meters on the account along with each individual Meter Number in subsequent REF segments. If the account has only unmetered services, the QTY02 would be 0.

The QTY\*9N is not required when consumption is reported on an account basis or when a gas profile is provided.

For example:  
QTY~9N~3  
REF~MG~13259131  
REF~MG~59381932  
REF~MG~10393823  
REF~MG~UNMETERED

QTY~9N~0  
REF~MG~UNMETERED

#### Data Element Summary

Ref.	Data			Attributes
Des.	Element	Name		
<b>Mand.</b>	<b>QTY01</b>	<b>673</b>	<b>Quantity Qualifier</b>	<b>M ID 2/2</b>
		9N	Component Meter Reading Count	
			Number of Meters on the Account	
<b>Must Use</b>	<b>QTY02</b>	<b>380</b>	<b>Quantity</b>	<b>X R 1/15</b>
			Number of Meters on the Account	

<b>Segment:</b>	<b>REF</b>	<b>Reference Identification (Meter Number)</b>
<b>Position:</b>	190	
<b>Loop:</b>	QTY	Optional (Dependent)
<b>Level:</b>	Detail	
<b>Usage:</b>	Optional (Dependent)	
<b>Max Use:</b>	>1	
<b>Purpose:</b>	To specify identifying information	
<b>Syntax Notes:</b>	1	At least one of REF02 or REF03 is required.
	2	If either C04003 or C04004 is present, then the other is required.
	3	If either C04005 or C04006 is present, then the other is required.
<b>Semantic Notes:</b>	1	REF04 contains data relating to the value cited in REF02.
<b>Comments:</b>		

**Notes:** Required - One REF segment will be sent for each Meter Number on the account and/or one REF segment would be sent if there are unmetered services on the account.

The REF\*MG is not required when consumption is reported on an account basis or when a gas profile is provided.

For example:

QTY~9N~3

REF~MG~13259131

REF~MG~59381932

REF~MG~10393823

REF~MG~UNMETERED

QTY~9N~0

REF~MG~UNMETERED

#### Data Element Summary

	<u>Ref.</u>	<u>Data</u>		<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	
<u>Mand.</u>	<u>REF01</u>	<u>128</u>	<u>Reference Identification Qualifier</u>	<u>M</u> <u>ID 2/3</u>
			<u>MG</u> <u>Meter Number</u>	
<u>Must Use</u>	<u>REF02</u>	<u>127</u>	<u>Reference Identification</u>	<u>X</u> <u>AN 1/30</u>
			<u>Meter Number</u>	

**Segment:** **SE** Transaction Set Trailer  
**Position:** 030  
**Loop:**  
**Level:** Summary  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

**Syntax Notes:**

**Semantic Notes:**

**Comments:** 1 SE is the last segment of each transaction set.

**Notes:** Required  
 SE~99~0001

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>		<b>Attributes</b>
	<b>Des.</b>	<b>Element</b>	<b>Name</b>	
Mand.	SE01	96	Number of Included Segments	M N0 1/10
Mand.	SE02	329	Transaction Set Control Number	M AN 4/9

## EXAMPLES

These examples are presented for illustrative purposes only. Although they are syntactically correct with respect to the published transaction standard for the TS867 Consumption History/Gas Profile, it should be understood that these examples reflect certain assumptions regarding optional and conditional data segments in this standard. Accordingly, these examples are not necessarily indicative of the manner in which a specific Utility or ESCO/~~Marketer~~ would map a specific transaction.

### *Response to Request for Gas Profile Data (Keyspan-NY)*

ST*867*0003/	Transaction Set header; transaction defined is an <b>867</b> ; control number assigned by originator
BPT*52*2001062730326001*20010627*41/	Transaction is a <b>Response to Historical Inquiry</b> ; Unique id number for this transaction; transaction creation date; Report type is <b>Gas Profile</b>
N1*SJ*AMERADA HESS*24*110584613/	<del>E/MESCO</del> Name and Tax ID number
N1*8S*KEYSPN DELIVERY-NY*1*844749010/	Utility Name and DUNS number
N1*8R*FLATBUSH SQUARE B&B/	Customer Name
N4*BROOKLYN*NY*11218-5508**TX*8009/	Customer's City, State, Postal Code and Current Tax District Code
REF*12*2051354580/	Utility assigned account number for the customer
PTD*BG***OZ*GAS/	PTD loop contains <b>Gas Profile Factors</b> ; service is <b>Gas</b>
DTM*193*20001102/	Profile Period Start Date
DTM*629*19911029/	Date customer initiated service at the address associated with this account
REF*NH*2-2/	Utility Rate Service Class
REF*PR*0581/	Utility Rate Sub Class
QTY*1Y*.35*TD/	Customer's <b>non-heating load factor</b> ; unit is <b>Therms</b>
QTY*FJ*.2303*TD/	Customer's <b>weather normalized load factor</b> ; unit is <b>Therms</b>
QTY*LP*21.67*TD/	<b>Ratio of non-heating to heating daily demand</b> ; unit is <b>Therms</b>
QTY*LH*.0309/	Factor for <b>lost &amp; unaccounted for gas</b> used in calculating the gas profile
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*10/	Data in this loop is for <b>October</b>
QTY*99*68.20*TD/	Quantity reported is the <b>Projected Usage-Normal</b> ; unit is <b>Therms</b>
QTY*QD*70.30*TD/	Quantity reported is the <b>Projected Delivery - Normal</b> ; unit is <b>Therms</b>
QTY*9D*68.20*TD/	Quantity reported is the <b>Projected Usage - Design</b> ; unit is <b>Therms</b>
QTY*DD*119.20*TD/	Quantity reported is the <b>Projected Delivery - Design</b> ; unit is <b>Therms</b>

NY 867 Consumption History/Gas Profile – Draft Revisions for 8/29/2014 Meeting

PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*11/	Data in this loop is for <b>November</b>
QTY*99*129.90*TD/	Quantity reported is the <b>Projected Usage-Normal</b> ; unit is <b>Therms</b>
QTY*QD*133.91*TD/	Quantity reported is the <b>Projected Delivery - Normal</b> ; unit is <b>Therms</b>
QTY*9D*143.70*TD/	Quantity reported is the <b>Projected Usage - Design</b> ; unit is <b>Therms</b>
QTY*DD*115.36*TD/	Quantity reported is the <b>Projected Delivery - Design</b> ; unit is <b>Therms</b>
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*12/	Data in this loop is for <b>December</b>
QTY*99*211.11*TD/	Quantity reported is the <b>Projected Usage-Normal</b> ; unit is <b>Therms</b>
QTY*QD*217.63*TD/	Quantity reported is the <b>Projected Delivery - Normal</b> ; unit is <b>Therms</b>
QTY*9D*237.15*TD/	Quantity reported is the <b>Projected Usage - Design</b> ; unit is <b>Therms</b>
QTY*DD*119.20*TD/	Quantity reported is the <b>Projected Delivery - Design</b> ; unit is <b>Therms</b>
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*01/	Data in this loop is for <b>January</b>
QTY*99*246.14*TD/	Quantity reported is the <b>Projected Usage-Normal</b> ; unit is <b>Therms</b>
QTY*QD*253.75*TD/	Quantity reported is the <b>Projected Delivery - Normal</b> ; unit is <b>Therms</b>
QTY*9D*281.17*TD/	Quantity reported is the <b>Projected Usage - Design</b> ; unit is <b>Therms</b>
QTY*DD*119.20*TD/	Quantity reported is the <b>Projected Delivery - Design</b> ; unit is <b>Therms</b>
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*02/	Data in this loop is for <b>February</b>
QTY*99*208.88*TD/	Quantity reported is the <b>Projected Usage-Normal</b> ; unit is <b>Therms</b>
QTY*QD*215.33*TD/	Quantity reported is the <b>Projected Delivery - Normal</b> ; unit is <b>Therms</b>
QTY*9D*238.84*TD/	Quantity reported is the <b>Projected Usage - Design</b> ; unit is <b>Therms</b>
QTY*DD*107.67*TD/	Quantity reported is the <b>Projected Delivery - Design</b> ; unit is <b>Therms</b>
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*03/	Data in this loop is for <b>March</b>
QTY*99*100*TD/	Quantity reported is the <b>Projected Usage-Normal</b> ; unit is <b>Therms</b>
QTY*QD*175.77*TD/	Quantity reported is the <b>Projected Delivery - Normal</b> ; unit is <b>Therms</b>
QTY*9D*190.34*TD/	Quantity reported is the <b>Projected Usage - Design</b> ; unit is <b>Therms</b>
QTY*DD*119.20*TD/	Quantity reported is the <b>Projected Delivery - Design</b> ; unit is <b>Therms</b>



PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*04/	Data in this loop is for <b>April</b>
QTY*99*96.90*TD/	Quantity reported is the <b>Projected Usage-Normal</b> ; unit is <b>Therms</b>
QTY*QD*99.89*TD/	Quantity reported is the <b>Projected Delivery - Normal</b> ; unit is <b>Therms</b>
QTY*9D*107.10*TD/	Quantity reported is the <b>Projected Usage - Design</b> ; unit is <b>Therms</b>
QTY*DD*115.36*TD/	Quantity reported is the <b>Projected Delivery - Design</b> ; unit is <b>Therms</b>
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*05/	Data in this loop is for <b>May</b>
QTY*99*39.99*TD/	Quantity reported is the <b>Projected Usage-Normal</b> ; unit is <b>Therms</b>
QTY*QD*41.23*TD/	Quantity reported is the <b>Projected Delivery - Normal</b> ; unit is <b>Therms</b>
QTY*9D*33.99*TD/	Quantity reported is the <b>Projected Usage - Design</b> ; unit is <b>Therms</b>
QTY*DD*119.20*TD/	Quantity reported is the <b>Projected Delivery - Design</b> ; unit is <b>Therms</b>
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*06/	Data in this loop is for <b>June</b>
QTY*99*10.50*TD/	Quantity reported is the <b>Projected Usage-Normal</b> ; unit is <b>Therms</b>
QTY*QD*10.82*TD/	Quantity reported is the <b>Projected Delivery - Normal</b> ; unit is <b>Therms</b>
QTY*9D*13.80*TD/	Quantity reported is the <b>Projected Usage - Design</b> ; unit is <b>Therms</b>
QTY*DD*115.36*TD/	Quantity reported is the <b>Projected Delivery - Design</b> ; unit is <b>Therms</b>
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*07/	Data in this loop is for <b>July</b>
QTY*99*10.85*TD/	Quantity reported is the <b>Projected Usage-Normal</b> ; unit is <b>Therms</b>
QTY*QD*11.19*TD	Quantity reported is the <b>Projected Delivery - Normal</b> ; unit is <b>Therms</b>
QTY*9D*10.85*TD/	Quantity reported is the <b>Projected Usage - Design</b> ; unit is <b>Therms</b>
QTY*DD*119.20*TD/	Quantity reported is the <b>Projected Delivery - Design</b> ; unit is <b>Therms</b>
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*08/	Data in this loop is for <b>August</b>
QTY*99*10.85*TD/	Quantity reported is the <b>Projected Usage-Normal</b> ; unit is <b>Therms</b>
QTY*QD*11.19*TD/	Quantity reported is the <b>Projected Delivery - Normal</b> ; unit is <b>Therms</b>
QTY*9D*10.85*TD/	Quantity reported is the <b>Projected Usage - Design</b> ; unit is <b>Therms</b>
QTY*DD*119.20*TD/	Quantity reported is the <b>Projected Delivery - Design</b> ; unit is <b>Therms</b>

PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*09/	Data in this loop is for <b>September</b>
QTY*99*20.70*TD/	Quantity reported is the <b>Projected Usage-Normal</b> ; unit is <b>Therms</b>
QTY*QD*21.34*TD/	Quantity reported is the <b>Projected Delivery - Normal</b> ; unit is <b>Therms</b>
QTY*9D*20.70*TD/	Quantity reported is the <b>Projected Usage - Design</b> ; unit is <b>Therms</b>
QTY*DD*115.36*TD/	Quantity reported is the <b>Projected Delivery - Design</b> ; unit is <b>Therms</b>
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****RMD*1001-0930/	Data in this loop is for an <b>Annual Period</b>
QTY*99*1224.52*TD/	Quantity reported is the <b>Projected Usage-Normal</b> ; unit is <b>Therms</b>
QTY*QD*1262.35*TD/	Quantity reported is the <b>Projected Delivery - Normal</b> ; unit is <b>Therms</b>
QTY*9D*1356.69*TD/	Quantity reported is the <b>Projected Usage - Design</b> ; unit is <b>Therms</b>
QTY*DD*1403.51*TD/	Quantity reported is the <b>Projected Delivery - Design</b> ; unit is <b>Therms</b>
SE*95*0003/	Transaction Trailer; segment count; control number assigned by originator

### Response to Request for Historic Usage for GAS (Con Edison)

ST*867*0008/	Transaction Set header; transaction defined is an <b>867</b> ; control number assigned by originator
BPT*52*2001062730326001*20010627*DD/	Transaction is a <b>Response to Historical Inquiry</b> ; Unique id number for this transaction; transaction creation date; Report type is <b>Historic Usage</b>
N1*SJ*AMERADA HESS*1*006977763/	<del>E/MESCO</del> Name and DUNS number
N1*8S*CON EDISON*1*006982359/	Utility Name and DUNS number
N1*8R*NAME/	Customer Name
N4*FLUSHING*NY*11355-2426**TX*8009/	Customer's City, State, Postal Code and Current Tax District Code
REF*12*233939360100025/	Utility assigned account number for the customer
PTD*BQ***OZ*GAS/	This PTD loop pertains to <b>Metered Consumption Detail</b> ; Service is <b>Gas</b>
REF*MG*3660153/	Meter Number
REF*NH*931/	Utility Rate Service Class associated with this meter
QTY*FL*1/	Historic usage in this QTY loop is from <b>one</b> service delivery point
MEA*AN*PRQ*5067*HH/	Consumption reported is actual; quantity measured is <b>5,067</b> ; unit is <b>CCF</b>

NY 867 Consumption History/Gas Profile – Draft Revisions for 8/29/2014 Meeting

DTM*150*20010131/	Measurement period <b>start date</b> for this QTY loop
DTM*151*20010302/	Measurement period <b>end date</b> for this QTY loop
QTY*FL*1/	Historic usage in this QTY loop is from <b>one</b> service delivery point
MEA*AN*PRQ*6646*HH/	Consumption reported is actual; quantity measured is <b>6,646</b> ; unit is <b>CCF</b>
DTM*150*20001229/	Measurement period <b>start date</b> for this QTY loop
DTM*150*20010131/	Measurement period <b>end date</b> for this QTY loop
QTY*FL*1/	Historic usage in this QTY loop is from <b>one</b> service delivery point
MEA*AN*PRQ*5806*HH/	Consumption reported is actual; quantity measured is <b>5,806</b> ; unit is <b>CCF</b>
DTM*150*20001130/	Measurement period <b>start date</b> for this QTY loop
DTM*151*20001229/	Measurement period <b>end date</b> for this QTY loop
QTY*FL*1/	Historic usage in this QTY loop is from <b>one</b> service delivery point
MEA*AN*PRQ*2986*HH/	Consumption reported is actual; quantity measured is <b>2,986</b> ; unit is <b>CCF</b>
DTM*150*20001027/	Measurement period <b>start date</b> for this QTY loop
DTM*151*20001130/	Measurement period <b>end date</b> for this QTY loop
QTY*FL*1/	Historic usage in this QTY loop is from <b>one</b> service delivery point
MEA*AN*PRQ*1236*HH/	Consumption reported is actual; quantity measured is <b>1,236</b> ; unit is <b>CCF</b>
DTM*150*20000928/	Measurement period <b>start date</b> for this QTY loop
DTM*151*20001027/	Measurement period <b>end date</b> for this QTY loop
QTY*FL*1/	Historic usage in this QTY loop is from <b>one</b> service delivery point
MEA*AN*PRQ*1022*K1/	Consumption reported is actual; quantity measured is <b>1,022</b> ; unit is <b>CCF</b>
DTM*150*20000829/	Measurement period <b>start date</b> for this QTY loop
DTM*151*20000928/	Measurement period <b>end date</b> for this QTY loop
QTY*FL*1/	Historic usage in this QTY loop is from <b>one</b> service delivery point
MEA*AN*PRQ*955*HH/	Consumption reported is actual; quantity measured is <b>955</b> ; unit is <b>CCF</b>
DTM*150*20000731/	Measurement period <b>start date</b> for this QTY loop
DTM*151*20000829/	Measurement period <b>end date</b> for this QTY loop
QTY*FL*1/	Historic usage in this QTY loop is from <b>one</b> service delivery point
MEA*AN*PRQ*1281*HH/	Consumption reported is actual; quantity measured is <b>1,281</b> ; unit is <b>CCF</b>
DTM*150*20000629/	Measurement period <b>start date</b> for this QTY loop
DTM*151*20000731/	Measurement period <b>end date</b> for this QTY loop

	loop
QTY*FL*1/	Historic usage in this QTY loop is from <b>one</b> service delivery point
MEA*AN*PRQ*1211*HH/	Consumption reported is actual; quantity measured is <b>1,211</b> ; unit is <b>CCF</b>
DTM*150*20000531/	Measurement period <b>start date</b> for this QTY loop
DTM*151*20000629/	Measurement period <b>end date</b> for this QTY loop
QTY*FL*1/	Historic usage in this QTY loop is from <b>one</b> service delivery point
MEA*AN*PRQ*1524*HH/	Consumption reported is actual; quantity measured is <b>1,524</b> ; unit is <b>CCF</b>
DTM*150*20000501/	Measurement period <b>start date</b> for this QTY loop
DTM*151*20000531/	Measurement period <b>end date</b> for this QTY loop
QTY*FL*1/	Historic usage in this QTY loop is from <b>one</b> service delivery point
MEA*AN*PRQ*2822*HH/	Consumption reported is actual; quantity measured is <b>2,822</b> ; unit is <b>CCF</b>
DTM*150*20000321/	Measurement period <b>start date</b> for this QTY loop
DTM*151*20000501/	Measurement period <b>end date</b> for this QTY loop
QTY*FL*1/	Historic usage in this QTY loop is from <b>one</b> service delivery point
MEA*AN*PRQ*3418*HH/	Consumption reported is actual; quantity measured is <b>3,418</b> ; unit is <b>CCF</b>
DTM*150*20000302/	Measurement period <b>start date</b> for this QTY loop
DTM*151*20000331/	Measurement period <b>end date</b> for this QTY loop
SE*59*0008/	Transaction set trailer; segment count; control number assigned by originator of this transaction

### Gas Profile Data for the Same Account ( Con Edison)

ST*867*0004/	Transaction Set header; transaction defined is an <b>867</b> ; control number assigned by originator
BPT*52*2001062730326001*20010627*41/	Transaction is a <b>Response to Historical Inquiry</b> ; Unique id number for this transaction; transaction creation date; Report type is <b>Gas Profile</b>
N1*SJ*AMERADA HESS*1*006977763/	<b>E/MESCO</b> Name and DUNS number
N1*8S*CON EDISON*1*006982359/	Utility Name and DUNS number
N1*8R*NAME/	Customer Name
N4*FLUSHING*NY*11355-2426**TX*8009/	Customer's City, State, Postal Code and Current Tax District Code

NY 867 Consumption History/Gas Profile – Draft Revisions for 8/29/2014 Meeting

REF*12*233939360100025/	Utility assigned account number for the customer
PTD*BG***OZ*GAS/	PTD loop contains <b>Gas Profile Factors</b> ; service is <b>Gas</b>
DTM*193*199970901/	Profile Period Start Date
REF*NH*931/	Utility Rate Service Class
QTY*CG*7136*TD/	<b>Maximum Delivery Quantity</b> for the gas profile period
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*08/	Data in this loop is for <b>August</b>
QTY*AY*926*TD/	Quantity reported is <b>projected weather normalized monthly usage including line losses</b> ; unit is <b>Therms</b>
QTY*70*956*TD/	Quantity reported is the <b>projected monthly delivery quantity</b> ; unit is <b>Therms</b>
QTY*WD*32*TD/	Quantity reported is <b>the projected daily delivery quantity</b> , unit is <b>Therms</b>
QTY*BA*185*TD/	Quantity reported is <b>the projected balancing use</b> , unit is <b>Therms</b>
AMT*SW*11.29/	Amount reported is the <b>estimated swing charges</b> for the period
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*09/	Data in this loop is for <b>September</b>
QTY*AY*1024*TD/	Quantity reported is <b>projected weather normalized monthly usage including line losses</b> ; unit is <b>Therms</b>
QTY*70*1058*TD/	Quantity reported is the <b>projected monthly delivery quantity</b> ; unit is <b>Therms</b>
QTY*WD*36*TD/	Quantity reported is <b>the projected daily delivery quantity</b> , unit is <b>Therms</b>
QTY*BA*205*TD/	Quantity reported is <b>the projected balancing use</b> , unit is <b>Therms</b>
AMT*SW*12.49/	Amount reported is the <b>estimated swing charges</b> for the period
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*10/	Data in this loop is for <b>October</b>
QTY*AY*2442*TD/	Quantity reported is <b>projected weather normalized monthly usage including line losses</b> ; unit is <b>Therms</b>
QTY*70*2523*TD/	Quantity reported is the <b>projected monthly delivery quantity</b> ; unit is <b>Therms</b>
QTY*WD*84*TD/	Quantity reported is <b>the projected daily delivery quantity</b> , unit is <b>Therms</b>
QTY*BA*1186*TD/	Quantity reported is <b>the projected balancing use</b> , unit is <b>Therms</b>
AMT*SW*72.32/	Amount reported is the <b>estimated swing charges</b> for the period

NY 867 Consumption History/Gas Profile – Draft Revisions for 8/29/2014 Meeting

PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*11/	Data in this loop is for <b>November</b>
QTY*AY*2979*TD/	Quantity reported is <b>projected weather normalized monthly usage including line losses</b> ; unit is <b>Therms</b>
QTY*70*3078*TD/	Quantity reported is the <b>projected monthly delivery quantity</b> ; unit is <b>Therms</b>
QTY*WD*106*TD/	Quantity reported is <b>the projected daily delivery quantity</b> , unit is <b>Therms</b>
QTY*BA*1765*TD/	Quantity reported is <b>the projected balancing use</b> , unit is <b>Therms</b>
AMT*SW*107.66/	Amount reported is the <b>estimated swing charges</b> for the period
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*12/	Data in this loop is for <b>December</b>
QTY*AY*6286*TD/	Quantity reported is <b>projected weather normalized monthly usage including line losses</b> ; unit is <b>Therms</b>
QTY*70*6494*TD/	Quantity reported is the <b>projected monthly delivery quantity</b> ; unit is <b>Therms</b>
QTY*WD*216*TD/	Quantity reported is <b>the projected daily delivery quantity</b> , unit is <b>Therms</b>
QTY*BA*5030*TD/	Quantity reported is <b>the projected balancing use</b> , unit is <b>Therms</b>
AMT*SW*306.81/	Amount reported is the <b>estimated swing charges</b> for the period
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*01/	Data in this loop is for <b>January</b>
QTY*AY*7136*TD/	Quantity reported is <b>projected weather normalized monthly usage including line losses</b> ; unit is <b>Therms</b>
QTY*70*7372*TD/	Quantity reported is the <b>projected monthly delivery quantity</b> ; unit is <b>Therms</b>
QTY*WD*246*TD/	Quantity reported is <b>the projected daily delivery quantity</b> , unit is <b>Therms</b>
QTY*BA*5880*TD/	Quantity reported is <b>the projected balancing use</b> , unit is <b>Therms</b>
AMT*SW*358.65/	Amount reported is the <b>estimated swing charges</b> for the period
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*02/	Data in this loop is for <b>February</b>
QTY*AY*5645*TD/	Quantity reported is <b>projected weather normalized monthly usage including line losses</b> ; unit is <b>Therms</b>
QTY*70*5832*TD/	Quantity reported is the <b>projected monthly delivery quantity</b> ; unit is <b>Therms</b>
QTY*WD*216*TD/	Quantity reported is <b>the projected daily delivery quantity</b> , unit is <b>Therms</b>
QTY*BA*4514*TD/	Quantity reported is <b>the projected balancing use</b> , unit is <b>Therms</b>
AMT*SW*275.37/	Amount reported is the <b>estimated swing charges</b> for the period
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*03/	Data in this loop is for <b>March</b>

QTY*AY*4068*TD/	Quantity reported is <b>projected weather normalized monthly usage including line losses</b> ; unit is <b>Therms</b>
QTY*70*4202*TD/	Quantity reported is the <b>projected monthly delivery quantity</b> ; unit is <b>Therms</b>
QTY*WD*140*TD/	Quantity reported is <b>the projected daily delivery quantity</b> , unit is <b>Therms</b>
QTY*BA*2811*TD/	Quantity reported is <b>the projected balancing use</b> , unit is <b>Therms</b>
AMT*SW*171.50/	Amount reported is the <b>estimated swing charges</b> for the period
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*04/	Data in this loop is for <b>April</b>
QTY*AY*3009*TD/	Quantity reported is <b>projected weather normalized monthly usage including line losses</b> ; unit is <b>Therms</b>
QTY*70*3109*TD/	Quantity reported is the <b>projected monthly delivery quantity</b> ; unit is <b>Therms</b>
QTY*WD*107*TD/	Quantity reported is <b>the projected daily delivery quantity</b> , unit is <b>Therms</b>
QTY*BA*1795*TD/	Quantity reported is <b>the projected balancing use</b> , unit is <b>Therms</b>
AMT*SW*1099.48/	Amount reported is the <b>estimated swing charges</b> for the period
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*05/	Data in this loop is for <b>May</b>
QTY*AY*1727*TD/	Quantity reported is <b>projected weather normalized monthly usage including line losses</b> ; unit is <b>Therms</b>
QTY*70*1785*TD/	Quantity reported is the <b>projected monthly delivery quantity</b> ; unit is <b>Therms</b>
QTY*WD*59*TD/	Quantity reported is <b>the projected daily delivery quantity</b> , unit is <b>Therms</b>
QTY*BA*471*TD/	Quantity reported is <b>the projected balancing use</b> , unit is <b>Therms</b>
AMT*SW*28.74/	Amount reported is the <b>estimated swing charges</b> for the period
PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*06/	Data in this loop is for <b>June</b>
QTY*AY*1744*TD/	Quantity reported is <b>projected weather normalized monthly usage including line losses</b> ; unit is <b>Therms</b>
QTY*70*1802*TD/	Quantity reported is the <b>projected monthly delivery quantity</b> ; unit is <b>Therms</b>
QTY*WD*62*TD/	Quantity reported is <b>the projected daily delivery quantity</b> , unit is <b>Therms</b>
QTY*BA*530*TD/	Quantity reported is <b>the projected balancing use</b> , unit is <b>Therms</b>
AMT*SW*32.33/	Amount reported is the <b>estimated swing charges</b> for the period

PTD*SM***OZ*GAS/	PTD loop contains <b>Gas Profile Data</b> ; service is <b>Gas</b>
DTM*582****MM*07/	Data in this loop is for <b>July</b>
QTY*AY*985*TD/	Quantity reported is <b>projected weather normalized monthly usage including line losses</b> ; unit is <b>Therms</b>
QTY*70*1018*TD/	Quantity reported is the <b>projected monthly delivery quantity</b> ; unit is <b>Therms</b>
QTY*WD*34*TD/	Quantity reported is <b>the projected daily delivery quantity</b> , unit is <b>Therms</b>
QTY*BA*197*TD/	Quantity reported is <b>the projected balancing use</b> , unit is <b>Therms</b>
AMT*SW*12.02/	Amount reported is the <b>estimated swing charges</b> for the period
SE*95*0004/	Transaction Set Trailer; segment count; control number assigned by originator

### Response Contains Electric Detail Interval Usage Data

ST*867*0011/	Transaction Set header; transaction defined is an <b>867</b> ; control number assigned by originator
BPT*52*2001062730326001*20010706*DD/	Transaction is a <b>Response to Historical Inquiry</b> ; Unique id number for this transaction; transaction creation date; Report type is <b>Historic Usage</b>
N1*SJ*TXU ENERGY*1*006827749/	<b>E/MESCO</b> Name and DUNS number
N1*8S*ROCHESTER G&E*24*160612110/	Utility Name and DUNS number
N1*8R*HENRY WOLCOTT III/	Customer Name
N4*NAPLES*NY*14512-9116**TX*3272/	Customer's City, State, Postal Code and Current Tax District Code
REF*12*245610/	Utility assigned account number for the customer
PTD*BQ***OZ*EL/	PTD loop contains <b>Metered Consumption Detail</b> ; Service is <b>Electric</b>
REF*MG*82582420/	Meter number
REF*NH*04/	Utility Rate Service Class associated with this meter
REF*PR*TR3/	Utility Rate Sub Class associated with this meter
REF*LO*MSL/	Utility Load Profile Code associated with this meter
QTY*FL*1/	<b>QTY Loop #1</b> : Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*145*KH***42/	<b>Recorded on-peak usage was 145 Kilowatt hours</b> for this period
DTM*150*20010131/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20010227/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded



QTY*FL*1/	<b>QTY Loop #2:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*558*KH***41/	<b>Recorded off-peak usage was 558 Kilowatt hours</b> for this period
DTM*150*20010131/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20010227/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #3:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*267*KH***43/	<b>Recorded intermediate-peak usage was 267 Kilowatt hours</b> for this period
DTM*150*20010131/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20010227/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #4:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*184*KH***42/	<b>Recorded on-peak usage was 184 Kilowatt hours</b> for this period
DTM*150*20001229/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20010131/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #5:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*646*KH***41/	<b>Recorded off-peak usage was 646 Kilowatt hours</b> for this period
DTM*150*20001229/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20010131/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #6:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*336*KH***43/	<b>Recorded intermediate-peak usage was 336 Kilowatt hours</b> for this period
DTM*150*20001229/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20010131/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded

QTY*FL*1/	<b>QTY Loop #7:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*147*KH***42/	<b>Recorded on-peak usage was 147 Kilowatt hours</b> for this period
DTM*150*20001129/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20001229/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #8:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*562*KH***41/	<b>Recorded off-peak usage was 562 Kilowatt hours</b> for this period
DTM*150*20001129/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20001229/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #9:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*331*KH***43/	<b>Recorded intermediate-peak usage was 331 Kilowatt hours</b> for this period
DTM*150*20001129/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20001229/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #10:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*0*KH***42/	<b>Recorded on-peak usage was 0 Kilowatt hours</b> for this period
DTM*150*20001026/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20001129/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #11:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*578*KH***41/	<b>Recorded off-peak usage was 578 Kilowatt hours</b> for this period
DTM*150*20001026/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20001129/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded

QTY*FL*1/	<b>QTY Loop #12:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*531*KH***43/	<b>Recorded intermediate-peak usage was 531 Kilowatt hours</b> for this period
DTM*150*20001026/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20001129/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #13:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*17*KH***42/	<b>Recorded peak usage was 17 Kilowatt hours</b> for this period
DTM*150*20000926/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20001026/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #14:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*523*KH***41/	<b>Recorded off-peak usage was 523 Kilowatt hours</b> for this period
DTM*150*20000926/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20001026/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #15:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*364*KH***43/	<b>Recorded intermediate-peak usage was 364 Kilowatt hours</b> for this period
DTM*150*20000926/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20001026/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #16:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*187*KH***42/	<b>Recorded peak usage was 187 Kilowatt hours</b> for this period
DTM*150*20000824/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000926/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded

QTY*FL*1/	<b>QTY Loop #17:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*470*KH***41/	<b>Recorded off-peak usage was 470 Kilowatt hours</b> for this period
DTM*150*20000824/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000926/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #18:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*321*KH***43/	<b>Recorded intermediate-peak usage was 321 Kilowatt hours</b> for this period
DTM*150*20000824/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000926/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #19:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*140*KH***42/	<b>Recorded on-peak usage was 140 Kilowatt hours</b> for this period
DTM*150*20000728/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000824/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #20:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*404*KH***41/	<b>Recorded off-peak usage was 404 Kilowatt hours</b> for this period
DTM*150*20000728/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000824/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #21:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*245*KH***43/	<b>Recorded intermediate-peak usage was 245 Kilowatt hours</b> for this period
DTM*150*20000728/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000824/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded

QTY*FL*1/	<b>QTY Loop #22:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*187*KH***42/	<b>Recorded on-peak usage was 187 Kilowatt hours</b> for this period
DTM*150*20000626/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000728/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #23:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*462*KH***41/	<b>Recorded off-peak usage was 462 Kilowatt hours</b> for this period
DTM*150*20000626/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000728/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #24:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*312*KH***43/	<b>Recorded intermediate-peak usage was 312 Kilowatt hours</b> for this period
DTM*150*20000626/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000728/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #25:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*118*KH***42/	<b>Recorded on-peak usage was 118 Kilowatt hours</b> for this period
DTM*150*20000525/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000626/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #26:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*411*KH***41/	<b>Recorded off-peak usage was 411 Kilowatt hours</b> for this period
DTM*150*20000525/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000626/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded

QTY*FL*1/	<b>QTY Loop #27:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*323*KH***43/	<b>Recorded intermediate-peak usage was 323 Kilowatt hours</b> for this period
DTM*150*20000525/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000626/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #28:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*0*KH***42/	<b>Recorded on-peak usage was 0 Kilowatt hours</b> for this period
DTM*150*20000425/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000525/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #29:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*410*KH***41/	<b>Recorded off-peak usage was 410 Kilowatt hours</b> for this period
DTM*150*20000425/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000525/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #30:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*428*KH***43/	<b>Recorded intermediate-peak usage was 428 Kilowatt hours</b> for this period
DTM*150*20000425/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000525/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #31:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*0*KH***42/	<b>Recorded peak usage was 0 Kilowatt hours</b> for this period
DTM*150*20000425/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000525/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded

QTY*FL*1/	<b>QTY Loop #32:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*557*KH***41/	<b>Recorded off-peak usage was 557 Kilowatt hours</b> for this period
DTM*150*20000323/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000425/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #33:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*515*KH***43/	<b>Recorded intermediate-peak usage was 515 Kilowatt hours</b> for this period
DTM*150*20000323/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000425/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #34:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*35*KH***42/	<b>Recorded peak usage was 35 Kilowatt hours</b> for this period
DTM*150*20000223/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000323/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #35:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*433*KH***41/	<b>Recorded off-peak usage was 433 Kilowatt hours</b> for this period
DTM*150*20000223/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000323/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
QTY*FL*1/	<b>QTY Loop #36:</b> Number of service delivery end points represented in this QTY loop is <b>1</b>
MEA*AN*PRQ*409*KH***43/	<b>Recorded intermediate-peak usage was 409 Kilowatt hours</b> for this period
DTM*150*20000223/	<b>Start date</b> for the measurement period in which the usage in this QTY loop was recorded
DTM*151*20000323/	<b>End date</b> for the measurement period in which the usage in this QTY loop was recorded
SE*157*0011/	Transaction Set Trailer; segment count; control number assigned by originator

**Response Contains Electric Unmetered Usage Data**

ST*867*0012/	Transaction Set header; transaction defined is an <b>867</b> ; control number assigned by originator
BPT*52*20000301145101*20010706*DD/	Transaction is a <b>Response to Historical Inquiry</b> ; Unique id number for this transaction; transaction creation date; Report type is <b>Historic Usage</b>
N1*SJ*ENERGETIX*1*006817952/	E/MESCO Name and DUNS number
N1*8S*ROCHESTER G&E*24*160612110/	Utility Name and DUNS number
N1*8R*DOT FIELD OFFICE #5/	Customer Name
N4*ROCHESTER*NY*14624-5121**TX*2605/	Customer's City, State, Postal Code and Current Tax District Code
REF*12*96135/	Utility assigned account number for the customer
PTD*BC***OZ*EL/	This PTD loop contains <b>Unmetered Usage</b> ; Service is <b>Electric</b>
REF*NH*02/	Utility Rate Service Class associated with the service delivery points summarized in this PTD loop
REF*PR*EC2/	Utility Rate Sub Class associated with the service delivery points summarized in this PTD loop
REF*LO*MSL/	Utility Load Profile Code associated with the service delivery points summarized in this PTD loop
QTY*FL*1/	<b>QTY Loop #1:</b> Usage in this QTY loop is for <b>1 service delivery point</b> on this account
MEA*BR*PRQ*0*KH/	<b>Billed usage was 0 Kilowatt hours</b> for this period
DTM*150*20010110/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20010209/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*1/	<b>QTY Loop #2:</b> Usage in this QTY loop is for <b>1 service delivery point</b> on this account
MEA*BR*PRQ*0*KH/	<b>Billed usage was 0 Kilowatt hours</b> for this period
DTM*150*20001208/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20010110/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*1/	<b>QTY Loop #3:</b> Usage in this QTY loop is for <b>1 service delivery point</b> on this account
MEA*BR*PRQ*0*KH/	<b>Billed usage was 0 Kilowatt hours</b> for this period
DTM*150*20001108/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20001208/	<b>End date</b> for the measurement period for the usage in this QTY loop



QTY*FL*1/	<b>QTY Loop #4:</b> Usage in this QTY loop is for <b>1 service delivery point</b> on this account
MEA*BR*PRQ*0*KH/	<b>Billed usage was 0 Kilowatt hours</b> for this period
DTM*150*20001010/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20001108/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*1/	<b>QTY Loop #5:</b> Usage in this QTY loop is for <b>1 service delivery point</b> on this account
MEA*BR*PRQ*0*KH/	<b>Billed usage was 0 Kilowatt hours</b> for this period
DTM*150*20000908/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20001010/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*1/	<b>QTY Loop #6:</b> Usage in this QTY loop is for <b>1 service delivery point</b> on this account
MEA*BR*PRQ*0*KH/	<b>Billed usage was 0 Kilowatt hours</b> for this period
DTM*150*20000808/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20000908/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*1/	<b>QTY Loop #7:</b> Usage in this QTY loop is for <b>1 service delivery point</b> on this account
MEA*BR*PRQ*0*KH/	<b>Billed usage was 0 Kilowatt hours</b> for this period
DTM*150*20000711/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20000808/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*1/	<b>QTY Loop #8:</b> Usage in this QTY loop is for <b>1 service delivery point</b> on this account
MEA*BR*PRQ*0*KH/	<b>Billed usage was 0 Kilowatt hours</b> for this period
DTM*150*20000608/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20000711/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*1/	<b>QTY Loop #9:</b> Usage in this QTY loop is for <b>1 service delivery point</b> on this account
MEA*BR*PRQ*0*KH/	<b>Billed usage was 0 Kilowatt hours</b> for this period
DTM*150*20000509/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20000608/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*1/	<b>QTY Loop #10:</b> Usage in this QTY loop is for <b>1 service delivery point</b> on this account
MEA*BR*PRQ*0*KH/	<b>Billed usage was 0 Kilowatt hours</b> for this period
DTM*150*20000406/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20000509/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*1/	<b>QTY Loop #11:</b> Usage in this QTY loop is for <b>1 service delivery point</b> on this account
MEA*BR*PRQ*0*KH/	<b>Billed usage was 0 Kilowatt hours</b> for this

	period
DTM*150*20000307/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20000406/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*1/	<b>QTY Loop #12:</b> Usage in this QTY loop is for <b>1 service delivery point</b> on this account
MEA*BR*PRQ*0*KH/	<b>Billed usage was 0 Kilowatt hours</b> for this period
DTM*150*20000207/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20000307/	<b>End date</b> for the measurement period for the usage in this QTY loop
PTD*BC***OZ*EL/	<b>PTD loop #2:</b> This PTD loop contains <b>Unmetered Usage;</b> Service is <b>Electric</b>
REF*NH*02/	Utility Rate Service Class associated with the service delivery points summarized in this PTD loop
REF*PR*NM1/	Utility Rate Sub Class associated with the service delivery points summarized in this PTD loop
REF*LO*MSL/	Utility Load Profile Code associated with the service delivery points summarized in this PTD loop
QTY*FL*3/	<b>QTY Loop #1:</b> Usage in this QTY loop is summarized for <b>3 service delivery points</b> on this account
MEA*BR*PRQ*1250*KH/	<b>Billed usage was 1250 Kilowatt hours</b> for this period
DTM*150*20010110/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20010209/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*3/	<b>QTY Loop #2:</b> Usage in this QTY loop is summarized for <b>3 service delivery points</b> on this account
MEA*BR*PRQ*1250*KH/	<b>Billed usage was 1250 Kilowatt hours</b> for this period
DTM*150*20001208/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20010110/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*3/	<b>QTY Loop #3:</b> Usage in this QTY loop is summarized for <b>3 service delivery points</b> on this account
MEA*BR*PRQ*1250*KH/	<b>Billed usage was 1250 Kilowatt hours</b> for this period
DTM*150*20001108/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20001208/	<b>End date</b> for the measurement period for the usage in this QTY loop

QTY*FL*3/	<b>QTY Loop #4:</b> Usage in this QTY loop is summarized for <b>3 service delivery points</b> on this account
MEA*BR*PRQ*1250*KH/	<b>Billed usage was 1250 Kilowatt hours</b> for this period
DTM*150*20001010/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20001108/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*3/	<b>QTY Loop #5:</b> Usage in this QTY loop is summarized for <b>3 service delivery points</b> on this account
MEA*BR*PRQ*1250*KH/	<b>Billed usage was 1250 Kilowatt hours</b> for this period
DTM*150*20000908/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20001010/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*3/	<b>QTY Loop #6:</b> Usage in this QTY loop is summarized for <b>3 service delivery points</b> on this account
MEA*BR*PRQ*1250*KH/	<b>Billed usage was 1250 Kilowatt hours</b> for this period
DTM*150*20000808/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20000908/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*3/	<b>QTY Loop #7:</b> Usage in this QTY loop is summarized for <b>3 service delivery points</b> on this account
MEA*BR*PRQ*1250*KH/	<b>Billed usage was 1250 Kilowatt hours</b> for this period
DTM*150*20000711/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20000808/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*3/	<b>QTY Loop #8:</b> Usage in this QTY loop is summarized for <b>3 service delivery points</b> on this account
MEA*BR*PRQ*1250*KH/	<b>Billed usage was 1250 Kilowatt hours</b> for this period
DTM*150*20000608/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20000711/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*3/	<b>QTY Loop #9:</b> Usage in this QTY loop is summarized for <b>3 service delivery points</b> on this account
MEA*BR*PRQ*1250*KH/	<b>Billed usage was 1250 Kilowatt hours</b> for this period
DTM*150*20000509/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20000608/	<b>End date</b> for the measurement period for the usage in this QTY loop

QTY*FL*3/	<b>QTY Loop #10:</b> Usage in this QTY loop is summarized for <b>3 service delivery points</b> on this account
MEA*BR*PRQ*1250*KH/	<b>Billed usage was 1250 Kilowatt hours</b> for this period
DTM*150*20000406/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20000509/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*3/	<b>QTY Loop #11:</b> Usage in this QTY loop is summarized for <b>3 service delivery points</b> on this account
MEA*BR*PRQ*1250*KH/	<b>Billed usage was 1250 Kilowatt hours</b> for this period
DTM*150*20000307/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20000406/	<b>End date</b> for the measurement period for the usage in this QTY loop
QTY*FL*3/	<b>QTY Loop #12:</b> Usage in this QTY loop is summarized for <b>3 service delivery points</b> on this account
MEA*BR*PRQ*1250*KH/	<b>Billed usage was 1250 Kilowatt hours</b> for this period
DTM*150*20000207/	<b>Start date</b> for the measurement period for the usage in this QTY loop
DTM*151*20000307/	<b>End date</b> for the measurement period for the usage in this QTY loop
SE*112*0012/	Transaction Set Trailer; segment count; control number assigned by originator

**Response to Request for Historic Usage for GAS Includes Additional Information**

<u>ST*867*0008/</u>	<u>Transaction Set header; transaction defined is an <b>867</b>; control number assigned by originator</u>
<u>BPT*52*2001062730326001*20010627*DD/</u>	<u>Transaction is a <b>Response to Historical Inquiry</b>; Unique id number for this transaction; transaction creation date; Report type is <b>Historic Usage</b></u>
<u>N1*SJ*AMERADA HESS*1*006977763/</u>	<u>ESCO Name and DUNS number</u>
<u>N1*8S*CON EDISON*1*006982359/</u>	<u>Utility Name and DUNS number</u>
<u>N1*8R*NAME/</u>	<u>Customer Name</u>
<u>N4*FLUSHING*NY*11355-2426**TX*8009/</u>	<u>Customer's City, State, Postal Code and Current Tax District Code</u>
<u>REF*12*233939360100025/</u>	<u>Utility assigned account number for the customer</u>
<u>PTD*BQ***OZ*GAS/</u>	<u>This PTD loop pertains to <b>Metered Consumption Detail</b>; Service is <b>Gas</b></u>
<u>REF*MG*3660153/</u>	<u>Meter Number</u>
<u>REF*NH*931/</u>	<u>Utility Rate Service Class associated with this meter</u>
<u>QTY*FL*1/</u>	<u>Historic usage in this QTY loop is from <b>one</b> service delivery point</u>
<u>MEA*AN*PRQ*5067*HH/</u>	<u>Consumption reported is actual; quantity measured is <b>5,067</b>; unit is <b>CCF</b></u>
<u>DTM*150*20010131/</u>	<u>Measurement period <b>start date</b> for this QTY</u>

NY 867 Consumption History/Gas Profile – Draft Revisions for 8/29/2014 Meeting

	<u>loop</u>
<u>DTM*151*20010302/</u>	<u>Measurement period <b>end date</b> for this QTY</u> <u>loop</u>
<u>QTY*FL*1/</u>	<u>Historic usage in this QTY loop is from <b>one</b></u> <u>service delivery point</u>
<u>MEA*AN*PRQ*6646*HH/</u>	<u>Consumption reported is actual; quantity</u> <u>measured is <b>6,646</b>; unit is <b>CCF</b></u>
<u>DTM*150*20001229/</u>	<u>Measurement period <b>start date</b> for this QTY</u> <u>loop</u>
<u>DTM*150*20010131/</u>	<u>Measurement period <b>end date</b> for this QTY</u> <u>loop</u>
<u>QTY*FL*1/</u>	<u>Historic usage in this QTY loop is from <b>one</b></u> <u>service delivery point</u>
<u>MEA*AN*PRQ*5806*HH/</u>	<u>Consumption reported is actual; quantity</u> <u>measured is <b>5,806</b>; unit is <b>CCF</b></u>
<u>DTM*150*20001130/</u>	<u>Measurement period <b>start date</b> for this QTY</u> <u>loop</u>
<u>DTM*151*20001229/</u>	<u>Measurement period <b>end date</b> for this QTY</u> <u>loop</u>
<u>QTY*FL*1/</u>	<u>Historic usage in this QTY loop is from <b>one</b></u> <u>service delivery point</u>
<u>MEA*AN*PRQ*2986*HH/</u>	<u>Consumption reported is actual; quantity</u> <u>measured is <b>2,986</b>; unit is <b>CCF</b></u>
<u>DTM*150*20001027/</u>	<u>Measurement period <b>start date</b> for this QTY</u> <u>loop</u>
<u>DTM*151*20001130/</u>	<u>Measurement period <b>end date</b> for this QTY</u> <u>loop</u>
<u>QTY*FL*1/</u>	<u>Historic usage in this QTY loop is from <b>one</b></u> <u>service delivery point</u>
<u>MEA*AN*PRQ*1236*HH/</u>	<u>Consumption reported is actual; quantity</u> <u>measured is <b>1,236</b>; unit is <b>CCF</b></u>
<u>DTM*150*20000928/</u>	<u>Measurement period <b>start date</b> for this QTY</u> <u>loop</u>
<u>DTM*151*20001027/</u>	<u>Measurement period <b>end date</b> for this QTY</u> <u>loop</u>
<u>QTY*FL*1/</u>	<u>Historic usage in this QTY loop is from <b>one</b></u> <u>service delivery point</u>
<u>MEA*AN*PRQ*1022*K1/</u>	<u>Consumption reported is actual; quantity</u> <u>measured is <b>1,022</b>; unit is <b>CCF</b></u>
<u>DTM*150*20000829/</u>	<u>Measurement period <b>start date</b> for this QTY</u> <u>loop</u>
<u>DTM*151*20000928/</u>	<u>Measurement period <b>end date</b> for this QTY</u> <u>loop</u>
<u>QTY*FL*1/</u>	<u>Historic usage in this QTY loop is from <b>one</b></u> <u>service delivery point</u>
<u>MEA*AN*PRQ*955*HH/</u>	<u>Consumption reported is actual; quantity</u> <u>measured is <b>955</b>; unit is <b>CCF</b></u>
<u>DTM*150*20000731/</u>	<u>Measurement period <b>start date</b> for this QTY</u> <u>loop</u>
<u>DTM*151*20000829/</u>	<u>Measurement period <b>end date</b> for this QTY</u> <u>loop</u>
<u>QTY*FL*1/</u>	<u>Historic usage in this QTY loop is from <b>one</b></u> <u>service delivery point</u>
<u>MEA*AN*PRQ*1281*HH/</u>	<u>Consumption reported is actual; quantity</u> <u>measured is <b>1,281</b>; unit is <b>CCF</b></u>
<u>DTM*150*20000629/</u>	<u>Measurement period <b>start date</b> for this QTY</u> <u>loop</u>
<u>DTM*151*20000731/</u>	<u>Measurement period <b>end date</b> for this QTY</u> <u>loop</u>

NY 867 Consumption History/Gas Profile – Draft Revisions for 8/29/2014 Meeting

<u>QTY*FL*1/</u>	<u>Historic usage in this QTY loop is from <b>one</b> service delivery point</u>
<u>MEA*AN*PRQ*1211*HH/</u>	<u>Consumption reported is actual; quantity measured is <b>1,211</b>; unit is <b>CCF</b></u>
<u>DTM*150*20000531/</u>	<u>Measurement period <b>start date</b> for this QTY loop</u>
<u>DTM*151*20000629/</u>	<u>Measurement period <b>end date</b> for this QTY loop</u>
<u>QTY*FL*1/</u>	<u>Historic usage in this QTY loop is from <b>one</b> service delivery point</u>
<u>MEA*AN*PRQ*1524*HH/</u>	<u>Consumption reported is actual; quantity measured is <b>1,524</b>; unit is <b>CCF</b></u>
<u>DTM*150*20000501/</u>	<u>Measurement period <b>start date</b> for this QTY loop</u>
<u>DTM*151*20000531/</u>	<u>Measurement period <b>end date</b> for this QTY loop</u>
<u>QTY*FL*1/</u>	<u>Historic usage in this QTY loop is from <b>one</b> service delivery point</u>
<u>MEA*AN*PRQ*2822*HH/</u>	<u>Consumption reported is actual; quantity measured is <b>2,822</b>; unit is <b>CCF</b></u>
<u>DTM*150*20000321/</u>	<u>Measurement period <b>start date</b> for this QTY loop</u>
<u>DTM*151*20000501/</u>	<u>Measurement period <b>end date</b> for this QTY loop</u>
<u>QTY*FL*1/</u>	<u>Historic usage in this QTY loop is from <b>one</b> service delivery point</u>
<u>MEA*AN*PRQ*3418*HH/</u>	<u>Consumption reported is actual; quantity measured is <b>3,418</b>; unit is <b>CCF</b></u>
<u>DTM*150*20000302/</u>	<u>Measurement period <b>start date</b> for this QTY loop</u>
<u>DTM*151*20000331/</u>	<u>Measurement period <b>end date</b> for this QTY loop</u>
<u>PTD*FG*OZ*GAS/</u>	<u>Additional Information</u>
<u>REF*ON*E/</u>	<u>Customer Supply Status</u>
<u>REF*TX*Y/</u>	<u>Utility Tax Exempt Status</u>
<u>SE*59*0008/</u>	<u>Transaction set trailer; segment count; control number assigned by originator of this transaction</u>

**Response to Request for Historic Usage with only Additional Information**

<u>ST*867*0008/</u>	<u>Transaction Set header; transaction defined is an <b>867</b>; control number assigned by originator</u>
<u>BPT*52*2001062730326001*20010627*DD/</u>	<u>Transaction is a <b>Response to Historical Inquiry</b>; Unique id number for this transaction; transaction creation date; Report type is <b>Historic Usage</b></u>
<u>N1*SJ*AMERADA HESS*1*006977763/</u>	<u>ESCO Name and DUNS number</u>
<u>N1*8S*CON EDISON*1*006982359/</u>	<u>Utility Name and DUNS number</u>
<u>N1*8R*NAME/</u>	<u>Customer Name</u>
<u>N4*FLUSHING*NY*11355-2426**TX*8009/</u>	<u>Customer's City, State, Postal Code and Current Tax District Code</u>
<u>REF*12*233939360100025/</u>	<u>Utility assigned account number for the customer</u>
<u>PTD*FG*OZ*EL/</u>	<u>Additional Information</u>
<u>REF*ON*E/</u>	<u>Customer Supply Status</u>
<u>REF*TX*Y/</u>	<u>Utility Tax Exempt Status</u>

NY 867 Consumption History/Gas Profile – Draft Revisions for 8/29/2014 Meeting

<u>REF*TDT*C/</u>	<u>Account Settlement Indicator (Electric)</u>
<u>QTY*KZ*476*K1/</u>	<u>Electric Capacity Assignment</u>
<u>QTY*9N*1/</u>	<u>Number of Meters</u>
<u>REF*MG*12345/</u>	<u>Meter Number</u>
<u>SE*59*0008/</u>	<u>Transaction set trailer; segment count;</u> <u>control number assigned by originator of</u> <u>this transaction</u>