

STATE OF NEW YORK  
PUBLIC SERVICE COMMISSION

CASE 23-G-0654 - Petition of Consolidated Edison Company of New York, Inc. for a Declaratory Ruling Regarding Regulatory Authority Over Relocating Gas Meters to the Outside of Buildings.

CASE 22-G-0065 - Proceeding on Motion of the Commission as to the Rates, Charges, Rules and Regulations of Consolidated Edison Company of New York, Inc. for Gas Service.

NOTICE ESTABLISHING COMMENT DEADLINES

(Issued November 3, 2023)

On October 20, 2023, Consolidated Edison Company of New York, Inc. (Con Edison or the Company) filed a petition requesting that the Public Service Commission (Commission) issue a declaratory ruling to address the regulatory and legal aspects of one of its safety programs, the Inside Meter Relocation Program (Relocation Program). Under this program, Con Edison moves indoor gas meters outdoors during certain types of planned work, including service line replacements.

The Company seeks a declaratory ruling from the Commission pursuant to 16 NYCRR §8.1 confirming that: (1) a meter relocation under the Con Edison Relocation Program is complete when, and remains ongoing until, Con Edison has restored service after installing the outdoor meter and reconnecting the service line; and (2) during a meter relocation under the Relocation Program, the Commission retains exclusive jurisdiction over all work necessary and proper for Con Edison to complete the relocation, including all pipework needed to reconnect the service line and restore service after removal of the indoor meter.

**PLEASE TAKE NOTICE** that initial comments from interested entities concerning the petition for declaratory ruling are requested by December 1, 2023. Reply comments are requested by December 15, 2023, and should be limited to issues raised in the initial comments. Comments should reference "Case 23-G-0654" and should be submitted as follows:

**Internet or Mail:** Please go to [www.dps.ny.gov](http://www.dps.ny.gov), click on "File Search" (located under the heading "Commission Files"), enter "23-G-0654" in the "Search by Case Number" field, and then click on the "Post Comments" box located at the top of the page. Alternatively, comments may be mailed to the Hon. Michelle L. Phillips, Secretary, New York State Public Service Commission, Three Empire State Plaza, Albany, New York, 12223-1350.

All comments submitted to the Secretary will be posted on the Department's website, [www.dps.ny.gov](http://www.dps.ny.gov), and become part of the official record of Case 23-G-0654.

Questions regarding this Notice should be directed to [steven.kramer@dps.ny.gov](mailto:steven.kramer@dps.ny.gov).

(SIGNED)

MICHELLE L. PHILLIPS  
Secretary