STATE OF NEW YORK
Department of Transportation
Type 24C - Special Hauling Statewide Blanket Permit
www.nypermits.org

Permit Number: 3388552

Carrier Name: WARREN W FANE INC

449 ROUTE 40
TROY, NY 12182
518-235-5531
Applicant: Michael MacNaughton

Account No: 904 **USDOT:** 297885
Date Issued: 06/22/2022 03:19 PM
Date Effective: 06/22/2022
Date Expires: 06/21/2023
Total Cost: $1,060.00

Vehicle Information

Vehicle	Year	Make	State	License Plate	VIN
Power Unit	2017	KENWORTH	NY	68995-PC	1XKZPPTX6HJ168661

Load Description: Non-Divisible Load
Load Width: 12' **Load Height:** 13' 6" **Overall Length:** 74' 11"
FOH: 0' 0" **ROH:** 9' 11"

Configuration No. 1

- Single axle weights within the permitted groups may not exceed the lesser of the Manufactured Tire Ratings, Gross Axle Weight Ratings, or 25,000 pounds.
- Total weight carried under the permit may not exceed Gross Vehicle Weight Rating (GVWR).
- When hauling multiple items: Axle weights, axle grouping weights, or the gross weight shall not exceed those authorized under the NYS Vehicle and Traffic Law, Title 3, Article 10, Section 385.5 through 385.13.

Permitted Weight	Max Axle Group Weight Allowed
Permitted Gross Weight (All axles)	117000
Steer Axle	13000
Power Unit Tridem	54000
Trailer Tridem	54000

Key: P1, P2, P3, P4, P5 = Power Unit Axles; T1, T2, T3, T4, T5, T6 = Trailer Axles

	P1	P2	P3	P4	P5	Major Spacing	T1	T2	T3	T4	T5	T6	Wheelbase
Mfg Axle Wt Rating	20,000	20,000	23,000	23,000			23,000	23,000	23,000				67-6
Sum Mfg Tire Wt Rating	22,800	22,800	26,440	26,440			25,580	25,580	25,580				
	12-8	4-4	4-6			37-0	4-6	4-6					

Trailer Vin	Trailer Plate	Trailer Reg State	Trailer Nickname
57JE52304K3575283	AB21574	NY	17L

STATE OF NEW YORK
Department of Transportation
Type 24C - Special Hauling Statewide Blanket Permit
www.nypermits.org
Permit Number: 3388552

Configuration No. 2

- Single axle weights within the permitted groups may not exceed the lesser of the Manufactured Tire Ratings, Gross Axle Weight Ratings, or 25,000 pounds.
- Total weight carried under the permit may not exceed Gross Vehicle Weight Rating (GVWR).
- When hauling multiple items: Axle weights, axle grouping weights, or the gross weight shall not exceed those authorized under the NYS Vehicle and Traffic Law, Title 3, Article 10, Section 385.5 through 385.13.

Permitted Weight	Max Axle Group Weight Allowed
Permitted Gross Weight (All axles)	117000
Steer Axle	13000
Power Unit Tridem	54000
Trailer Tridem	54000

Key: P1, P2, P3, P4, P5 = Power Unit Axles; T1, T2, T3, T4, T5, T6 = Trailer Axles

	P1	P2	P3	P4	P5	Major Spacing	T1	T2	T3	T4	T5	T6	Wheelbase
Mfg Axle Wt Rating	20,000	20,000	23,000	23,000			18,000	18,000	18,000				61-6
Sum Mfg Tire Wt Rating	22,800	22,800	26,440	26,440			20,280	20,280	20,280				
	12-8	4-4	4-6			31-0	4-6	4-6					

Trailer Vin	Trailer Plate	Trailer Reg State	Trailer Nickname
1H4904839FF033801	AC75317	NY	6L

STATE OF NEW YORK
Department of Transportation
Type 24C - Special Hauling Statewide Blanket Permit
www.nypermits.org
Permit Number: 3388552

Configuration No. 3

- Single axle weights within the permitted groups may not exceed the lesser of the Manufactured Tire Ratings, Gross Axle Weight Ratings, or 25,000 pounds.
- Total weight carried under the permit may not exceed Gross Vehicle Weight Rating (GVWR).
- When hauling multiple items: Axle weights, axle grouping weights, or the gross weight shall not exceed those authorized under the NYS Vehicle and Traffic Law, Title 3, Article 10, Section 385.5 through 385.13.

Permitted Weight	Max Axle Group Weight Allowed
Permitted Gross Weight (All axles)	117000
Steer Axle	13000
Power Unit Tridem	54000
Trailer 3-Axle	54000

Key: P1, P2, P3, P4, P5 = Power Unit Axles; T1, T2, T3, T4, T5, T6 = Trailer Axles

	P1	P2	P3	P4	P5	Major Spacing	T1	T2	T3	T4	T5	T6	Wheelbase
Mfg Axle Wt Rating	20,000	20,000	23,000	23,000			23,000	23,000	23,000				70-0
Sum Mfg Tire Wt Rating	22,800	22,800	26,440	26,440			25,580	25,580	25,580				
	12-8	4-4	4-6			37-6	5-6	5-6					

Trailer Vin	Trailer Plate	Trailer Reg State	Trailer Nickname
13NE5320XC3554179	AC75322	NY	15L

STATE OF NEW YORK
Department of Transportation
Type 24C - Special Hauling Statewide Blanket Permit
www.nypermits.org
Permit Number: 3388552

Configuration No. 4

- Single axle weights within the permitted groups may not exceed the lesser of the Manufactured Tire Ratings, Gross Axle Weight Ratings, or 25,000 pounds.
- Total weight carried under the permit may not exceed Gross Vehicle Weight Rating (GVWR).
- When hauling multiple items: Axle weights, axle grouping weights, or the gross weight shall not exceed those authorized under the NYS Vehicle and Traffic Law, Title 3, Article 10, Section 385.5 through 385.13.

Permitted Weight	Max Axle Group Weight Allowed
Permitted Gross Weight (All axles)	117000
Steer Axle	13000
Power Unit Tridem	54000
Trailer Tridem	54000

Key: P1, P2, P3, P4, P5 = Power Unit Axles; T1, T2, T3, T4, T5, T6 = Trailer Axles

	P1	P2	P3	P4	P5	Major Spacing	T1	T2	T3	T4	T5	T6	Wheelbase
Mfg Axle Wt Rating	20,000	20,000	23,000	23,000			23,000	23,000	23,000				66-2
Sum Mfg Tire Wt Rating	22,800	22,800	26,440	26,440			25,580	25,580	25,580				
	12-8		4-4	4-6		35-8	4-6		4-6				

Trailer Vin	Trailer Plate	Trailer Reg State	Trailer Nickname
57JE52308H3574002	BK18408	NY	16L

STATE OF NEW YORK
Department of Transportation
Type 24C - Special Hauling Statewide Blanket Permit
www.nypermits.org
Permit Number: 3388552

Configuration No. 5

- Single axle weights within the permitted groups may not exceed the lesser of the Manufactured Tire Ratings, Gross Axle Weight Ratings, or 25,000 pounds.
- Total weight carried under the permit may not exceed Gross Vehicle Weight Rating (GVWR).
- When hauling multiple items: Axle weights, axle grouping weights, or the gross weight shall not exceed those authorized under the NYS Vehicle and Traffic Law, Title 3, Article 10, Section 385.5 through 385.13.

Permitted Weight	Max Axle Group Weight Allowed
Permitted Gross Weight (All axles)	117000
Steer Axle	13000
Power Unit Tridem	54000
Trailer Tridem	54000

Key: P1, P2, P3, P4, P5 = Power Unit Axles; T1, T2, T3, T4, T5, T6 = Trailer Axles

	P1	P2	P3	P4	P5	Major Spacing	T1	T2	T3	T4	T5	T6	Wheelbase
Mfg Axle Wt Rating	20,000	20,000	23,000	23,000			23,000	23,000	23,000				67-8
Sum Mfg Tire Wt Rating	22,800	22,800	26,440	26,440			25,580	25,580	25,580				
	12-8	4-4	4-6			37-2	4-6	4-6					

Trailer Vin	Trailer Plate	Trailer Reg State	Trailer Nickname
57JE53305L3576742	BT48073	NY	19L

STATE OF NEW YORK
Department of Transportation
Type 24C - Special Hauling Statewide Blanket Permit
www.nypermits.org
Permit Number: 3388552

Configuration No. 6

- Single axle weights within the permitted groups may not exceed the lesser of the Manufactured Tire Ratings, Gross Axle Weight Ratings, or 25,000 pounds.
- Total weight carried under the permit may not exceed Gross Vehicle Weight Rating (GVWR).
- When hauling multiple items: Axle weights, axle grouping weights, or the gross weight shall not exceed those authorized under the NYS Vehicle and Traffic Law, Title 3, Article 10, Section 385.5 through 385.13.

Permitted Weight	Max Axle Group Weight Allowed
Permitted Gross Weight (All axles)	117000
Steer Axle	13000
Power Unit Tridem	54000
Trailer Tridem	54000

Key: P1, P2, P3, P4, P5 = Power Unit Axles; T1, T2, T3, T4, T5, T6 = Trailer Axles

	P1	P2	P3	P4	P5	Major Spacing	T1	T2	T3	T4	T5	T6	Wheelbase
Mfg Axle Wt Rating	20,000	20,000	23,000	23,000			23,000	23,000	23,000				66-11
Sum Mfg Tire Wt Rating	22,800	22,800	26,440	26,440			25,580	25,580	25,580				
	12-8	4-4	4-6			36-5	4-6	4-6					

Trailer Vin	Trailer Plate	Trailer Reg State	Trailer Nickname
57JE52304L3576709	BT48077	NY	18L

STATE OF NEW YORK
Department of Transportation
Type 24C - Special Hauling Statewide Blanket Permit
www.nypermits.org
Permit Number: 3388552

Configuration No. 7

- Single axle weights within the permitted groups may not exceed the lesser of the Manufactured Tire Ratings, Gross Axle Weight Ratings, or 25,000 pounds.
- Total weight carried under the permit may not exceed Gross Vehicle Weight Rating (GVWR).
- When hauling multiple items: Axle weights, axle grouping weights, or the gross weight shall not exceed those authorized under the NYS Vehicle and Traffic Law, Title 3, Article 10, Section 385.5 through 385.13.

Permitted Weight	Max Axle Group Weight Allowed
Permitted Gross Weight (All axles)	117000
Steer Axle	13000
Power Unit Tridem	54000
Trailer 4-Axle	63000

Key: P1, P2, P3, P4, P5 = Power Unit Axles; T1, T2, T3, T4, T5, T6 = Trailer Axles

	P1	P2	P3	P4	P5	Major Spacing	T1	T2	T3	T4	T5	T6	Wheelbase
Mfg Axle Wt Rating	20,000	20,000	23,000	23,000			23,000	23,000	23,000	23,000			74-0
Sum Mfg Tire Wt Rating	22,800	22,800	26,440	26,440			25,580	25,580	25,580	25,580			
	12-8	4-4	4-6			37-6	5-0	5-0	5-0				

Trailer Vin	Trailer Plate	Trailer Reg State	Trailer Nickname
13NE5320XC3554179	AC75322	NY	15L-4 AXLE

STATE OF NEW YORK
Department of Transportation
Type 24C - Special Hauling Statewide Blanket Permit
www.nypermits.org
Permit Number: 3388552

Configuration No. 8

- Single axle weights within the permitted groups may not exceed the lesser of the Manufactured Tire Ratings, Gross Axle Weight Ratings, or 25,000 pounds.
- Total weight carried under the permit may not exceed Gross Vehicle Weight Rating (GVWR).
- When hauling multiple items: Axle weights, axle grouping weights, or the gross weight shall not exceed those authorized under the NYS Vehicle and Traffic Law, Title 3, Article 10, Section 385.5 through 385.13.

Permitted Weight	Max Axle Group Weight Allowed
Permitted Gross Weight (All axles)	117000
Steer Axle	13000
Power Unit Tridem	54000
Trailer Tridem	54000

Key: P1, P2, P3, P4, P5 = Power Unit Axles; T1, T2, T3, T4, T5, T6 = Trailer Axles

	P1	P2	P3	P4	P5	Major Spacing	T1	T2	T3	T4	T5	T6	Wheelbase
Mfg Axle Wt Rating	20,000	20,000	23,000	23,000			23,000	23,000	23,000				66-11
Sum Mfg Tire Wt Rating	22,800	22,800	26,440	26,440			25,580	25,580	25,580				
	12-8	4-4	4-6			36-5	4-6	4-6					

Trailer Vin	Trailer Plate	Trailer Reg State	Trailer Nickname
57JE52309M3578165	CA29369	NY	20L

STATE OF NEW YORK
Department of Transportation
Type 24C - Special Hauling Statewide Blanket Permit
www.nypermits.org
Permit Number: 3388552

Configuration No. 9

- Single axle weights within the permitted groups may not exceed the lesser of the Manufactured Tire Ratings, Gross Axle Weight Ratings, or 25,000 pounds.
- Total weight carried under the permit may not exceed Gross Vehicle Weight Rating (GVWR).
- When hauling multiple items: Axle weights, axle grouping weights, or the gross weight shall not exceed those authorized under the NYS Vehicle and Traffic Law, Title 3, Article 10, Section 385.5 through 385.13.

Permitted Weight	Max Axle Group Weight Allowed
Permitted Gross Weight (All axles)	117000
Steer Axle	13000
Power Unit Tridem	54000
Trailer Tridem	54000

Key: P1, P2, P3, P4, P5 = Power Unit Axles; T1, T2, T3, T4, T5, T6 = Trailer Axles

	P1	P2	P3	P4	P5	Major Spacing	T1	T2	T3	T4	T5	T6	Wheelbase
Mfg Axle Wt Rating	20,000	20,000	23,000	23,000			23,000	23,000	23,000				67-6
Sum Mfg Tire Wt Rating	22,800	22,800	26,440	26,440			25,580	25,580	25,580				
	12-8	4-4	4-6			37-0	4-6	4-6					

Trailer Vin	Trailer Plate	Trailer Reg State	Trailer Nickname
57JE52309N35A0479	CB71323	NY	21L

STATE OF NEW YORK
Department of Transportation
Type 24C - Special Hauling Statewide Blanket Permit
www.nypermits.org
Permit Number: 3388552

Route

Valid only on routes under NYSDOT Jurisdiction with at least 20 feet of pavement width

Restricted Highways

- Large Through Truck Restricted Highways

This Permit is not valid for use on the Restricted Highways listed below except for:

1. Pickup and delivery at facilities or specific jobsites that are located directly on such restricted highways; or
2. Pickup and delivery at facilities or specific jobsites that are only accessible by use of such restricted highways; or
3. The movement of 'perishable goods' as described below; or
4. The continuation of a series of pickups and/or deliveries when one (or more) pickup delivery is allowed by (1) or (2) above; or
5. Use of a restricted highway is at least 25 miles shorter than the shortest alternative route over Qualifying highways; or
6. Operation under a Hardship Waiver issued and presented for this permit; or
7. An emergency

Description of Restricted Highways.
Version Date 11/15/2008

From	To	Restricted Highway Number	Counties
I81 Exit 8	NY 13A	NY 79	Tioga, Tompkins
I81 Exit 12	US 20	NY 41	Cortland, Onondaga
I81 Exit 12	US 20	NY 90	Cortland, Cayuga
NY 41	US 20	NY 41A	Cortland, Cayuga, Onondaga
NY 89	NY 414	NY 96	Tompkins, Seneca
NY 414	US 20	NY 96	Tompkins, Seneca
NY 90	NY 34	NY 38	Cayuga
NY 96	US 20	NY 89	Tompkins, Seneca

Additional Conditions

1. A large through truck is any combination of vehicles consisting of a tractor or truck and trailer whose trailer length is forty-five (45) feet or more.

2. Use of the restricted highways except as noted above, is a permit violation and grounds for revocation of the permit and imposition of a civil penalty pursuant to section 385(15)(j) of the New York State Vehicle & Traffic Law.

3. Any Hardship Waiver issued by the Department granting the use of restricted highways must be presented to Law Enforcement with this permit.

4. 'Perishable Goods' means any goods that may spoil or otherwise become unfit for its intended purpose because of its nature, type or physical condition. Perishable goods include, but are not limited to, perishable food (e.g., fresh or processed meats, poultry, seafood, dairy products, bakery products, eggs in the shell, fresh fruits or vegetables and foods that have been packaged, refrigerated or frozen), concrete mix and hot mix asphalt in transit.

STATE OF NEW YORK
Department of Transportation
Type 24C - Special Hauling Statewide Blanket Permit
www.nypermits.org
Permit Number: 3388552

Standard Permitted Vehicle and Load Requirements

This permit is only valid for highways under New York State Department of Transportation jurisdiction. Permission must be obtained from appropriate authority when traveling over NYS Thruway, NYS Bridge Authority bridges, Parkway, County Roads, Town Highways, and City (including New York City) or Village Roads.

No Movements are allowed on the following holidays, unless authorized on the permit; New Years day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day or from 12 noon the day preceding Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. The day preceding means any normal working day, Monday through Friday.

All permitted moves must comply with Part 154-1 title 17 of the New York Compilation of Code, Rules and Regulations.

Permittee is responsible for checking Travel Restrictions prior to every permit move. This includes approved radius or blanket areas of travel. The permit system, HOOCS, provides a tool to assist with this. When logged in to HOOCS, click the link on your Dashboard for Annual Permit Route. Enter your permit number. The system will verify the permit number is valid and will verify the maximum dimensions for the permit. Continue through the Annual Permit Route tool to enter your route origin, destination and any via points. The system will check all valid restrictions applicable to the load dimensions and produce a route that can be printed and carried in the vehicle. Printable Travel Restrictions are located at www.nypermits.org under 'Special Hauling' and 'Restrictions'.

Maximum speed shall not exceed 55 MPH.

An amber revolving light shall be located on the top of the towing vehicle, visible in a 360 degree rotation and shall be operational at all times.

Overdimensional permitted vehicles/loads shall display OVERSIZE LOAD warning signs at least 7 feet long and 18 inches high with letters at least 10 inches high, located front and rear and shall display red or orange fluorescent flags at least 18 inches square, on staffs, located at the extremities of the vehicle/load.

A vehicle may carry more than one (1) item as part of the permitted load, provided that it matches the load description on the permit and items are not stacked to create a height exceeding thirteen feet six inches measured from bottom of tires to top of load, or loaded side-by-side to exceed width of eight feet six inches, or loaded end-to-end and vehicle, inclusive of load, exceeds length authorized under the NYS Vehicle & Traffic Law, Title 3, Article 10, Section 385.3 or combination of vehicles, inclusive of load,

When permit allows axle weights, axle grouping weights, or gross weight to exceed those authorized under the NYS Vehicle & Traffic Law, Title 3, Article 10, Section 385.5 through Section 385.13, the load may not constitute more than one (1) item.

Bridge Locations

Specific bridge locations can be found on the NYSDOT Posted Bridge Map located on the NYS Department of Transportation website on the following page: https://gis.dot.ny.gov/html5viewer/?viewer=postedbridges. Please click the “Find BIN” button at the top of the page, then type in the BIN number listed on the permit. This information can also be accessed by clicking the Bridge Finder link from the Company Dashboard in HOOCS. If there are questions, please contact the NYSDOT Central Permit Office at

Conditions

Unless otherwise authorized on this permit, movement is allowed Mondays through Fridays from 1/2 hour before sunrise until 1/2 hour after sunset and additionally Saturday from 1/2 hour before sunrise until 12:00 Noon.

No Travel 7-9 AM and 4-6 PM for vehicles exceeding the width wider than 10 feet and/or length longer than 85 feet within a 10 mile radius of Syracuse.

No Travel 7-9 AM and 4-6 PM for vehicles exceeding the width wider than 10 feet and/or length than 72 feet in Binghamton.

No Travel 7-9 AM and 4-6 PM for vehicles exceeding the width wider than 11 feet in the cities of Hudson, Kingston, Newburgh and Poughkeepsie.

Cross no "R" posted OR load posted structures.