



## Memorandum

**To:** Tim Lloyd, Ph.D.  
Scientist - Archaeology  
New York State Historic Preservation Office

**From:** Moira Magni  
Project Archaeologist/Field Staff Coordinator  
EDR

**Date:** September 19, 2024

**Reference:** Agricola Wind Project  
Towns of Venice and Scipio, Cayuga County, New York  
Phase IB Archaeological Survey Addendum Memo

On behalf of Agricola Wind LLC, a wholly owned subsidiary of Liberty Renewables Inc., EDR conducted approximately 9.5 acres of additional Phase IB archaeological survey for the proposed Agricola Wind Project (the Facility) between August 1 and August 29, 2024. The purpose of this memorandum is to document the results of this additional Phase IB survey.

All archaeological services provided by EDR for the Project were conducted under the supervision of a Registered Professional Archaeologist who meets the Secretary of the Interior's Guidelines (per 36 CFR, Part 61) for Professional Qualifications in Archaeology. The work was conducted in accordance with the New York Archaeological Council's *Standards for Cultural Resources Investigations and the Curation of Archaeological Collections in New York State* and the New York State Historic Preservation Office's (NYSHPO) *Phase I Archaeological Report Format Requirements*, as appropriate.

### **Project Background**

EDR completed a Phase IB archaeological survey of the Facility in the summer and fall of 2023 and submitted the *Phase IB Archaeological Survey Report* (EDR, 2024) to the New York Historic Preservation Office (NYSHPO) via the Cultural Resources Information System (CRIS) on June 28, 2024.

Since the completion of the *Phase IB Archaeological Survey Report* (EDR, 2024), Agricola Wind LLC has made minor revisions to the Facility layout, resulting in an additional 9.5 acres of Elevated Archaeological Sensitivity within the Area of Potential Effect that were not previously subjected to Phase IB survey (see Attachment A). EDR completed a supplemental survey within these 9.5 acres

between August 1 and August 29, 2024. This addendum memo has been prepared to present the results of the supplemental survey.

### Results of Additional Phase IB Archaeological Survey

Between August 1 and August 29, 2024, EDR Project Archaeologist Matthew Weiss and five EDR staff conducted a shovel testing survey involving the excavation of 236 shovel test pits at a 15-meter interval across approximately 9.5 acres of the Area of Potential Effect designated as having Elevated Archaeological Sensitivity, per NYSHPO's criteria and EDR's GIS-based archaeological sensitivity model (EDR, 2023b). Shovel test pits were 30 to 50 centimeters in diameter and were excavated to sterile subsoil or the practical limits of hand excavation (NYAC, 1994). Field data were recorded for each shovel test pit that described soil stratigraphy and recorded whether any artifacts were recovered. All soils excavated from STPs were screened through 0.25-inch hardware cloth. Shovel test pit data is included in Appendix A.

### Archaeological Site

The supplemental Phase IB survey resulted in the identification of 1 archaeological site, A19-HAS-01. The survey results map is available in Attachment A, the site plan is available in Attachment B, photolog is available in Attachment C, shovel test records are available in Attachment D, and the catalog of collected artifacts is available in Attachment E.

### Site A19-HAS-01

Resource Type: Mid-nineteenth to early-twentieth century domestic artifact scatter.

Survey Area: A19

Abstract: Site A19-HAS-01 **BEGIN CONFIDENTIAL INFORMATION** <

>**END CONFIDENTIAL INFORMATION** No standing architectural remains were identified. The artifact scatter consists of domestic household items such as ceramics, glass, and a pipe stem. A total of 19 shovel tests were positive from the site, totaling 56 artifacts collected (see Attachment E). Due to the density and diversity of artifacts and their temporal association with an MDS this site remains unevaluated for the S/NRHP and EDR recommends that it continue to be avoided by impacts associated with the construction and operation of the Facility. Site A19-HAS-01 can be viewed in Attachment A, Sheet 24; Attachment B, Sheet 1; and Attachment C, Photographs 5-8.

**Environmental Context:** Site A19-HAS-01 is **BEGIN CONFIDENTIAL INFORMATION** < [REDACTED]  
[REDACTED] > **END CONFIDENTIAL INFORMATION** Soils within the site are mapped as Lima silt loam, 3 to 8 percent slopes and Honeoye silt loam, 2 to 8 percent slopes (ESRI and NRCS, 2023). Soils consisted of a 10YR 4/3 or 10YR 5/3 Silty loam overtop a 10YR 6/4 or 10YR 5/3 Silty loam sterile subsoil.

**Historic Context:** **BEGIN CONFIDENTIAL INFORMATION** < [REDACTED]  
[REDACTED]  
[REDACTED] > **END CONFIDENTIAL INFORMATION**

**Cultural Material:** A total of 56 artifacts were recovered from Site A19-HAS-01 from the shovel testing survey. Diagnostic artifacts include salt glazed stoneware ceramics (1805-1920), ironstone ceramic (1842-1930), and a clay pipe stem and bowl (1800-1900). Artifacts collected from Site A19-HAS-01 are summarized in Attachment E.

**Recommendation:** Due to the site's artifact density and diversity, along with the association with an MDS, EDR recommends that this site be avoided by impacts associated with the proposed project. The Applicant has avoided impacts to this site and it is no longer within the APE.

### **Summary and Conclusions**

The supplemental Phase IB archaeological survey identified one archaeological site that is considered unevaluated for inclusion in the S/NRHP. EDR recommends avoidance of this site, or completion of Phase II investigations if avoidance is not possible.

In an effort to avoid impacts to the unevaluated archaeological site identified in the supplemental Phase IB survey, the Applicant has moved, modified, or eliminated Facility components.

Construction techniques were modified to avoid ground disturbance within 50 feet of this site. With the implementation of these avoidance measures, no impacts to any potentially S/NRHP-eligible archaeological resources are anticipated. No further archaeological investigations are recommended.

If you have any questions or would like to discuss the information described herein, please contact me at [mmagni@edrdpc.com](mailto:mmagni@edrdpc.com) or (203) 312-3008, or Peter Sittig at [psittig@edrdpc.com](mailto:psittig@edrdpc.com) or (919) 810-7066.

Thank you very much for your time.

Sincerely,

A handwritten signature in black ink that reads "Moira E Magni". The signature is written in a cursive, flowing style.

**Moira E Magni**  
EDR Project Archaeologist / Field Staff Coordinator

**Attachments:**

- Attachment A. Phase IB Additional Testing Results
- Attachment B. Archaeological Site Plan
- Attachment C. Photolog
- Attachment D. Shovel Test Records
- Attachment E. Catalog of Collected Artifacts
- Tested Area (shapefile)

**References:**

Environmental Design & Research, D.P.C. (EDR). 2024. *Phase IB Archaeological Survey, Agricola Wind Project, Towns of Venice and Scipio, Cayuga County, New York*. Prepared for Agricola Wind LLC by EDR, Syracuse, NY. June 2024.

EDR. 2023. *Phase IA Archaeological Survey, Agricola Wind*. Revised report prepared for Liberty Renewables, Inc., by EDR, Syracuse, NY.

New York Archaeological Council (NYAC). 1994. *Standards for Cultural Resources Investigations and the Curation of Archaeological Collections in New York State*. New York State Office of Parks, Recreation, and Historic Preservation, Waterford, NY.



**This figure has been redacted from this publicly available report because it contains sensitive/confidential archaeological site information.**



Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results


- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions


- Disturbed
- Steep Slope
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Wind Turbine
- Access Road
- Underground Collection Line
- Facility Site



Sheet 1 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Agricola Wind

Town of Venice and Scipio, Cayuga County, New York


Phase IB Additional Testing Memo

Archeological Investigation Results


- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions

- Disturbed
- Elevated Archeological Sensitivity
- Area of Potential Effect
- Temporary Turning Improvement
- Facility Site



Sheet 2 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results


- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions


- Disturbed
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Facility Site



Sheet 3 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results

- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions


- Disturbed
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Wind Turbine
- Access Road
- Underground Collection Line
- Facility Site



Sheet 4 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Agricola Wind


Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

- Observed Point
- Archeological Investigation Results
  - No Cultural Material
  - Shovel Testing after July 2024
  - Shovel Testing before July 2024
  - Pedestrian Survey
- Existing Conditions
  - Disturbed
  - Elevated Archeological Sensitivity
  - Area of Potential Effect
  - Temporary Turning Improvement
  - Facility Site



Sheet 5 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results

- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions


- Disturbed
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components


- Wind Turbine
- Access Road
- Underground Collection Line
- Temporary Turning Improvement
- Facility Site



Sheet 6 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service





Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results


- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Wind Turbine
- Access Road
- Underground Collection Line
- Facility Site



Sheet 7 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Agricola Wind

Town of Venice and Scipio, Cayuga  
County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results

- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions


- Disturbed
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Underground Collection Line
- Facility Site



Sheet 8 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Attachment A. Phase IB Archeological Survey Results

Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results



- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions


- Inundated
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Underground Collection Line
- Facility Site



Sheet 9 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Agricola Wind


Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

- Archeological Investigation Results
- No Cultural Material
  - Shovel Testing after July 2024
  - Shovel Testing before July 2024
  - Pedestrian Survey
  - Elevated Archeological Sensitivity
  - Area of Potential Effect
- Project Facility Components
- Underground Collection Line
  - Facility Site



Sheet 10 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service





Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results


- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions


- Inundated
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Wind Turbine
- Access Road
- Underground Collection Line
- Facility Site



Sheet 11 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results

- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions


- Inundated
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Access Road
- Temporary Turning Improvement
- Facility Site



Sheet 12 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Agricola Wind

Town of Venice and Scipio, Cayuga County, New York



Phase IB Additional Testing Memo

Archeological Investigation Results


- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions

- Disturbed
- Elevated Archeological Sensitivity
- Area of Potential Effect
- Temporary Turning Improvement
- Facility Site



Sheet 13 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results

- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions


- Disturbed
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Access Road
- Underground Collection Line
- Temporary Turning Improvement
- Laydown Yard
- Facility Site




Sheet 14 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service







# Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

## Phase IB Additional Testing Memo

### Archeological Investigation Results

- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

### Existing Conditions


- Disturbed
- Inundated
- Elevated Archeological Sensitivity
- Area of Potential Effect

### Project Facility Components

- Underground Collection Line
- Temporary Turning Improvement
- Facility Site



Sheet 15 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Attachment A. Phase IB Archeological Survey Results



Agricola Wind

Town of Venice and Scipio, Cayuga  
County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results

- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions


- Disturbed
- Inundated
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Underground Collection Line
- Facility Site



Sheet 16 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results

- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions


- Disturbed
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Underground Collection Line
- Facility Site



Sheet 17 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service





Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results



- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions


- Disturbed
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Wind Turbine
- Access Road
- Underground Collection Line
- Facility Site



Sheet 18 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results

- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey
- Road/Path/Trail
- Utility - Other

Existing Conditions


- Disturbed
- Steep Slope
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Access Road
- Temporary Turning Improvement
- Facility Site




Sheet 19 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



## Sheet 20 of 26





Agricola Wind

Town of Venice and Scipio, Cayuga  
County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results

- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions


- Disturbed
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Underground Collection Line
- Facility Site



Sheet 21 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



**This figure has been redacted from this publicly available report because it contains sensitive/confidential archaeological site information.**



Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results

- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey

Existing Conditions


- Disturbed
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Access Road
- Temporary Turning Improvement
- Facility Site



Sheet 23 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



**This figure has been redacted from this publicly available report because it contains sensitive/confidential archaeological site information.**



Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results

- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey
- Stream/Drainage

Existing Conditions


- Disturbed
- Inundated
- Steep Slope
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components

- Laydown Yard
- Facility Site



Sheet 25 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service



Agricola Wind

Town of Venice and Scipio, Cayuga County, New York

Phase IB Additional Testing Memo

Archeological Investigation Results


- No Cultural Material
- Shovel Testing after July 2024
- Shovel Testing before July 2024
- Pedestrian Survey
- Elevated Archeological Sensitivity
- Area of Potential Effect

Project Facility Components


- Wind Turbine
- Access Road
- Underground Collection Line
- Facility Site



Sheet 26 of 26



Prepared September 18, 2024  
Basemap: NYSDOP "2023" orthoimagery map service





**This figure has been redacted from this publicly available report because it contains sensitive/confidential archaeological site information.**



## Attachment C. Photolog

Sheet 1 of 4



**Photograph 1**  
Southwest view of crew  
excavating area A18.



**Photograph 2**  
Representative view of area A08,  
facing north.

### Agricola Wind Project

Towns of Venice and Scipio, Cayuga County, New York

#### *Phase IB Archaeological Survey Addendum Memo*



## Attachment C. Photolog

Sheet 2 of 4



**Photograph 3**

North wall profile of STP A43.047



**Photograph 4**

Overview of area A25, facing west.

## Agricola Wind Project

Towns of Venice and Scipio, Cayuga County, New York

### Phase IB Archaeological Survey Addendum Memo



**This figure has been redacted from this publicly available report because it contains sensitive/confidential archaeological site information.**



**Attachment C. Photolog**

Sheet 4 of 4

**Photograph 7**A19-HAS-01 representative  
ceramic artifact sample.**Photograph 8**A19-HAS-01 representative  
artifact sample.**Agricola Wind Project**

Towns of Venice and Scipio, Cayuga County, New York

**Phase IB Archaeological Survey Addendum Memo**



Agricola Wind Project, NYSHPO Project Review #21PR03987  
Towns of Venice and Scipio, Cayuga County, New York

Phase IB Archaeology Survey Addendum Memo  
Attachment D. Shovel Test Records

| Shovel Test | Strat | Min Strat Depth | Max Strat Depth | Soil Color | Soil Texture    | Contents | Comments |
|-------------|-------|-----------------|-----------------|------------|-----------------|----------|----------|
| A02.171     | I     | 0               | 35              | 10YR 5/3   | Silt Loam       | NCM      | None     |
| A02.171     | II    | 35              | 10              | 10YR 6/3   | Loamy Sand      | NCM      | None     |
| A02.172     | I     | 0               | 36              | 10YR 4/2   | Silt Loam       | NCM      | None     |
| A04.298     | I     | 0               | 29              | 10YR 4/2   | Silt Loam       | NCM      | None     |
| A04.298     | II    | 29              | 39              | 7.5YR 5/6  | Silt Loam       | NCM      | None     |
| A04.299     | I     | 0               | 27              | 10YR 4/3   | Silt Loam       | NCM      | None     |
| A04.299     | II    | 27              | 37              | 10YR 6/1   | Silt Loam       | NCM      | None     |
| A04.300     | I     | 0               | 28              | 10YR 4/3   | Silt Loam       | NCM      | None     |
| A04.300     | II    | 28              | 38              | 10YR 5/4   | Silt Loam       | NCM      | None     |
| A07.065     | I     | 0               | 44              | 10YR 4/3   | Silt Loam       | NCM      | None     |
| A07.065     | II    | 44              | 54              | 10YR 6/3   | Silt Loam       | NCM      | None     |
| A07.066     | I     | 0               | 28              | 10YR 4/3   | Silt Loam       | NCM      | None     |
| A07.066     | II    | 28              | 38              | 10YR 5/6   | Silt Loam       | NCM      | None     |
| A07.067     | I     | 0               | 23              | 10YR 4/2   | Silt Loam       | NCM      | None     |
| A07.067     | II    | 23              | 10              | 10YR 5/3   | Loamy Sand      | NCM      | None     |
| A08.279     | I     | 0               | 25              | 10YR 5/3   | Silt Loam       | NCM      | None     |
| A08.279     | II    | 25              | 10              | 10YR 7/4   | Loamy Sand      | NCM      | None     |
| A08.280     | I     | 0               | 24              | 10YR 4/3   | Silt Loam       | NCM      | None     |
| A08.280     | II    | 24              | 35              | 10YR 5/4   | Silt Loam       | NCM      | None     |
| A08.281     | I     | 0               | 10              | 10YR 3/2   | Silt Loam       | NCM      | None     |
| A08.281     | II    | 10              | 10              | 10YR 5/3   | Sandy Loam      | NCM      | None     |
| A08.282     | I     | 0               | 25              | 10YR 4/3   | Silt Loam       | NCM      | None     |
| A08.282     | II    | 25              | 35              | 10YR 5/6   | Silty Clay Loam | NCM      | None     |
| A08.283     | I     | 0               | 8               | 10YR 4/3   | Silt Loam       | NCM      | None     |
| A08.283     | II    | 8               | 18              | 10YR 6/3   | Silt Loam       | NCM      | None     |
| A08.284     | I     | 0               | 11              | 10YR 3/2   | Silt Loam       | NCM      | None     |
| A08.284     | II    | 11              | 28              | 10YR 4/3   | Silt Loam       | NCM      | None     |
| A08.284     | III   | 28              | 38              | 10YR 5/6   | Silty Clay Loam | NCM      | None     |
| A08.285     | I     | 0               | 17              | 10YR 4/3   | Silt Loam       | NCM      | None     |
| A08.285     | II    | 17              | 27              | 10YR 6/3   | Silt Loam       | NCM      | None     |
| A08.286     | I     | 0               | 11              | 10YR 4/2   | Silt Loam       | NCM      | None     |
| A08.286     | II    | 11              | 10              | 10YR 5/3   | Sandy Loam      | NCM      | None     |
| A08.287     | I     | 0               | 5               | 10YR 3/2   | Silt Loam       | NCM      | None     |
| A08.287     | II    | 5               | 10              | 10YR 4/3   | Silt Loam       | NCM      | None     |
| A08.287     | III   | 10              | 23              | 10YR 5/6   | Silty Clay Loam | NCM      | None     |
| A08.288     | I     | 0               | 16              | 10YR 3/2   | Loam            | NCM      | None     |
| A08.288     | II    | 16              | 26              | 10YR 6/3   | Silt Loam       | NCM      | None     |
| A08.289     | I     | 0               | 23              | 10YR 4/3   | Silt Loam       | NCM      | None     |
| A08.289     | II    | 23              | 33              | 10YR 5/6   | Silty Clay Loam | NCM      | None     |
| A08.290     | I     | 0               | 10              | 10YR 4/1   | Silt Loam       | NCM      | None     |
| A08.290     | II    | 10              | 10              | 10YR 5/3   | Silt Loam       | NCM      | None     |
| A08.291     | I     | 0               | 13              | 10YR 6/1   | Silt Loam       | NCM      | None     |
| A08.291     | II    | 13              | 23              | 10YR 6/4   | Silt Loam       | NCM      | None     |
| A08.292     | I     | 0               | 7               | 10YR 3/2   | Loam            | NCM      | None     |



Agricola Wind Project, NYSHPO Project Review #21PR03987  
Towns of Venice and Scipio, Cayuga County, New York

Phase IB Archaeology Survey Addendum Memo  
Attachment D. Shovel Test Records

| Shovel Test | Strat | Min Strat Depth | Max Strat Depth | Soil Color | Soil Texture    | Contents | Comments                           |
|-------------|-------|-----------------|-----------------|------------|-----------------|----------|------------------------------------|
| A08.292     | II    | 7               | 20              | 10YR 5/2   | Silt Loam       | NCM      | None                               |
| A08.292     | III   | 20              | 30              | 10YR 6/3   | Silt Loam       | NCM      | None                               |
| A08.293     | I     | 0               | 13              | 10YR 4/3   | Silt Loam       | NCM      | 10% gravel                         |
| A08.293     | II    | 13              | 23              | 2.5Y 5/6   | Silty Clay Loam | NCM      | None                               |
| A08.294     | I     | 0               | 4               | 10YR 3/1   | Silt Loam       | NCM      | None                               |
| A08.294     | II    | 4               | 10              | 10YR 5/3   | Sandy Loam      | NCM      | None                               |
| A08.295     | I     | 0               | 20              | 10YR 5/4   | Silt Loam       | NCM      | Rocky plowzone (old field)         |
| A08.295     | II    | 20              | 30              | 10YR 6/4   | Silt Loam       | NCM      | Subsoil                            |
| A09.148     | I     | 0               | 29              | 10YR 4/3   | Silt Loam       | NCM      | None                               |
| A09.148     | II    | 29              | 39              | 10YR 6/3   | Silt Loam       | NCM      | None                               |
| A09.149     | I     | 0               | 32              | 10YR 4/3   | Silty Clay Loam | NCM      | 10% gravel                         |
| A09.149     | II    | 32              | 42              | 10YR 5/3   | Silty Clay Loam | NCM      | None                               |
| A09.150     | I     | 0               | 34              | 10YR 4/3   | Silt Loam       | NCM      | Plowzone                           |
| A09.150     | II    | 34              | 44              | 10YR 5/4   | Silty Clay Loam | NCM      | Subsoil                            |
| A09.151     | I     | 0               | 37              | 10YR 3/3   | Silt Loam       | NCM      | Plowzone; field edge; rock impasse |
| A09.152     | I     | 0               | 26              | 10YR 3/2   | Silt Loam       | NCM      | Topsoil                            |
| A09.152     | II    | 26              | 36              | 10YR 6/4   | Silty Clay Loam | NCM      | Oxidized subsoil; next to wetland  |
| A12.009     | I     | 0               | 30              | 10YR 4/2   | Silty Clay Loam | NCM      | None                               |
| A12.009     | II    | 30              | 40              | 10YR 6/3   | Silt Loam       | NCM      | None                               |
| A12.010     | I     | 0               | 25              | 10YR 4/4   | Silty Clay Loam | NCM      | None                               |
| A12.010     | II    | 25              | 35              | 10YR 5/4   | Clay Loam       | NCM      | None                               |
| A12.011     | I     | 0               | 25              | 10YR 5/2   | Silt Loam       | NCM      | None                               |
| A12.011     | II    | 25              | 10              | 10YR 5/3   | Loamy Sand      | NCM      | None                               |
| A12.012     | I     | 0               | 22              | 10YR 4/3   | Silty Clay Loam | NCM      | None                               |
| A12.012     | II    | 22              | 32              | 10YR 6/4   | Silty Clay Loam | NCM      | None                               |
| A12.013     | I     | 0               | 25              | 10YR 4/2   | Silt Loam       | NCM      | None                               |
| A12.013     | II    | 25              | 35              | 10YR 6/2   | Silt Loam       | NCM      | None                               |
| A12.014     | I     | 0               | 26              | 10YR 4/3   | Silt Loam       | NCM      | None                               |
| A12.014     | II    | 26              | 35              | 10YR 5/4   | Silty Clay Loam | NCM      | None                               |
| A12.016     | I     | 0               | 31              | 10YR 4/3   | Silt Loam       | NCM      | None                               |
| A12.016     | II    | 31              | 41              | 10YR 6/1   | Silt Loam       | NCM      | None                               |
| A12.017     | I     | 0               | 18              | 10YR 5/2   | Silt Loam       | NCM      | None                               |
| A12.017     | II    | 18              | 10              | 10YR 5/3   | Sandy Loam      | NCM      | None                               |
| A12.018     | I     | 0               | 25              | 10YR 4/3   | Silty Clay Loam | NCM      | None                               |
| A12.018     | II    | 25              | 35              | 10YR 6/4   | Silty Clay Loam | NCM      | None                               |
| A12.019     | I     | 0               | 26              | 10YR 4/3   | Silt Loam       | NCM      | None                               |
| A12.019     | II    | 26              | 36              | 10YR 6/4   | Loamy Sand      | NCM      | None                               |
| A12.020     | I     | 0               | 24              | 10YR 4/3   | Silt Loam       | NCM      | None                               |
| A12.020     | II    | 24              | 34              | 10YR 5/6   | Silty Clay Loam | NCM      | None                               |
| A12.021     | I     | 0               | 22              | 10YR 5/2   | Silt Loam       | NCM      | None                               |
| A12.021     | II    | 22              | 10              | 10YR 5/6   | Loamy Sand      | NCM      | None                               |



Agricola Wind Project, NYSHPO Project Review #21PR03987  
Towns of Venice and Scipio, Cayuga County, New York

Phase IB Archaeology Survey Addendum Memo  
Attachment D. Shovel Test Records

| Shovel Test | Strat | Min Strat Depth | Max Strat Depth | Soil Color | Soil Texture    | Contents | Comments                                                                               |
|-------------|-------|-----------------|-----------------|------------|-----------------|----------|----------------------------------------------------------------------------------------|
| A12.022     | I     | 0               | 33              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                   |
| A12.022     | II    | 33              | 43              | 10YR 6/2   | Silt Loam       | NCM      | None                                                                                   |
| A12.023     | I     | 0               | 33              | 10YR 5/2   | Silt Loam       | NCM      | None                                                                                   |
| A12.023     | II    | 33              | 10              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                                   |
| A13.014     | I     | 0               | 19              | 10YR 3/2   | Silt Loam       | NCM      | Apparent topsoil fill to bury wetland soil                                             |
| A13.014     | II    | 19              | 29              | 10YR 4/2   | Silt Loam       | NCM      | Apparent subsoil developing out of potential topsoil fill; little more clay than above |
| A13.014     | III   | 29              | 55              | 10YR 4/1   | Silt Loam       | NCM      | Apparent original wetland topsoil; heavy oxidation                                     |
| A13.014     | IV    | 55              | 65              | 10YR 5/1   | Silty Clay Loam | NCM      | Apparent original wetland subsoil; heavy oxidation                                     |
| A13.015     | I     | 0               | 33              | 10YR 4/2   | Silt Loam       | NCM      | Plowzone                                                                               |
| A13.015     | II    | 33              | 43              | 10YR 6/3   | Silty Clay Loam | NCM      | Oxidized subsoil                                                                       |
| A15.056     | I     | 0               | 25              | 10YR 3/3   | Loam            | NCM      | None                                                                                   |
| A15.056     | II    | 25              | 35              | 10YR 5/4   | Sandy Loam      | NCM      | None                                                                                   |
| A15.057     | I     | 0               | 28              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                   |
| A15.057     | II    | 28              | 38              | 10YR 5/4   | Silty Clay Loam | NCM      | None                                                                                   |
| A17.145     | I     | 0               | 33              | 10YR 4/3   | Silt Loam       | NCM      | Subangular rocks and gravel.                                                           |
| A17.145     | II    | 33              | 43              | 10YR 5/6   | Sandy Clay      | NCM      | Subrounded and subangular rocks and gravel.                                            |
| A17.146     | I     | 0               | 31              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                                   |
| A17.146     | II    | 31              | 10              | 10YR 7/4   | Sandy Loam      | NCM      | None                                                                                   |
| A17.147     | I     | 0               | 31              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                   |
| A17.147     | II    | 31              | 41              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                                   |
| A17.148     | I     | 0               | 30              | 10YR 5/2   | Silt Loam       | NCM      | None                                                                                   |
| A17.148     | II    | 30              | 40              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                                   |
| A17.149     | I     | 0               | 29              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                   |
| A17.149     | II    | 29              | 39              | 10YR 6/2   | Silt Loam       | NCM      | None                                                                                   |
| A17.150     | I     | 0               | 33              | 10YR 4/3   | Silt Loam       | NCM      | Subangular rocks and gravel. In hayfield.                                              |
| A17.150     | II    | 33              | 43              | 10YR 5/4   | Silty Clay Loam | NCM      | Subrounded and subangular rocks and gravel.                                            |
| A17.151     | I     | 0               | 32              | 10YR 4/3   | Silt Loam       | NCM      | Subrounded and subangular rocks and gravel. In hayfield.                               |



Agricola Wind Project, NYSHPO Project Review #21PR03987  
Towns of Venice and Scipio, Cayuga County, New York

Phase IB Archaeology Survey Addendum Memo  
Attachment D. Shovel Test Records

| Shovel Test | Strat | Min Strat Depth | Max Strat Depth | Soil Color | Soil Texture    | Contents | Comments                                                              |
|-------------|-------|-----------------|-----------------|------------|-----------------|----------|-----------------------------------------------------------------------|
| A17.151     | II    | 32              | 42              | 10YR 5/2   | Silt Loam       | NCM      | Very dry soil.                                                        |
| A17.152     | I     | 0               | 26              | 10YR 5/3   | Sandy Loam      | NCM      | None                                                                  |
| A17.152     | II    | 26              | 10              | 10YR 7/4   | Sandy Loam      | NCM      | None                                                                  |
| A17.153     | I     | 0               | 32              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                  |
| A17.153     | II    | 32              | 42              | 10YR 6/2   | Silt Loam       | NCM      | None                                                                  |
| A17.154     | I     | 0               | 38              | 10YR 5/2   | Silt Loam       | NCM      | None                                                                  |
| A17.154     | II    | 38              | 48              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                  |
| A17.155     | I     | 0               | 21              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                  |
| A17.155     | II    | 21              | 31              | 10YR 6/2   | Silt Loam       | NCM      | None                                                                  |
| A17.156     | I     | 0               | 31              | 10YR 4/3   | Silt Loam       | NCM      | Subrounded and subangular rocks and gravel. In hayfield.              |
| A17.156     | II    | 31              | 41              | 10YR 5/6   | Silt Loam       | NCM      | Degraded rocks in this layer.                                         |
| A17.157     | I     | 0               | 34              | 10YR 4/3   | Silt Loam       | NCM      | Mostly subangular rocks and gravel.                                   |
| A17.157     | II    | 34              | 44              | 10YR 6/4   | Sandy Clay Loam | NCM      | Some oxidation.                                                       |
| A17.158     | I     | 0               | 34              | 10YR 5/2   | Silt Loam       | NCM      | None                                                                  |
| A17.158     | II    | 34              | 44              | 10YR 5/4   | Silt Loam       | NCM      | None                                                                  |
| A17.159     | I     | 0               | 36              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                  |
| A17.159     | II    | 36              | 46              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                  |
| A17.160     | I     | 0               | 24              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                  |
| A17.160     | II    | 24              | 10              | 10YR 7/4   | Sandy Loam      | NCM      | None                                                                  |
| A17.161     | I     | 0               | 33              | 10YR 4/3   | Silt Loam       | NCM      | Subangular rocks and gravel. In hayfield by road.                     |
| A17.161     | II    | 33              | 44              | 10YR 5/6   | Sandy Clay Loam | NCM      | Decayed stone throughout layer.                                       |
| A17.162     | I     | 0               | 37              | 10YR 4/3   | Silt Loam       | NCM      | Rock impasse                                                          |
| A17.163     | I     | 0               | 36              | 10YR 4/3   | Silt Loam       | NCM      | Subrounded and subangular rocks and gravel. In hayfield near roadway. |
| A17.163     | II    | 36              | 46              | 10YR 5/6   | Sandy Clay Loam | NCM      | Degraded bedrock.                                                     |
| A17.164     | I     | 0               | 35              | 10YR 4/3   | Silt Loam       | NCM      | Subrounded and subangular rocks and gravel. In hayfield near road.    |
| A17.164     | II    | 35              | 45              | 10YR 6/3   | Silty Clay Loam | NCM      | Heavily oxidized.                                                     |
| A17.165     | I     | 0               | 24              | 10YR 4/3   | Silt Loam       | NCM      | Near roadway in hayfield. Subrounded and subangular rocks and gravel. |



Agricola Wind Project, NYSHPO Project Review #21PR03987  
Towns of Venice and Scipio, Cayuga County, New York

Phase IB Archaeology Survey Addendum Memo  
Attachment D. Shovel Test Records

| Shovel Test | Strat | Min Strat Depth | Max Strat Depth | Soil Color | Soil Texture    | Contents | Comments                                                                                   |
|-------------|-------|-----------------|-----------------|------------|-----------------|----------|--------------------------------------------------------------------------------------------|
| A17.165     | II    | 24              | 34              | 10YR 6/3   | Silty Clay Loam | NCM      | Lots of angular rocks. Heavily oxidized.                                                   |
| A17.166     | I     | 0               | 35              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                       |
| A17.166     | II    | 35              | 45              | 10YR 5/4   | Silt Loam       | NCM      | None                                                                                       |
| A17.167     | I     | 0               | 35              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                                       |
| A17.167     | II    | 35              | 10              | 10YR 7/4   | Sandy Loam      | NCM      | None                                                                                       |
| A17.168     | I     | 0               | 28              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                       |
| A17.168     | II    | 28              | 38              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                                       |
| A17.169     | I     | 0               | 32              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                       |
| A17.169     | II    | 32              | 42              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                                       |
| A17.170     | I     | 0               | 38              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                       |
| A17.170     | II    | 38              | 48              | 10YR 6/6   | Silt Loam       | NCM      | Subsoil way shallower (<30 cmbs) on north side of STP. Likely due to raised road.          |
| A18.068     | I     | 0               | 52              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                                       |
| A18.068     | II    | 52              | 10              | 10YR 6/3   | Sandy Loam      | NCM      | None                                                                                       |
| A18.069     | I     | 0               | 25              | 10YR 4/4   | Silt Loam       | NCM      | None                                                                                       |
| A18.069     | II    | 25              | 35              | 10YR 5/4   | Silty Clay Loam | NCM      | None                                                                                       |
| A18.070     | I     | 0               | 20              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                       |
| A18.070     | II    | 20              | 30              | 10YR 6/2   | Silt Loam       | NCM      | None                                                                                       |
| A18.071     | I     | 0               | 30              | 10YR 4/4   | Silt Loam       | NCM      | None                                                                                       |
| A18.071     | II    | 30              | 40              | 10YR 5/4   | Silty Clay Loam | NCM      | None                                                                                       |
| A18.072     | I     | 0               | 23              | 10YR 4/3   | Silt Loam       | NCM      | Plowzone                                                                                   |
| A18.072     | II    | 23              | 38              | 7.5YR 3/3  | Silty Clay Loam | NCM      | Bw                                                                                         |
| A18.072     | III   | 38              | 48              | 10YR 5/3   | Silty Clay Loam | NCM      | Subsoil                                                                                    |
| A18.073     | I     | 0               | 21              | 10YR 3/3   | Silt Loam       | NCM      | Plowzone                                                                                   |
| A18.073     | II    | 21              | 31              | 10YR 4/4   | Silty Clay Loam | NCM      | Subsoil                                                                                    |
| A19.112     | I     | 0               | 33              | 10YR 4/3   | Silt Loam       | Historic | 10 pieces of painted whiteware and two pieces of curved glass collected. By roadside ditch |
| A19.112     | II    | 33              | 43              | 10YR 5/6   | Silty Clay Loam | NCM      | Light oxidation                                                                            |
| A19.113     | I     | 0               | 29              | 10YR 4/2   | Clay Loam       | Historic | Whiteware                                                                                  |
| A19.113     | II    | 29              | 39              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                                       |
| A19.114     | I     | 0               | 36              | 10YR 4/3   | Silt Loam       | NCM      | Subrounded and subangular rocks and gravel.                                                |
| A19.114     | II    | 36              | 46              | 10YR 5/6   | Silty Clay Loam | NCM      | Light oxidation.                                                                           |



Agricola Wind Project, NYSHPO Project Review #21PR03987  
Towns of Venice and Scipio, Cayuga County, New York

Phase IB Archaeology Survey Addendum Memo  
Attachment D. Shovel Test Records

| Shovel Test | Strat | Min Strat Depth | Max Strat Depth | Soil Color | Soil Texture    | Contents | Comments                                                                                          |
|-------------|-------|-----------------|-----------------|------------|-----------------|----------|---------------------------------------------------------------------------------------------------|
| A19.115     | I     | 0               | 34              | 10YR 4/3   | Silt Loam       | NCM      | Subrounded and subangular rocks and gravel. Close to roadside ditch in furrowed area by cornfield |
| A19.115     | II    | 34              | 44              | 10YR 5/4   | Silty Clay Loam | NCM      | None                                                                                              |
| A19.116     | I     | 0               | 24              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                                              |
| A19.116     | II    | 24              | 10              | 10YR 6/3   | Sandy Loam      | NCM      | None                                                                                              |
| A19.117     | I     | 0               | 33              | 10YR 4/3   | Clay Loam       | Historic | Whiteware                                                                                         |
| A19.117     | II    | 33              | 43              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                                              |
| A19.118     | I     | 0               | 25              | 10YR 4/3   | Clay Loam       | NCM      | None                                                                                              |
| A19.118     | II    | 25              | 35              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                                              |
| A19.119     | I     | 0               | 43              | 10YR 4/3   | Silt Loam       | NCM      | Subrounded and subangular rocks and gravel. Near ditch.                                           |
| A19.119     | II    | 43              | 54              | 10YR 5/6   | Silty Clay Loam | NCM      | Light oxidation.                                                                                  |
| A19.120     | I     | 0               | 40              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                                              |
| A19.120     | II    | 40              | 10              | 10YR 6/6   | Silt Loam       | NCM      | None                                                                                              |
| A19.121     | I     | 0               | 30              | 10YR 4/3   | Clay Loam       | NCM      | Rock impasse                                                                                      |
| A19.122     | I     | 0               | 31              | 10YR 4/3   | Silt Loam       | Historic | One piece of white ware and bottle glass.                                                         |
| A19.122     | II    | 31              | 41              | 10YR 5/4   | Silty Clay Loam | NCM      | None                                                                                              |
| A19.123     | I     | 0               | 26              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                                              |
| A19.123     | II    | 26              | 10              | 10YR 7/4   | Sandy Loam      | NCM      | None                                                                                              |
| A19.124     | I     | 0               | 27              | 10YR 4/3   | Silt Loam       | Historic | 5 ceramic and 2 glass collected. Rusty metal also in stp, not collected.                          |
| A19.124     | II    | 27              | 37              | 10YR 5/6   | Silty Clay Loam | NCM      | None                                                                                              |
| A19.125     | I     | 0               | 24              | 10YR 4/3   | Clay Loam       | Historic | None                                                                                              |
| A19.125     | II    | 24              | 34              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                                              |
| A19.126     | I     | 0               | 34              | 10YR 4/3   | Silt Loam       | Historic | One piece of flint one whiteware, pipe bowl fragment and pipe stem.                               |
| A19.126     | II    | 34              | 44              | 10YR 5/6   | Silty Clay Loam | NCM      | None                                                                                              |
| A19.127     | I     | 0               | 34              | 10YR 4/3   | Silt Loam       | NCM      | Subrounded and subangular rocks and rocks.                                                        |
| A19.127     | II    | 34              | 44              | 10YR 6/6   | Silty Clay Loam | NCM      | None                                                                                              |
| A19.128     | I     | 0               | 28              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                              |
| A19.128     | II    | 28              | 38              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                                              |
| A19.129     | I     | 0               | 26              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                              |



Agricola Wind Project, NYSHPO Project Review #21PR03987  
Towns of Venice and Scipio, Cayuga County, New York

Phase IB Archaeology Survey Addendum Memo  
Attachment D. Shovel Test Records

| Shovel Test | Strat | Min Strat Depth | Max Strat Depth | Soil Color | Soil Texture    | Contents | Comments                                                 |
|-------------|-------|-----------------|-----------------|------------|-----------------|----------|----------------------------------------------------------|
| A19.129     | II    | 26              | 36              | 10YR 6/3   | Silt Loam       | NCM      | None                                                     |
| A19.130     | I     | 0               | 29              | 10YR 4/3   | Silt Loam       | NCM      | Subrounded and subangular rocks and gravel               |
| A19.130     | II    | 29              | 39              | 10YR 5/6   | Silty Clay Loam | NCM      | None                                                     |
| A19.131     | I     | 0               | 32              | 10YR 4/3   | Silt Loam       | Historic | 2 ceramics one whiteware one porcelain.                  |
| A19.131     | II    | 32              | 42              | 10YR 6/6   | Silty Clay Loam | NCM      | None                                                     |
| A19.132     | I     | 0               | 23              | 10YR 4/3   | Silt Loam       | Historic | Glass and brick sherds                                   |
| A19.132     | II    | 23              | 33              | 10YR 6/3   | Silt Loam       | NCM      | None                                                     |
| A19.133     | I     | 0               | 30              | 10YR 4/3   | Silt Loam       | NCM      | None                                                     |
| A19.133     | II    | 30              | 40              | 10YR 6/3   | Silt Loam       | NCM      | None                                                     |
| A19.134     | I     | 0               | 43              | 10YR 4/3   | Silt Loam       | Historic | 8 ceramic 1 glass 1 iron.                                |
| A19.134     | II    | 43              | 53              | 10YR 6/6   | Silty Clay Loam | NCM      | None                                                     |
| A19.135     | I     | 0               | 24              | 10YR 5/3   | Silt Loam       | Historic | Heel piece of hobnail shoe and glass fragment            |
| A19.135     | II    | 24              | 10              | 10YR 7/4   | Sandy Loam      | NCM      | None                                                     |
| A19.136     | I     | 0               | 24              | 10YR 4/3   | Silt Loam       | Historic | None                                                     |
| A19.136     | II    | 24              | 34              | 10YR 6/3   | Silt Loam       | NCM      | None                                                     |
| A19.137     | I     | 0               | 30              | 10YR 4/3   | Silt Loam       | NCM      | None                                                     |
| A19.137     | II    | 30              | 40              | 10YR 6/3   | Silt Loam       | NCM      | None                                                     |
| A19.138     | I     | 0               | 22              | 10YR 4/3   | Silt Loam       | Historic | Two whiteware sherds, european porcelain, and aqua glass |
| A19.138     | II    | 22              | 32              | 10YR 6/3   | Silt Loam       | NCM      | None                                                     |
| A19.139     | I     | 0               | 33              | 10YR 4/3   | Silt Loam       | NCM      | None                                                     |
| A19.139     | II    | 33              | 43              | 10YR 6/3   | Silty Clay Loam | NCM      | None                                                     |
| A19.140     | I     | 0               | 31              | 10YR 4/3   | Silt Loam       | NCM      | None                                                     |
| A19.140     | II    | 31              | 41              | 10YR 5/6   | Silty Clay Loam | NCM      | Some cobbles.                                            |
| A19.141     | I     | 0               | 36              | 10YR 4/3   | Silt Loam       | NCM      | A horse tooth was found. Not collected.                  |
| A19.141     | II    | 36              | 45              | 10YR 5/6   | Silty Clay Loam | NCM      | None                                                     |
| A19.142     | I     | 0               | 26              | 10YR 5/3   | Silt Loam       | Historic | Two glass fragments and two transferprint fragments      |
| A19.142     | II    | 26              | 10              | 10YR 6/4   | Sandy Loam      | NCM      | None                                                     |
| A19.143     | I     | 0               | 25              | 10YR 4/3   | Silt Loam       | Historic | 2 ceramic 1 glass.                                       |
| A19.143     | II    | 25              | 35              | 10YR 6/4   | Silty Clay Loam | NCM      | None                                                     |
| A19.144     | I     | 0               | 26              | 10YR 4/3   | Silt Loam       | Historic | One piece of handpainted whiteware.                      |



Agricola Wind Project, NYSHPO Project Review #21PR03987  
Towns of Venice and Scipio, Cayuga County, New York

Phase IB Archaeology Survey Addendum Memo  
Attachment D. Shovel Test Records

| Shovel Test | Strat | Min Strat Depth | Max Strat Depth | Soil Color | Soil Texture    | Contents | Comments                                                                                                                      |
|-------------|-------|-----------------|-----------------|------------|-----------------|----------|-------------------------------------------------------------------------------------------------------------------------------|
| A19.144     | II    | 26              | 36              | 10YR 5/4   | Silty Clay Loam | NCM      | None                                                                                                                          |
| A19.145     | I     | 0               | 27              | 10YR 4/3   | Silt Loam       | NCM      | By drainage ditch and roadway. Subrounded and subangular rocks and gravel.                                                    |
| A19.145     | II    | 27              | 47              | 10YR 5/6   | Silty Clay Loam | NCM      | None                                                                                                                          |
| A19.146     | I     | 0               | 30              | 10YR 5/4   | Silt Loam       | Historic | Piece of coal found in layer; not collected - three fragments of whiteware and one unidentified tin decoration found in layer |
| A19.146     | II    | 30              | 10              | 10YR 7/4   | Sandy Loam      | NCM      | None                                                                                                                          |
| A19.147     | I     | 0               | 31              | 10YR 4/3   | Silt Loam       | Historic | Pipe bowl sherd, metal fragments                                                                                              |
| A19.147     | II    | 31              | 41              | 10YR 6/3   | Silt Loam       | Historic | None                                                                                                                          |
| A19.148     | I     | 0               | 28              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                                                          |
| A19.148     | II    | 28              | 38              | 10YR 5/4   | Silt Loam       | NCM      | None                                                                                                                          |
| A19.149     | I     | 0               | 29              | 10YR 4/3   | Silt Loam       | NCM      | Subrounded and subangular rocks and gravel. Rock out at 29cmbas                                                               |
| A19.150     | I     | 0               | 33              | 10YR 4/3   | Silt Loam       | Historic | Nails                                                                                                                         |
| A19.150     | II    | 33              | 43              | 10YR 6/3   | Silt Loam       | Historic | None                                                                                                                          |
| A19.151     | I     | 0               | 37              | 10YR 5/3   | Silt Loam       | NCM      | Small brick fragment found near surface; uncollected                                                                          |
| A19.151     | II    | 37              | 10              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                                                                          |
| A19.152     | I     | 0               | 24              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                                                                          |
| A19.152     | II    | 24              | 10              | 10YR 6/2   | Silt Loam       | NCM      | None                                                                                                                          |
| A19.153     | I     | 0               | 28              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                                                          |
| A19.153     | II    | 28              | 33              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                                                                          |
| A19.154     | I     | 0               | 20              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                                                          |
| A19.154     | II    | 20              | 30              | 10YR 5/2   | Silt Loam       | NCM      | None                                                                                                                          |
| A19.155     | I     | 0               | 24              | 10YR 4/4   | Silt Loam       | NCM      | None                                                                                                                          |
| A19.155     | II    | 24              | 34              | 10YR 6/3   | Silty Clay Loam | NCM      | None                                                                                                                          |
| A19.156     | I     | 0               | 25              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                                                                          |
| A19.157     | I     | 0               | 33              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                                                          |
| A19.157     | II    | 33              | 43              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                                                                          |
| A19.158     | I     | 0               | 28              | 10YR 4/4   | Silt Loam       | NCM      | 5% gravel                                                                                                                     |
| A19.158     | II    | 28              | 34              | 10YR 6/3   | Silty Clay Loam | NCM      | 5% gravel                                                                                                                     |
| A19.159     | I     | 0               | 28              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                                                                          |
| A19.159     | II    | 28              | 38              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                                                                          |



Agricola Wind Project, NYSHPO Project Review #21PR03987  
Towns of Venice and Scipio, Cayuga County, New York

Phase IB Archaeology Survey Addendum Memo  
Attachment D. Shovel Test Records

| Shovel Test | Strat | Min Strat Depth | Max Strat Depth | Soil Color | Soil Texture    | Contents | Comments                                           |
|-------------|-------|-----------------|-----------------|------------|-----------------|----------|----------------------------------------------------|
| A19.160     | I     | 0               | 27              | 10YR 4/3   | Silt Loam       | NCM      | 5% gravel                                          |
| A19.160     | II    | 27              | 37              | 10YR 5/6   | Silty Clay Loam | NCM      | 10% gravel                                         |
| A22.104     | I     | 0               | 25              | 10YR 5/4   | Silt Loam       | NCM      | None                                               |
| A22.104     | II    | 25              | 35              | 10YR 6/4   | Sandy Loam      | NCM      | None                                               |
| A22.105     | I     | 0               | 30              | 10YR 4/3   | Loamy Sand      | NCM      | None                                               |
| A22.105     | II    | 30              | 40              | 10YR 6/2   | Silty Clay      | NCM      | None                                               |
| A22.105     | I     | 0               | 25              | 10YR 4/3   | Loam            | NCM      | Plowzone                                           |
| A22.105     | II    | 25              | 46              | 10YR 4/6   | Sandy Loam      | NCM      | Bw                                                 |
| A22.105     | III   | 46              | 67              | 10YR 5/3   | Sand            | NCM      | C; outwash deposit; structureless sand             |
| A22.106     | I     | 0               | 24              | 10YR 4/3   | Loam            | NCM      | Plowzone                                           |
| A22.106     | II    | 24              | 43              | 10YR 4/6   | Sandy Loam      | NCM      | Bw                                                 |
| A22.106     | III   | 43              | 53              | 10YR 5/3   | Sandy Loam      | NCM      | Rocky subsoil; slight oxidation                    |
| A22.106     | I     | 0               | 31              | 10YR 5/3   | Silt Loam       | NCM      | None                                               |
| A22.106     | II    | 31              | 10              | 10YR 7/6   | Sandy Loam      | NCM      | None                                               |
| A22.107     | I     | 0               | 35              | 10YR 4/3   | Silt Loam       | NCM      | None                                               |
| A22.107     | II    | 35              | 45              | 10YR 6/3   | Silt Loam       | NCM      | Almost like decayed bedrock                        |
| A22.107     | I     | 0               | 28              | 10YR 4/3   | Silt Loam       | NCM      | Plowzone                                           |
| A22.107     | II    | 28              | 41              | 10YR 4/6   | Silty Clay Loam | NCM      | Rocky, oxidized subsoil                            |
| A22.108     | I     | 0               | 30              | 10YR 4/3   | Silt Loam       | NCM      | Rocky plowzone                                     |
| A22.108     | II    | 30              | 40              | 10YR 5/3   | Silty Clay Loam | NCM      | Rocky, oxidized subsoil                            |
| A22.109     | I     | 0               | 36              | 10YR 4/3   | Silt Loam       | NCM      | Rocky plowzone                                     |
| A22.109     | II    | 36              | 46              | 10YR 6/3   | Silty Clay Loam | NCM      | Rocky, oxidized subsoil                            |
| A22.110     | I     | 0               | 23              | 10YR 4/3   | Silt Loam       | NCM      | Rocky plowzone                                     |
| A22.110     | II    | 23              | 33              | 10YR 6/2   | Silt Loam       | NCM      | Very rocky subsoil with decaying bedrock fragments |
| A22.111     | I     | 0               | 35              | 10YR 4/3   | Silt Loam       | NCM      | Rocky plowzone                                     |
| A22.111     | II    | 35              | 45              | 10YR 6/2   | Silt Loam       | NCM      | Very rocky, oxidized subsoil                       |
| A22.112     | I     | 0               | 32              | 10YR 4/3   | Silt Loam       | NCM      | Very rocky plowzone; rock impasse                  |
| A23.048     | I     | 0               | 17              | 10YR 4/3   | Silt Loam       | NCM      | None                                               |
| A23.048     | II    | 17              | 27              | 10YR 6/3   | Silt Loam       | NCM      | None                                               |
| A23.049     | I     | 0               | 24              | 10YR 4/3   | Silt Loam       | NCM      | None                                               |
| A23.049     | II    | 24              | 34              | 10YR 6/2   | Sandy Loam      | NCM      | None                                               |
| A23.050     | I     | 0               | 14              | 10YR 3/2   | Silt Loam       | NCM      | None                                               |
| A23.050     | II    | 14              | 10              | 10YR 5/3   | Sandy Loam      | NCM      | None                                               |
| A23.051     | I     | 0               | 28              | 10YR 4/3   | Silt Loam       | NCM      | None                                               |
| A23.051     | II    | 28              | 38              | 10YR 6/2   | Sandy Loam      | NCM      | None                                               |
| A23.052     | I     | 0               | 22              | 10YR 4/3   | Silt Loam       | NCM      | None                                               |
| A23.052     | II    | 22              | 32              | 10YR 6/3   | Silt Loam       | NCM      | None                                               |



Agricola Wind Project, NYSHPO Project Review #21PR03987  
Towns of Venice and Scipio, Cayuga County, New York

Phase IB Archaeology Survey Addendum Memo  
Attachment D. Shovel Test Records

| Shovel Test | Strat | Min Strat Depth | Max Strat Depth | Soil Color | Soil Texture    | Contents | Comments                                                            |
|-------------|-------|-----------------|-----------------|------------|-----------------|----------|---------------------------------------------------------------------|
| A23.053     | I     | 0               | 23              | 10YR 3/4   | Silt Loam       | NCM      | None                                                                |
| A23.053     | II    | 23              | 33              | 10YR 5/6   | Silty Clay Loam | NCM      | None                                                                |
| A25.007     | I     | 0               | 60              | 10YR 3/3   | Silt Loam       | NCM      | Deep plowzone from field push; on field edge; rock and root impasse |
| A27.057     | I     | 0               | 23              | 10YR 4/2   | Silt Loam       | NCM      | 10% cobbles and gravel                                              |
| A27.057     | II    | 23              | 33              | 10YR 5/2   | Silt Loam       | NCM      | 10% cobbles and gravel                                              |
| A27.058     | I     | 0               | 34              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                |
| A27.058     | II    | 34              | 10              | 10YR 6/4   | Loamy Sand      | NCM      | None                                                                |
| A27.059     | I     | 0               | 50              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                |
| A27.059     | II    | 50              | 60              | 10YR 6/3   | Sandy Loam      | NCM      | None                                                                |
| A27.060     | I     | 0               | 31              | 10YR 4/3   | Silt Loam       | NCM      | 10% gravel                                                          |
| A27.060     | II    | 31              | 41              | 10YR 6/3   | Silt Loam       | NCM      | 10% gravel                                                          |
| A27.061     | I     | 0               | 32              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                |
| A27.061     | II    | 32              | 42              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                |
| A27.062     | I     | 0               | 28              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                |
| A27.062     | II    | 28              | 10              | 10YR 5/6   | Silt Loam       | NCM      | None                                                                |
| A27.063     | I     | 0               | 31              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                |
| A27.063     | II    | 31              | 41              | 10YR 5/6   | Sandy Loam      | NCM      | None                                                                |
| A27.064     | I     | 0               | 31              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                |
| A27.064     | II    | 31              | 41              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                |
| A31.043     | I     | 0               | 25              | 10YR 4/2   | Silt Loam       | NCM      | None                                                                |
| A31.043     | II    | 25              | 35              | 10YR 5/6   | Silty Clay Loam | NCM      | None                                                                |
| A31.044     | I     | 0               | 25              | 10YR 5/2   | Silt Loam       | NCM      | None                                                                |
| A31.044     | II    | 25              | 10              | 10YR 6/2   | Sandy Loam      | NCM      | None                                                                |
| A31.045     | I     | 0               | 14              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                |
| A31.045     | II    | 14              | 24              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                |
| A31.046     | I     | 0               | 21              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                |
| A31.046     | II    | 21              | 31              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                |
| A31.047     | I     | 0               | 22              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                |
| A31.047     | II    | 22              | 32              | 10YR 6/3   | Silty Clay Loam | NCM      | None                                                                |
| A31.048     | I     | 0               | 20              | 10YR 4/2   | Silt Loam       | NCM      | None                                                                |
| A31.048     | II    | 20              | 30              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                |
| A31.049     | I     | 0               | 6               | 10YR 3/3   | Loam            | NCM      | None                                                                |
| A31.049     | II    | 6               | 26              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                |
| A31.050     | I     | 0               | 20              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                |
| A31.051     | I     | 0               | 28              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                |
| A31.051     | II    | 28              | 38              | 10YR 6/3   | Silty Clay Loam | NCM      | None                                                                |
| A31.052     | I     | 0               | 39              | 10YR 3/3   | Silt Loam       | NCM      | None                                                                |
| A31.052     | II    | 39              | 49              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                |
| A34.079     | I     | 0               | 34              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                |



Agricola Wind Project, NYSHPO Project Review #21PR03987  
Towns of Venice and Scipio, Cayuga County, New York

Phase IB Archaeology Survey Addendum Memo  
Attachment D. Shovel Test Records

| Shovel Test | Strat | Min Strat Depth | Max Strat Depth | Soil Color | Soil Texture    | Contents | Comments                |
|-------------|-------|-----------------|-----------------|------------|-----------------|----------|-------------------------|
| A34.079     | II    | 34              | 44              | 10YR 6/1   | Silt Loam       | NCM      | None                    |
| A34.080     | I     | 0               | 37              | 10YR 4/3   | Silt Loam       | NCM      | Subrounded and          |
| A34.080     | II    | 37              | 47              | 10YR 6/3   | Sandy Clay Loam | NCM      | Heavily oxidized.       |
| A34.081     | I     | 0               | 30              | 10YR 5/2   | Silty Clay      | NCM      | None                    |
| A34.081     | II    | 30              | 40              | 10YR 6/3   | Silt Loam       | NCM      | None                    |
| A34.082     | I     | 0               | 22              | 10YR 4/3   | Silt Loam       | NCM      | None                    |
| A34.082     | II    | 22              | 32              | 10YR 6/2   | Silt Loam       | NCM      | None                    |
| A34.083     | I     | 0               | 51              | 10YR 5/3   | Silt Loam       | NCM      | None                    |
| A34.083     | II    | 51              | 10              | 10YR 7/4   | Loamy Sand      | NCM      | None                    |
| A34.084     | I     | 0               | 25              | 10YR 4/3   | Silt Loam       | NCM      | 5% gravel               |
| A34.084     | II    | 25              | 35              | 10YR 5/6   | Silty Clay Loam | NCM      | 5% gravel               |
| A34.085     | I     | 0               | 26              | 10YR 4/2   | Silt Loam       | NCM      | None                    |
| A34.085     | II    | 26              | 36              | 10YR 5/4   | Silty Clay Loam | NCM      | None                    |
| A34.086     | I     | 0               | 34              | 10YR 5/3   | Silt Loam       | NCM      | None                    |
| A34.086     | II    | 34              | 10              | 10YR 6/3   | Sandy Loam      | NCM      | None                    |
| A34.087     | I     | 0               | 28              | 10YR 4/3   | Silt Loam       | NCM      | None                    |
| A34.087     | II    | 28              | 38              | 10YR 6/2   | Silt Loam       | NCM      | None                    |
| A34.088     | I     | 0               | 30              | 10YR 4/3   | Silt Loam       | NCM      | None                    |
| A34.088     | II    | 30              | 40              | 10YR 6/2   | Silt Loam       | NCM      | None                    |
| A34.089     | I     | 0               | 22              | 10YR 4/2   | Silt Loam       | NCM      | 10% gravel              |
| A34.089     | II    | 22              | 34              | 10YR 5/4   | Silty Clay Loam | NCM      | 10% gravel              |
| A34.090     | I     | 0               | 22              | 10YR 4/3   | Silt Loam       | NCM      | None                    |
| A34.090     | II    | 22              | 32              | 10YR 5/4   | Silty Clay Loam | NCM      | None                    |
| A34.091     | I     | 0               | 24              | 10YR 4/3   | Silt Loam       | NCM      | None                    |
| A34.091     | II    | 24              | 34              | 10YR 5/4   | Silty Clay Loam | NCM      | None                    |
| A34.092     | I     | 0               | 34              | 10YR 4/3   | Silt Loam       | NCM      | None                    |
| A34.092     | II    | 34              | 44              | 10YR 6/2   | Silt Loam       | NCM      | None                    |
| A34.092     | I     | 0               | 33              | 10YR 7/4   | Sandy Loam      | NCM      | None                    |
| A34.093     | I     | 0               | 16              | 10YR 4/3   | Silt Loam       | NCM      | 50% cobbles and gravels |
| A34.094     | I     | 0               | 32              | 10YR 4/3   | Silt Loam       | NCM      | None                    |
| A34.094     | II    | 32              | 42              | 10YR 6/2   | Silt Loam       | NCM      | None                    |
| A34.095     | I     | 0               | 23              | 10YR 4/3   | Silt Loam       | NCM      | None                    |
| A34.095     | II    | 23              | 33              | 10YR 5/4   | Silty Clay Loam | NCM      | None                    |
| A34.096     | I     | 0               | 27              | 10YR 5/3   | Silt Loam       | NCM      | None                    |
| A34.096     | II    | 27              | 10              | 10YR 7/4   | Sandy Loam      | NCM      | None                    |
| A34.097     | I     | 0               | 31              | 10YR 4/3   | Silt Loam       | NCM      | None                    |
| A34.097     | II    | 31              | 41              | 10YR 6/3   | Silt Loam       | NCM      | None                    |
| A34.098     | I     | 0               | 31              | 10YR 5/2   | Silty Clay Loam | NCM      | None                    |
| A34.098     | II    | 31              | 41              | 10YR 6/2   | Silty Clay Loam | NCM      | None                    |
| A34.099     | I     | 0               | 25              | 10YR 4/3   | Silt Loam       | NCM      | None                    |
| A34.099     | II    | 25              | 37              | 10YR 6/2   | Silty Clay Loam | NCM      | None                    |
| A34.100     | I     | 0               | 13              | 10YR 4/3   | Silty Clay Loam | NCM      | None                    |
| A34.100     | II    | 13              | 23              | 10YR 6/2   | Silty Clay Loam | NCM      | None                    |



Agricola Wind Project, NYSHPO Project Review #21PR03987  
Towns of Venice and Scipio, Cayuga County, New York

Phase IB Archaeology Survey Addendum Memo  
Attachment D. Shovel Test Records

| Shovel Test | Strat | Min Strat Depth | Max Strat Depth | Soil Color | Soil Texture    | Contents | Comments                     |
|-------------|-------|-----------------|-----------------|------------|-----------------|----------|------------------------------|
| A34.101     | I     | 0               | 28              | 10YR 5/3   | Silt Loam       | NCM      | None                         |
| A34.101     | II    | 28              | 10              | 10YR 6/4   | Sandy Loam      | NCM      | None                         |
| A34.102     | I     | 0               | 29              | 10YR 5/3   | Loamy Sand      | NCM      | None                         |
| A34.102     | II    | 29              | 10              | 10YR 7/4   | Sandy Loam      | NCM      | None                         |
| A34.103     | I     | 0               | 31              | 10YR 4/3   | Silt Loam       | NCM      | None                         |
| A34.103     | II    | 31              | 41              | 10YR 6/2   | Silt Loam       | NCM      | None                         |
| A34.104     | I     | 0               | 33              | 10YR 5/3   | Silt Loam       | NCM      | None                         |
| A34.104     | II    | 33              | 43              | 2.5Y 6/3   | Silty Clay Loam | NCM      | None                         |
| A34.105     | I     | 0               | 35              | 10YR 4/3   | Silt Loam       | NCM      | None                         |
| A34.105     | II    | 35              | 45              | 10YR 5/4   | Silty Clay Loam | NCM      | None                         |
| A34.106     | I     | 0               | 32              | 10YR 4/3   | Silt Loam       | NCM      | None                         |
| A34.106     | II    | 32              | 42              | 10YR 5/3   | Silt Loam       | NCM      | None                         |
| A34.107     | I     | 0               | 29              | 10YR 4/3   | Silt Loam       | NCM      | None                         |
| A34.107     | II    | 29              | 39              | 10YR 6/2   | Silt Loam       | NCM      | None                         |
| A34.108     | I     | 0               | 25              | 10YR 4/3   | Silt Loam       | NCM      | None                         |
| A34.108     | II    | 25              | 35              | 2.5Y 6/3   | Silty Clay Loam | NCM      | None                         |
| A34.109     | I     | 0               | 26              | 10YR 4/3   | Silt Loam       | NCM      | None                         |
| A34.109     | II    | 26              | 36              | 10YR 5/3   | Silty Clay Loam | NCM      | None                         |
| A34.110     | I     | 0               | 36              | 10YR 4/3   | Silt Loam       | NCM      | None                         |
| A34.110     | II    | 36              | 46              | 10YR 6/3   | Silt Loam       | NCM      | None                         |
| A34.111     | I     | 0               | 31              | 10YR 4/3   | Silt Loam       | NCM      | None                         |
| A34.111     | II    | 31              | 41              | 10YR 5/3   | Silt Loam       | NCM      | None                         |
| A34.112     | I     | 0               | 29              | 10YR 4/3   | Silt Loam       | NCM      | Plowzone                     |
| A34.112     | II    | 29              | 39              | 10YR 5/3   | Silty Clay Loam | NCM      | Rocky, oxidized subsoil      |
| A34.113     | I     | 0               | 25              | 10YR 4/3   | Silt Loam       | NCM      | Rocky plowzone               |
| A34.113     | II    | 25              | 35              | 10YR 5/3   | Silty Clay Loam | NCM      | Rocky, oxidized subsoil      |
| A34.114     | I     | 0               | 22              | 10YR 4/3   | Silt Loam       | NCM      | Plowzone                     |
| A34.114     | II    | 22              | 33              | 10YR 6/3   | Silty Clay Loam | NCM      | Rocky, oxidized subsoil      |
| A36.028     | I     | 0               | 26              | 10YR 4/3   | Silt Loam       | NCM      | Rocky plowzone               |
| A36.028     | II    | 26              | 37              | 10YR 5/3   | Silt Loam       | NCM      | Very rocky, oxidized subsoil |
| A36.029     | I     | 0               | 23              | 10YR 4/3   | Silt Loam       | NCM      | Plowzone                     |
| A36.029     | II    | 23              | 33              | 10YR 6/3   | Silt Loam       | NCM      | Rocky, oxidized subsoil      |
| A36.030     | I     | 0               | 22              | 10YR 4/3   | Silt Loam       | NCM      | Plowzone                     |
| A36.030     | II    | 22              | 32              | 10YR 6/3   | Silt Loam       | NCM      | Rocky, oxidized subsoil      |
| A39.005     | I     | 0               | 17              | 10YR 4/3   | Silt Loam       | NCM      | Rocky plowzone               |
| A39.005     | II    | 17              | 30              | 10YR 6/3   | Sandy Clay Loam | NCM      | Very rocky, oxidized subsoil |
| A41.011     | I     | 0               | 33              | 10YR 4/3   | Silt Loam       | NCM      | None                         |
| A41.011     | II    | 33              | 10              | 7.5YR 5/3  | Sandy Loam      | NCM      | None                         |
| A41.012     | I     | 0               | 29              | 10YR 4/3   | Silt Loam       | NCM      | None                         |
| A41.012     | II    | 29              | 39              | 10YR 5/6   | Silt Loam       | NCM      | None                         |
| A41.013     | I     | 0               | 32              | 10YR 4/3   | Silt Loam       | NCM      | None                         |
| A41.013     | II    | 32              | 42              | 10YR 6/3   | Silt Loam       | NCM      | None                         |



Agricola Wind Project, NYSHPO Project Review #21PR03987  
Towns of Venice and Scipio, Cayuga County, New York

Phase IB Archaeology Survey Addendum Memo  
Attachment D. Shovel Test Records

| Shovel Test | Strat | Min Strat Depth | Max Strat Depth | Soil Color | Soil Texture    | Contents | Comments                                                               |
|-------------|-------|-----------------|-----------------|------------|-----------------|----------|------------------------------------------------------------------------|
| A42.005     | I     | 0               | 33              | 10YR 4/3   | Silt Loam       | NCM      | Subrounded and subangular rocks and gravel. In hayfield. Rock impasse. |
| A42.006     | I     | 0               | 31              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                   |
| A42.006     | II    | 31              | 10              | 10YR 7/4   | Sandy Loam      | NCM      | None                                                                   |
| A42.007     | I     | 0               | 32              | 10YR 4/3   | Clay Loam       | NCM      | None                                                                   |
| A42.007     | II    | 32              | 42              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                   |
| A42.008     | I     | 0               | 36              | 10YR 4/3   | Silt Loam       | NCM      | Some large cobbles. Subrounded and subangular rocks and gravel.        |
| A42.008     | II    | 36              | 46              | 10YR 5/6   | Silty Clay Loam | NCM      | None                                                                   |
| A43.047     | I     | 0               | 26              | 10YR 4/3   | Silt Loam       | NCM      | Rocky plowzone                                                         |
| A43.047     | II    | 26              | 40              | 10YR 5/3   | Silt Loam       | NCM      | Rocky, oxidized subsoil                                                |
| A45.001     | I     | 0               | 34              | 10YR 3/3   | Silt Loam       | NCM      | None                                                                   |
| A45.001     | II    | 34              | 44              | 10YR 6/4   | Silt Loam       | NCM      | None                                                                   |
| A45.002     | I     | 0               | 34              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                   |
| A45.002     | II    | 34              | 10              | 10YR 7/6   | Loamy Sand      | NCM      | None                                                                   |
| A45.003     | I     | 0               | 45              | 10YR 4/2   | Silt Loam       | NCM      | None                                                                   |
| A45.003     | II    | 45              | 55              | 10YR 6/4   | Silt Loam       | NCM      | None                                                                   |
| A45.004     | I     | 0               | 32              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                   |
| A45.004     | II    | 32              | 42              | 10YR 6/4   | Silt Loam       | NCM      | None                                                                   |
| A45.005     | I     | 0               | 27              | 10YR 4/3   | Silty Clay Loam | NCM      | None                                                                   |
| A45.005     | II    | 27              | 37              | 10YR 5/4   | Silty Clay Loam | NCM      | None                                                                   |
| A45.006     | I     | 0               | 30              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                   |
| A45.006     | II    | 30              | 40              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                   |
| A45.007     | I     | 0               | 26              | 10YR 5/3   | Silt Loam       | NCM      | None                                                                   |
| A45.007     | II    | 26              | 10              | 10YR 6/4   | Loamy Sand      | NCM      | None                                                                   |
| A45.008     | I     | 0               | 30              | 10YR 4/2   | Silt Loam       | NCM      | None                                                                   |
| A45.008     | II    | 30              | 10              | 10YR 6/6   | Sandy Loam      | NCM      | None                                                                   |
| A45.009     | I     | 0               | 23              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                   |
| A45.010     | I     | 0               | 28              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                   |
| A45.010     | II    | 28              | 38              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                   |
| A45.011     | I     | 0               | 30              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                   |
| A45.011     | II    | 30              | 40              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                   |
| A45.012     | I     | 0               | 33              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                   |
| A45.012     | II    | 33              | 43              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                   |
| A45.013     | I     | 0               | 34              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                   |
| A45.013     | II    | 34              | 44              | 10YR 6/3   | Silt Loam       | NCM      | None                                                                   |
| A45.014     | I     | 0               | 30              | 10YR 5/2   | Silt Loam       | NCM      | None                                                                   |
| A45.014     | II    | 30              | 40              | 10YR 5/4   | Silt Loam       | NCM      | None                                                                   |
| A45.015     | I     | 0               | 36              | 10YR 4/3   | Silt Loam       | NCM      | None                                                                   |
| A45.015     | II    | 36              | 46              | 10YR 6/4   | Sandy Loam      | NCM      | None                                                                   |



Agricola Wind Project, NYSHPO Project Review #21PR03987  
 Towns of Venice and Scipio, Cayuga County, New York

Phase IB Archaeology Survey Addendum Memo  
 Attachment D. Shovel Test Records

| Shovel Test | Strat | Min Strat Depth | Max Strat Depth | Soil Color | Soil Texture | Contents | Comments |
|-------------|-------|-----------------|-----------------|------------|--------------|----------|----------|
| A45.016     | I     | 0               | 25              | 10YR 4/2   | Silt Loam    | NCM      | None     |
| A45.016     | II    | 25              | 10              | 10YR 5/6   | Silt Loam    | NCM      | None     |
| A45.017     | I     | 0               | 22              | 10YR 4/3   | Silt Loam    | NCM      | None     |
| A45.017     | II    | 22              | 32              | 10YR 6/3   | Silt Loam    | NCM      | None     |



Towns of Venice and Scipio, Cayuga County, New York

## Attachment E. Catalog of Collected Artifacts

| Provenience | Site Number | Material | Material Type             | Material Description | Object         | Object Type      | Object Description                                                     | Size     | Count | Condition | Time Period                    |
|-------------|-------------|----------|---------------------------|----------------------|----------------|------------------|------------------------------------------------------------------------|----------|-------|-----------|--------------------------------|
| A19.112-I   | A19-HAS-01  | Ceramic  | Whiteware                 | Flow Black           | Ceramic Sherd  | Flatware, Body   | Flow black print                                                       | 10-25 mm | 1     | Fragment  | 19th - Early 20th Century      |
| A19.112-I   | A19-HAS-01  | Ceramic  | Whiteware                 | Transfer Printed     | Ceramic Sherd  | Flatware, Body   | Blue print                                                             | 10-25 mm | 1     | Fragment  | 19th Century - Present         |
| A19.112-I   | A19-HAS-01  | Glass    | Vessel                    | Manganese & Amethyst | Glass Fragment | Body             | Manganese solarized                                                    | 10-25 mm | 2     | Fragment  | Late 19th - Early 20th Century |
| A19.113-I   | A19-HAS-01  | Ceramic  | Whiteware                 | Transfer Printed     | Ceramic Sherd  | Flatware, Body   | Blue print                                                             | 10-25 mm | 1     | Fragment  | 19th Century - Present         |
| A19.117-I   | A19-HAS-01  | Ceramic  | Ironstone                 | No Decoration        | Ceramic Sherd  | Hollowware, Body |                                                                        | 50+ mm   | 1     | Fragment  | 19th - Early 20th Century      |
| A19.122-I   | A19-HAS-01  | Ceramic  | White Refined Earthenware | Annular, Banded      | Ceramic Sherd  | Hollowware, Body | Gray bands                                                             | 10-25 mm | 1     | Fragment  | 19th - Early 20th Century      |
| A19.122-I   | A19-HAS-01  | Glass    | Vessel                    | Colorless            | Glass Fragment | Lip              | Ground finish                                                          | 10-25 mm | 1     | Fragment  | 19th - Early 20th Century      |
| A19.124-I   | A19-HAS-01  | Ceramic  | Whiteware                 | No Decoration        | Ceramic Sherd  | Flatware, Foot   |                                                                        | 10-25 mm | 1     | Fragment  | 19th Century - Present         |
| A19.124-I   | A19-HAS-01  | Ceramic  | White Refined Earthenware | No Decoration        | Ceramic Sherd  | Flatware, Foot   |                                                                        | 25-50 mm | 1     | Fragment  | Undetermined Historic-Period   |
| A19.124-I   | A19-HAS-01  | Glass    | Vessel                    | Manganese & Amethyst | Glass Fragment | Body             | Manganese solarized                                                    | 25-50 mm | 1     | Fragment  | Late 19th - Early 20th Century |
| A19.124-I   | A19-HAS-01  | Glass    | Vessel                    | Colorless            | Glass Fragment | Body             | "B" in serif font inside a circle maker's mark, for Brockway Glass Co. | 25-50 mm | 1     | Fragment  | 20th Century                   |
| A19.125-I   | A19-HAS-01  | Ceramic  | Stoneware                 | Brown Salt Glaze     | Ceramic Sherd  | Unidentified     | Missing interior surface                                               | 10-25 mm | 1     | Fragment  | 18th - Early 20th Century      |



Towns of Venice and Scipio, Cayuga County, New York

## Attachment E. Catalog of Collected Artifacts

| Provenience | Site Number | Material | Material Type | Material Description  | Object              | Object Type       | Object Description                                         | Size     | Count | Condition | Time Period                  |
|-------------|-------------|----------|---------------|-----------------------|---------------------|-------------------|------------------------------------------------------------|----------|-------|-----------|------------------------------|
| A19.126-I   | A19-HAS-01  | Ceramic  | Kaolin Clay   |                       | Pipe Fragment       | Pipe Stem         | Bore 2.45mm                                                | 25-50 mm | 1     | Fragment  | 19th Century                 |
| A19.126-I   | A19-HAS-01  | Ceramic  | Kaolin Clay   |                       | Pipe Fragment       | Pipe Bowl         | No decoration on bowl                                      | 10-25 mm | 1     | Fragment  | Undetermined Historic-Period |
| A19.126-I   | A19-HAS-01  | Glass    | Flat Glass    | Colorless             | Flat Glass Fragment |                   |                                                            | 10-25 mm | 1     | Fragment  | Undetermined Historic-Period |
| A19.126-I   | A19-HAS-01  | Glass    | Lighting      | Lamp Glass, Colorless | Glass Fragment      | Lamp Chimney, Rim | Machine made                                               | 25-50 mm | 1     | Fragment  | Late 19th Century - Present  |
| A19.126-I   | A19-HAS-01  | Ceramic  | Whiteware     | No Decoration         | Ceramic Sherd       | Hollowware, Rim   | Missing one surface                                        | 10-25 mm | 1     | Fragment  | 19th Century - Present       |
| A19.131-I   | A19-HAS-01  | Ceramic  | Porcelain     | Hard Paste            | Ceramic Sherd       | Flatware, Body    |                                                            | 25-50 mm | 1     | Fragment  | 19th - Early 20th Century    |
| A19.131-I   | A19-HAS-01  | Ceramic  | Whiteware     | No Decoration         | Ceramic Sherd       | Flatware, Body    | Missing one surface                                        | 10-25 mm | 1     | Fragment  | 19th Century - Present       |
| A19.132-I   | A19-HAS-01  | Glass    | Vessel        | Colorless             | Glass Fragment      | Hollowware, Rim   | Tableware, drinking glass with exterior ribbed motif       | 50+ mm   | 1     | Fragment  | Undetermined Historic-Period |
| A19.132-I   | A19-HAS-01  | Glass    | Vessel        | Aquamarine            | Glass Fragment      | Body              | Mouth blown, bubbles throughout, and wall thickness varies | 50+ mm   | 1     | Fragment  | Pre-20th Century             |
| A19.132-I   | A19-HAS-01  | Ceramic  | Yellow Ware   | No Decoration         | Ceramic Sherd       | Hollowware, Body  |                                                            | 10-25 mm | 1     | Fragment  | 19th - 20th Century          |
| A19.134-I   | A19-HAS-01  | Metal    | Iron          |                       | Nail                | Machine Cut       | Modern machine cut, Common nail                            | 10-25 mm | 1     | Fragment  | 19th Century - Present       |



Towns of Venice and Scipio, Cayuga County, New York

## Attachment E. Catalog of Collected Artifacts

| Provenience | Site Number | Material | Material Type | Material Description | Object         | Object Type      | Object Description                                                                                                          | Size     | Count | Condition | Time Period                    |
|-------------|-------------|----------|---------------|----------------------|----------------|------------------|-----------------------------------------------------------------------------------------------------------------------------|----------|-------|-----------|--------------------------------|
| A19.134-I   | A19-HAS-01  | Ceramic  | Stoneware     | Gray Salt Glaze      | Ceramic Sherd  | Hollowware, Rim  | Albany slip interior                                                                                                        | 50+ mm   | 1     | Fragment  | 19th - Early 20th Century      |
| A19.134-I   | A19-HAS-01  | Ceramic  | Stoneware     | Brown Salt Glaze     | Ceramic Sherd  | Hollowware, Body | Albany slip interior                                                                                                        | 25-50 mm | 1     | Fragment  | 19th - Early 20th Century      |
| A19.134-I   | A19-HAS-01  | Ceramic  | Stoneware     | American Salt Glaze  | Ceramic Sherd  | Hollowware, Body | One is gray with clear interior and exterior glaze, one is brown with brushed cobalt exterior and light brown wash interior | 25-50 mm | 2     | Fragment  | 18th - Early 20th Century      |
| A19.134-I   | A19-HAS-01  | Ceramic  | Whiteware     | Transfer Printed     | Ceramic Sherd  | Flatware, Body   | Fragments refit. Red/pink floral print with stippling                                                                       | 10-25 mm | 2     | Fragment  | 19th Century                   |
| A19.134-I   | A19-HAS-01  | Ceramic  | Whiteware     | Transfer Printed     | Ceramic Sherd  | Flatware, Body   | Brown floral print. Missing one surface                                                                                     | 10-25 mm | 1     | Fragment  | 19th Century                   |
| A19.134-I   | A19-HAS-01  | Ceramic  | Whiteware     | No Decoration        | Ceramic Sherd  | Flatware, Body   |                                                                                                                             | 25-50 mm | 1     | Fragment  | 19th Century - Present         |
| A19.135-I   | A19-HAS-01  | Leather  |               |                      | Shoe sole      |                  | Several nails stuck in sole                                                                                                 | 50+ mm   | 1     | Fragment  | Undetermined Historic-Period   |
| A19.135-I   | A19-HAS-01  | Glass    | Vessel        | Colorless            | Glass Fragment | Body             | Pressed glass with ribbed motif                                                                                             | 10-25 mm | 1     | Fragment  | Undetermined Historic-Period   |
| A19.136-I   | A19-HAS-01  | Glass    | Vessel        | Manganese & Amethyst | Glass Fragment | Body             | Manganese solarized                                                                                                         | 25-50 mm | 1     | Fragment  | Late 19th - Early 20th Century |



Towns of Venice and Scipio, Cayuga County, New York

## Attachment E. Catalog of Collected Artifacts

| Provenience | Site Number | Material | Material Type | Material Description | Object         | Object Type          | Object Description                                                     | Size     | Count | Condition | Time Period                    |
|-------------|-------------|----------|---------------|----------------------|----------------|----------------------|------------------------------------------------------------------------|----------|-------|-----------|--------------------------------|
| A19.136-I   | A19-HAS-01  | Ceramic  | Whiteware     | Flow Black           | Ceramic Sherd  | Flatware, Rim        | Flow black print                                                       | 25-50 mm | 1     | Fragment  | 19th - Early 20th Century      |
| A19.138-I   | A19-HAS-01  | Ceramic  | Ironstone     | No Decoration        | Ceramic Sherd  | Flatware, Body       |                                                                        | 25-50 mm | 1     | Fragment  | 19th - Early 20th Century      |
| A19.138-I   | A19-HAS-01  | Ceramic  | Ironstone     | No Decoration        | Ceramic Sherd  | Flatware, Rim        |                                                                        | 50+ mm   | 1     | Fragment  | 19th - Early 20th Century      |
| A19.138-I   | A19-HAS-01  | Ceramic  | Porcelain     | Hard Paste           | Ceramic Sherd  | Flatware, Body       |                                                                        | 25-50 mm | 1     | Fragment  | 19th - Early 20th Century      |
| A19.138-I   | A19-HAS-01  | Glass    | Vessel        | Aquamarine           | Glass Fragment | Body                 | Early machine made, several seed bubbles throughout. Side seam visible | 25-50 mm | 1     | Fragment  | Late 19th - Early 20th Century |
| A19.142-I   | A19-HAS-01  | Glass    | Vessel        | Aquamarine           | Glass Fragment | Body                 | Early machine made, seed bubbles throughout                            | 25-50 mm | 1     | Fragment  | Late 19th - Early 20th Century |
| A19.142-I   | A19-HAS-01  | Ceramic  | Whiteware     | Transfer printed     | Ceramic Sherd  | Flatware, Body       | Red/pink floral print                                                  | 10-25 mm | 1     | Fragment  | 19th Century                   |
| A19.142-I   | A19-HAS-01  | Glass    | Vessel        | Aquamarine           | Glass Fragment | Lip / Neck           | Ground finish on wide mouth canning jar with neck bead                 | 10-25 mm | 1     | Fragment  | 19th - Early 20th Century      |
| A19.142-I   | A19-HAS-01  | Ceramic  | Whiteware     | No Decoration        | Ceramic Sherd  | Flatware, Rim        | Molded motif around rim                                                | 10-25 mm | 1     | Fragment  | 19th Century - Present         |
| A19.143-I   | A19-HAS-01  | Ceramic  | Ironstone     | No Decoration        | Ceramic Sherd  | Flatware, Foot / Rim |                                                                        | 50+ mm   | 1     | Fragment  | 19th - Early 20th Century      |
| A19.143-I   | A19-HAS-01  | Ceramic  | Whiteware     | No Decoration        | Ceramic Sherd  | Flatware, Body       |                                                                        | 10-25 mm | 1     | Fragment  | 19th Century - Present         |



Towns of Venice and Scipio, Cayuga County, New York

## Attachment E. Catalog of Collected Artifacts

| Provenience | Site Number | Material | Material Type             | Material Description | Object             | Object Type      | Object Description                                                                                                                | Size     | Count | Condition | Time Period                  |
|-------------|-------------|----------|---------------------------|----------------------|--------------------|------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------|-------|-----------|------------------------------|
| A19.143-I   | A19-HAS-01  | Glass    | Vessel                    | Colorless            | Glass Fragment     | Body             | Machine made, no bubbles                                                                                                          | 25-50 mm | 1     | Fragment  | 20th Century - Present       |
| A19.144-I   | A19-HAS-01  | Ceramic  | Whiteware                 | Hand Painted         | Ceramic Sherd      | Flatware, Rim    | Painted motif appears to be in black paint, unable to determine if color is original or made black by post depositional processes | 25-50 mm | 1     | Fragment  | 19th Century - Present       |
| A19.146-I   | A19-HAS-01  | Ceramic  | Whiteware                 | No Decoration        | Ceramic Sherd      | Flatware, Body   |                                                                                                                                   | 10-25 mm | 1     | Fragment  | 19th Century - Present       |
| A19.146-I   | A19-HAS-01  | Ceramic  | Ironstone                 | No Decoration        | Ceramic Sherd      | Hollowware, Body |                                                                                                                                   | 10-25 mm | 1     | Fragment  | 19th - Early 20th Century    |
| A19.146-I   | A19-HAS-01  | Ceramic  | White Refined Earthenware | No Decoration        | Ceramic Sherd      | Flatware, Rim    |                                                                                                                                   | 25-50 mm | 1     | Fragment  | Undetermined Historic-Period |
| A19.146-I   | A19-HAS-01  | Metal    | Tin                       |                      | Unidentified Metal |                  | Long, thin piece of metal, similar to the indicator-pointer in a hanging scale                                                    | 25-50 mm | 1     | Intact    | Undetermined Historic-Period |
| A19.147-I   | A19-HAS-01  | Ceramic  | Kaolin Clay               |                      | Pipe Fragment      | Pipe Bowl        | Molded rib and thistle motif                                                                                                      | 25-50 mm | 1     | Fragment  | Undetermined Historic-Period |
| A19.150-I   | A19-HAS-01  | Metal    | Iron                      |                      | Nail               | Machine Cut      | Modern machine cut, Common nail                                                                                                   | 25-50 mm | 2     | Fragment  | 19th Century - Present       |