

Maureen Geary Krowicki Attorney

January 22, 2013

VIA ELECTRONIC FILING

Jeffrey Cohen, Acting Secretary to the Commission New York State Public Service Commission 3 Empire State Plaza Albany, NY 12223-1350

Re: Quarterly filing of contract pursuant to 16 NYCRR § 351.4

Dear Secretary Cohen:

Pursuant to 16 NYCRR § 351.4, National Fuel Gas Distribution Corporation hereby submits one copy of the following contract:

Bid #10OP - Holland Aurora Construction, Inc. - December 3, 2009

The contract is for the construction, improvement, extension or maintenance of National Fuel's plant, works or system. Services provided under this contract exceeded \$1,000,000 for calendar year 2012. Also enclosed is a copy of the list of other offers received by National Fuel for the work contemplated by this contract.

Please feel free to contact me at (814) 871-8035 if you have any questions regarding this submittal.

Sincerely,

Maureen Geary Krowicki

Enclosure

Cover Page and Summary Information

BID SUBMISSION

BID DUE DATE:	10/28/2009	@ 12:00	NOON

We submit a bid as fo	llows:	
Subtotal Service	ce Cut-offs:	\$.
Subtotal Service	ce Rènewals:	\$_ [
Subtotal Willia	mson Fittings:	\$_
Subtotal Meter	Set Installations:	\$_***** *** · · · · /
Subtotal Leak I	Repairs:	\$
Subtotal Mainli	ine Extensions:	\$_
Subtotal Mainli	ine Direct Bury (Developed Areas):	\$
Subtotal Mainli	ine Insertion (Developed Areas):	\$_ - _ - .
Subtotal Misce	llaneous Work (Mains):	\$
Subtotal Misce	llaneous Work (Services):	\$
Subtotal Tie-In:	s - LP STL:	\$_ ^ *
Subtotal Tie-In:	s-LP & MP PLT:	\$
Subtotal Perma	anent Cut-offs - LP STL:	\$_
Subtotal Perma	anent Cut-offs - LP & MP PLT:	\$ i
Subtotal Perma	anent Cut-offs - MP STL:	\$
Subtotal New S	Services:	\$.
Subtotal Direct	ional Drilling:	\$ <u></u> -
Total Base Bid:		\$_ r ·
Distribution Corp	Base Bid includes the value of National Fuel Gas oration (the "Company") materials to be used by the nection with the Work.	
Company Mater	ial Allowance: \$_	
The value of Con included in the To	npany materials to be used by Contractor and otal Base Bld.	
	Submitted and Accepted By:	
Contractor Name:	HOLLAND AURORA CONSTR	DAC (print, type or stamp company name)
Contractor Address:	10 BOX 69 70 N: MAIN	
City, State, Zip:	HOLLAND, NY 14080	
Name of Officer:	ROBERT ROTH	
Title of Officer:	1 Phs. gxub	(print or type name and title)
Signature:	Mas	
Date:	11.20-09	
	· ·	
Signature of Officer:	Signature of Ol	/
NY Date:	Mes D. Ramsdell, Sr. Vice President	John R. Pustulka, Sr. Vice President Date: $12/4/69$
V National Fuel Legal Dep	t. Review Ara-	·

Page 1 of 34

Contractor: HOUND AUROPA CONST.

Service Cut-offs

Item Number/ Location:	Description:	Quantity:	<u>Unit:</u>	Unit Price:			<u>Item Sum</u>
100P.500 30-10010	2" OR SMALLER STL LP AT MAIN, LAWN NOT ASSOCIATED WITH ANY OTHER SERVICE WORK AT SAME LOCATION	10	EA	X \$	A	=	\$
100P.501 30-10010	2" OR SMALLER STL LP AT MAIN, PAVEMENT (OTHER THAN STREET) NOT ASSOCIATED WITH ANY OTHER SERVICE WORK AT SAME LOCATION	0	EA	X \$_	ΞA	=	\$
100P.502 30-10010	2" OR SMALLER STL LP AT MAIN, STREET NOT ASSOCIATED WITH ANY OTHER SERVICE WORK AT SAME LOCATION	0	EA	X \$	EA	Ħ	\$ ·

Subtotal Service Cut-offs:	\$ _	_
(Enter This Value On Cover Page)	·	

Page 2 of 34

Contractor: HOUAND AURORA CONST.

Service Renewals

Item Number/ Location:	Description:	Quantity:	<u>Unit:</u>	<u>Unit</u>	Price:	<u>Item Sur</u>	<u>n</u>
100P.600	5/8" - 1-1/8" SERVICE CONVERSION - 2 HOLE	10	EA	X \$.	EA	= \$.	,
13-10019	SERVICE	10	-7	Λ γ.	 (4.	
100P.601	5/8" - 1-1/8" SERVICE CONVERSION - 1 HOLE SERVICE	35	EΑ	X \$	/ EA	,= · <u></u> -,	P
13-10019	aerv)Ce						
100P.602	5/8" - 1-1/8" SERVICE CONVERSION - NO HOLE SERVICE WITH REGULATOR	30	EΑ	X \$_	_/ EA	= {_,	,
13-10019	SERVICE WITH RESULATOR					,	
100P.603	5/8" - 1-1/8" SERVICE TRANSFER - 2 HOLE SERVICE	5	EA	X \$.	, / EA	= \$	·
13-10019						•	
10OP.604	5/8" - 1-1/8" SERVICE TRANSFER - 1 HOLE SERVICE	70	EA	X \$		= 4	
MAINLINE#						,	
100P.605	5/8" - 1-1/8" SERVICE CONVERSION & TRANSFER - 2	35	ΕA	X \$	í EA	= \$ <u>-</u> .,	٠, ١
13-10019	HOLE SERVICE					,	
100P.606	5/8" - 1-1/8" SERVICE CONVERSION & TRANSFER - 1	30	EA	X \$	/ EA	= \$,
13-10019	HOLE SERVICE WITH REGULATOR					, ,	
100P.607	5/8" - 1-1/8" SHORT SIDE RENEWAL - 2 HOLE	200	EA	X \$	_r EA	= \$	1
13-10014	SERVICE			,		,	
100P.608	5/8" - 1-1/8" LONG SIDE RENEWAL - 3 HOLE SERVICE	25	EΑ	X \$_	į EA.	= \$	1
1 3-10014				,			
10OP.609	NEW ROAD CROSSING IN CONJUNCTION WITH A SHORT SIDE SERVICE	1,500	LF	X \$.	LF	= \$	
100P.610	5/8" - 1-1/8" SHORT SIDE RENEWAL, DIRECT BURY	100	ΕA	X \$, EA	= \$	
13-10014	SERVICE WITH SERVICE CUT-OFF IN SAME HOLE	•		•	· _ ·	•	
100P.611	DOUBLE METER SETS INCLUDES COST OF DOUBLE METER BAR & ADDITIONAL SERVICE ENTRANCE	60	EA	X \$	EA	= \$.	
100P.612	ADDITIONAL METERS BEYOND DOUBLE INCLUDES EACH ADDITIONAL BAR & ADDITIONAL SERVICE ENTRANCE	40	EA	X \$_	EA	= \$. ,	1

Page 3 of 34

Contractor: HOLLAND AUROLA CONST.

100P.613	INSTALL HOUSELINE (RIGID PIPING) 1-20 LF	2,400	LF	X \$ LF	= \$.	ş
100P.614	INSTALL HOUSELINE (RIGID PIPING) OVER 20 LF	1,500	LF	X \$/ LF	= \$	•
100P.615	? RE-LIGHTS PER METER	725	EA	X \$ EA	= \$	_
100P.616	2" PLT MAIN CONNECTION FOR RENEWAL ITEM	1 0 0	EA	X \$/ EA	= \$,	a
100P.617	3" PLT MAIN CONNECTION FOR RENEWAL ITEM	80	EA	X \$	= \$	•
100P.618	4" PLT MAIN CONNECTION FOR RENEWAL ITEM	40	EA	X \$ EA	= \$	*
100P.619	6" PLT MAIN CONNECTION FOR RENEWAL ITEM	10	EA	X \$ EA	=	.•
100P.620	8" PLT MAIN CONNECTION FOR RENEWAL ITEM	10	EΑ	X \$	= \$	ı
100P.621	10" PLT MAIN CONNECTION FOR RENEWAL ITEM (1- 1/8" SERVICE)	0	EA ·	X \$ EA	= \$	ı
100P.622	12" PLT MAIN CONNECTION FOR RENEWAL ITEM (1- 1/8" SERVICE)	0	EΑ	X EA	= \$	
100P.623 13-10014	1-1/4" RENEWAL BY INSERTION	3	EA	X \$	= \$	•
100P.624 24-10017	2" RENEWAL BY INSERTION	5	EΑ	X O EA	= \$	
100P.625 24-10017	3" RENEWAL BY INSERTION	0	EA	X \$ EA	= \$	4
100P.626	5/8" - 1-1/8" PUSH SERVICE TUBING	900	LF	X \$ / LF	= \$	o
100P.627	2" STL MAIN CONNECTION FOR RENEWAL ITEM	100	EA	X \$ EA	= \$ <u></u> -	

Page 4 of 34

Contractor: HOWAND AURORA CONST.

100P.628	3" STL MAIN CONNECTION FOR RENEWAL ITEM	100	EA	X \$, EA	=	\$
100P.629	4" STL MAIN CONNECTION FOR RENEWAL ITEM	80	EA	X \$,,	=	\$ ·
100P.630	6" STL MAIN CONNECTION FOR RENEWAL ITEM	20	EA	X \$/ EA	=	\$
100P.631	8" STL MAIN CONNECTION FOR RENEWAL ITEM	20	EA	X \$/ EA	=	\$
100P.632	10" STL MAIN CONNECTION FOR RENEWAL ITEM	0	ΕA	X \$/ EA	=	\$
100P.633	12" STL MAIN CONNECTION FOR RENEWAL ITEM	0	EΑ	X \$/ EA	=	\$

Subtotal Service Renewals:	*
(Enter This Value On Cover Page)	

Page 5 of 34

Contractor: HOUAND AURORA CONST.

Williamson Fittings

	Item Number/ Location:	Description:	Quantity:	<u>Unit:</u>	<u>Unit Price:</u>	<u>ltem Sur</u>	<u>n</u>
	100P.700	2" MP TEE TIE-IN, INCLUDES ONE EXTRA WELD	10	EΑ	X \$ EA	= \$.	-
	100P.701	3" MP TEE TIE-IN, INCLUDES ONE EXTRA WELD	10	EΑ	X \$,/ EA	= \$.	
	100P.702	4" MP TEE TIE-IN, INCLUDES ONE EXTRA WELD	7	ΕA	X \$, EA	= :	
	100P.703	6" MP TEE TIE-IN, INCLUDES ONE EXTRA WELD	7	EA	X \$ EA	= \$	/
	100P.704	2" MP SHORTSTOP	3	EA	X \$ EA.	= \$,	. <u></u>
	10OP.705	3" MP SHORTSTOP	1	EA	X \$ EA	= \$ <u>.</u>	·
•	100P.706	4" MP SHORTSTOP	1	EA	X \$ EA	= \$ <u>.</u>	<u></u>
	100P.707	6" MP SHORISTOP	4	EA	X (EA	= \$	<i>y/</i> -
			Subtotal Willi	amso	on Fittings:		

Subtotal Williamson Fittings: \$
(Enter This Value On Cover Page)

Page 6 of 34

Contractor: HOLLAND AURORA CONST.

Meter Set Installations

Item Number/ Location:	Description:	Quantity:	<u>Unit:</u>	<u>Unit Price;</u>	<u>Item Sum</u>
100P.800 20-10132	SD-2 STL RENEW	2	EA	X 4	= \$,
100P.801 20-10132	SD-4 STL RENEW	0	EA	X \$, EA	= \$
100P.802 20-10132	SD-8 STL RENEW	2	EA	X \$ EA	= \$. ,
100P,803 20-10132	SD-10 STL RENEW	2	EA	X \$	= \$
100P.804	SD-11 STL RENEW	1	EA	X \$	= \$
100P.805	SD-12 STL RENEW	1	ΕA	X \$,,	= \$
100P.806	SD-14 STL RENEW	1	EA	X \$	= \$
10OP.807	SR-2 STL RENEW	2	EA	X 1 , EA	= \$.
100P.808	1' X 1' X 3' 6" D RENEW CONCRETE BASE, INCLUDES SONOTUBE (ALL MATERIAL INCLUDED)	4	EA	X \$ EA	= \$.
100P.809 20-10142	SD-2 STL NEW	5	EA	X \$ EA	= \$.,
100P.810 20-10142	SD-4 STL NEW	0	EA	X \$. A	= \$
100P.811 20-10142	SD-8 STL NEW	10	EA	Х	= \$
100P,812 20-10142	SD-10 STL NEW	5	EA	X \$	= \$ _~

Page 7 of 34

Contractor:_	HOLLAND	AURORA	CONST.
--------------	---------	--------	--------

100P.813	SD-11 STL NEW	1	EA	X \$, EA	=	\$
100P.814	SO-12 STL NEW	0	EA	X \$ EA	=	\$
100P.815	SD-14 STL NEW	0	EA	X \$	=	\$
100P.816	SR-2 STL NEW	8	EA	X \$ EA	=	\$
100P.817	1' X 1' 3' 6" D NEW CONCRETE BASE, INCLUDES SONOTUBE (ALL MATERIAL INCLUDED)	25	EA	X \$EA	=	\$

Subtotal Meter Set Installations: \$
(Enter This Value On Cover Page)

Page 8 of 34

Contractor: HOLLAND AURORA CONST.

Leak Repairs

item Number/ Location:	Description:	Quantity:	<u>Unit:</u>	<u>Unit Price:</u>	Item Sum
10OP.900	CREW & EQUIPMENT - 2 PERSON STRAIGHT TIME	40	HR	X \$ IR	= \$
100P.901	CREW & EQUIPMENT - 2 PERSON OVERTIME	8	HR	X \$/ HR	= \$,
10OP.902	FOREMAN/LABORER/OPERATOR STRAIGHT TIME	4	HR	X \$ HR	≈ \$_
100P.903	FOREMAN/LABORER/OPERATOR OVERTIME	4	HR	X \$ / HR	= \$
100P.904	DUMP TRUCK WITH DRIVER (TANDEM)	0	HR	X \$ HR	= \$
10OP.905	SINGLE AXLE DUMP (NO DRIVER)	0	HR	X \$, HR	= \$
10OP.906	CREW & EQUIPMENT - 2 PERSON TRAVEL TIME (IN EXCESS OF 1/2 HR)	8	HR	X \$ HR	= \$
100P.907	CREW & EQUIPMENT - 3 PERSON TRAVEL TIME (IN EXCESS OF 1/2 HR)	2	HR	X \$ HR	= \$
				_	

		
Subtotal Leak Repairs:	\$. _	. !
(Enter This Value On Cover Page)		

Page 9 of 34

Contractor: HOUAND AUROM CONST.

Mainline Extensions

item Number/ Location:	Description:	Quantity:	<u>Unit:</u>	<u>Unit Price:</u>	Item Sum
10OP.1000	2" PLT IN UNDEVELOPED AREAS, 50-500 LF MINIMUM 50'	600	LF	X \$/ LF	= { ,
10OP.1001	2" PLT IN UNDEVELOPED AREAS, 501-1000 LF	2,000	LF	X \$, _/ LF	= \$
100P.1002	2" PLT IN UNDEVELOPED AREAS, 1001-2000 LF	2,000	LF	X \$/ LF	= \$_ ,
10OP.1003	2" PLT IN UNDEVELOPED AREAS, 2001-3000 LF	4,000	LF	X \$	= \$
10OP.1004	2" PLT IN UNDEVELOPED AREAS, 3001-5000 LF	0	LF	X : ./ LF	= \$
100P.1005	2" PLT IN UNDEVELOPED AREAS, OVER 5000 LF	0	LF	X (/ LF	= \$
100P.1006	2" PLT INSERT INTO EXISTING CASING	100	LF	X _1 LF	= \$
100P.1007	3" PLT IN UNDEVELOPED AREAS, 50-500 LF MINIMUM 50'	100	LF	X \$ / LF	= \$_
100P.1008	3" PLT IN UNDEVELOPED AREAS, 501-1000 LF	0	LF	X \$,/ LF	= \$
10OP.1009	3" PLT IN UNDEVELOPED AREAS, 1001-2000 LF	0	LF	X \$	= \$
100P.1010	3" PLT IN UNDEVELOPED AREAS, 2001-3000 LF	0	LF	X ,/ LF	= \$;
100P.1011	3" PLT IN UNDEVELOPED AREAS, 3001-5000 LF	0	LF	X : / LF	= \$
100P.1012	3" PLT IN UNDEVELOPED AREAS, OVER 5000 LF	0	LF	X \$ LF	= \$

Page 10 of 34

Contractor: HOLLAND AUROLA CONST.

100P.1013	3" PLT INSERT INTO EXISTING CASING	100	LF	X \$	<u>. </u>	, =	\$	
100P.1014	4" PLT IN UNDEVELOPED AREAS, 50-500 LF MINIMUM 50'	0	LF	X \$	/ LF	=	\$. P
100P.1015	4" PLT IN UNDEVELOPED AREAS, 501-1000 LF	0	LF	x \$	/ LF	=	\$,.
100P.1016	4" PLT IN UNDEVELOPED AREAS, 1001-2000 LF	0	LF	X \$	_/ LF	=	\$	
100P.1017	4" PLT IN UNDEVELOPED AREAS, 2001-3000 LF	0	LF	X \$.	_/ LF	=	\$	4
100P.1018	4" PLT IN UNDEVELOPED AREAS, 3001-5000 LF	0	LF	X \$	/ LF	¥	\$	*
100P.1019	4" PLT IN UNDEVELOPED AREAS, OVER 5000 LF	0	LF	X \$_	/ LF	=	\$	•
100P.1020	4" PLT INSERT INTO EXISTING CASING	0	LF	X \$,	/ LF	=	\$	
10OP.1021	8" PLT IN UNDEVELOPED AREAS, 50-500 LF MINIMUM 50'	0	LF	X \$.	_/ LF	=	\$	_
10OP.1022	6° PLT IN UNDEVELOPED AREAS, 501-1000 LF	0	LF	X \$	/ LF	=	\$	
10OP.1023	6" PLT IN UNDEVELOPED AREAS, 1001-2000 LF	0	LF	x \$_	_/ LF	=	\$	
100P.1024	6" PLT IN UNDEVELOPED AREAS, OVER 2000 LF	0	LF	X \$_	_/ LF	=	\$	
100P.1025	6" PLT INSERT INTO EXISTING CASING	0	LF	X \$_	_/ LF	=	\$	_•
100P.1026	8" PLT IN UNDEVELOPED AREAS, 50-500 LF MINIMUM 50'	0	LF	X \$.	LF	=	\$	5v
100P.1027	8" PLT IN UNDEVELOPED AREAS, 501-1900 LF	0	LF	X \$.	/ LF	=	\$	· •
	100P.1014 100P.1015 100P.1016 100P.1017 100P.1019 100P.1020 100P.1021 100P.1022 100P.1023 100P.1024 100P.1025 100P.1026	100P.1014	10OP.1014	100P.1014	100P.1014	100P.1014	100P.1014	100P.1014

Page 11 of 34

Contractor: HOLLAND AURORA CONST.

100P.1028	8" PLT IN UNDEVELOPED AREAS, 1001-2000 LF	0	LF	X :	_/ LF	=	\$·
100P.1029	8" PLT IN UNDEVELOPED AREAS, OVER 2000 LF	0	LF	, X \$	F	=	\$ `
100P.1030	2" PLT ROAD CROSSINGS (TRENCHLESS)	50	LF	X \$ <u>.</u>	LF	=	\$
100P.1031	3" PLT ROAD CROSSINGS (TRENCHLESS)	50	LF	X \$	LF	=	\$_ ·
100P.1032	4" PLT ROAD CROSSINGS (TRENCHLESS)	50	LF	X 4 _	 LF	=	
100P.1033	6" PLT ROAD CROSSINGS (TRENCHLESS)	0	LF	X \$	LF	=	.\$
100P.1034	8" PLT ROAD CROSSINGS (TRENCHLESS)	0	LF	X \$	<u> </u>	=	\$
100P.1035	ADDITIONAL BUTT FUSIONS 4" OR LESS	4	EΑ	X \$_	EA	=	\$
100P.1036	ADDITIONAL BUTT FUSIONS 6" TO 8"	4	ΕA	X \$	/ EA	=	\$_
100P.1040	2° PLT IN DEVELOPED AREAS, 50-500 LF MINIMUM 50'	1,000	LF	X \$	/ LF	=	\$,
100P.1041	2" PLT IN DEVELOPED AREAS, 501-1000 LF	1,000	LF	X \$.	LF	=	\$
100P.1042	2" PLT IN DEVELOPED AREAS, 1001-2000 LF	1,000	LF	x \$	' LF	=	\$_ -
100P.1043	2" PLT IN DEVELOPED AREAS, 2001-3000 LF	0	LF	X \$	LF	=	\$
100P.1044	2" PLT IN DEVELOPED AREAS, 3001-5000 LF	0	LF	x \$	LF	=	\$ 1
100P.1045	2" PLT IN DEVELOPED AREAS, OVER 5000 LF	0	LF	X \$ <u> </u>	/ LF	Ξ	\$.

Page 12 of 34

Contractor: HOLLAND) AURORA CONST.
---------------------	-----------------

100P.1046 .	2" PLT INSERT INTO EXISTING CASING	0	LF	X \$/ LF = \$	·
100P.1047	3" PLT IN DEVELOPED AREAS, 50-500 LF MINIMUM 50'	1,000	LF	X \$ LF = \$,
100P.1048	3° PLT IN DEVELOPED AREAS, 501-1000 LF	1,000	LF	X \$/ LF = \$	
100P.1049	3" PLT IN DEVELOPED AREAS, 1001-2000 LF	1,000	LF	X \$ / LF = \$	٠
100P.1050	3" PLT IN DEVELOPED AREAS, 2001-3000 LF	0	LF	x \$	•
100P.1051	3" PLT IN DEVELOPED AREAS, 3001-5000 LF	0	LF	X \$ LF = \$	ta
100P.1052	3" PLT IN DEVELOPED AREAS, OVER 5000 LF	0	LF	X \$ LF = \$	
100P.1053	3" PLT INSERT INTO EXISTING CASING	0	ĹF	X \$ LF = \$	
10OP.1054	4" PLT IN DEVELOPED AREAS, 50-500 LF MINIMUM 50"	500	LF	X \$ LF = \$	
10OP.1055	4" PLT IN DEVELOPED AREAS, 501-1000 LF	500	LF	X \$, LF = \$	_
100P.1056	4" PLT IN DEVELOPED AREAS, 1001-2000 LF	1,000	LF	X \$/ LF = \$	
100P.1057	4" PLT IN DEVELOPED AREAS, 2001-3000 LF		ĻF	X \$	•
100P.1058	4" PLT IN DEVELOPED AREAS, 3001-5000 LF	0	LF	X \$ LF = \$	1
100P.1059	4" PLT IN DEVELOPED AREAS, OVER 5000 LF	0	LF	X \$_ LF = \$	•
10OP.1060	4° PLT INSERT INTO EXISTING CASING	0	LF	X \$ F = \$	

Page 13 of 34

Contractor: HOLLAND AURORA CONST.

100P,1061	6" PLT IN DEVELOPED AREAS, 50-500 LF MINIMUM 50'	0	LF	X \$/ LF	= \$	<u> </u>
100P,1062	6" PLT IN DEVELOPED AREAS, 501-1000 LF	0	LF	X \$ LF	= \$	
10OP.1063	6" PLT IN DEVELOPED AREAS, 1001-2000 LF	0	ᄕ	X \$ (LF	= \$	
100P.1064	6" PLT IN DEVELOPED AREAS, OVER 2000 LF	0	LF	X \$ LF	= \$	<u> </u>
100P.1065	6" PLT INSERT INTO EXISTING CASING	0	LF	X \$LF	= \$	
10OP.1066	8" PLT IN DEVELOPED AREAS, 50-500 LF MINIMUM 50'	0	LF	X \$ LF	= \$	
100P.1067	8" PLT IN DEVELOPED AREAS, 501-1000 LF	0	LF	X \$ LF	= '\$	
100P.1068	8" PLT IN DEVELOPED AREAS, 1001-2000 LF	0	LF.	X \$ / LF	= \$	h h
100P.1069	8" PLT IN DEVELOPED AREAS, OVER 2000 LF	0	LF	X \$/ LF	= \$	
100P.1070	2" PLT ROAD CROSSINGS (TRENCHLESS)	50	LF	x \$. / LF	= \$	
100P.10 7 1	3" PLT ROAD CROSSINGS (TRENCHLESS)	50	LF	X \$_ LF	= \$	
100P.1072	4" PLT ROAD CROSSINGS (TRENCHLESS)	50	LF	X \$	= \$.	·
100P.1073	6" PLT ROAD CROSSINGS (TRENCHLESS)	0	LF	X \$ LF	= \$.	•
100P.1074	8" PLT ROAD CROSSINGS (TRENCHLESS)	0	LF	X \$F	= \$	<u>.</u>
100P,1075	ADDITIONAL BUTT FUSIONS 4" OR LESS	4	EA	X \$	= \$.	· · · · · · · · · · · · · · · · · · ·

)			Page 14 of 34	•	
,		Contractor	: HOLLAND AURORA	CONSTI	
•	10OP.1076	ADDITIONAL BUTT FUSIONS 6" TO 8"	4 EA X \$_	A = \$	•
			Subtotal Mainline Extensions: (Enter This Value On Cover Page)	\$. , .	' .]

Page 15 of 34

Contractor: HOLLAND AURORA CONST.

Mainline Direct Bury (Developed Areas)

Item Number/ Location:	Description:	Quantity:	<u>Unit:</u>	Unit Price:	<u>ltern Sum</u>
100P.1100	1-1/4" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50'	50	LF	X t LF	= \$
100P.1101	1-1/4" PLT IN DEVELOPED AREAS, 501 -1000 LF	0	LF	X \$ LF	= \$
100P.1102	1-1/4" PLT IN DEVELOPED AREAS, 1001 - 2000 LF	0	LF	X \$ LF	= \$
100P.1103	1-1/4" PLT IN DEVELOPED AREAS, OVER 2000 LF	. 0	LF	X \$/ LF	= \$
100P.1104	2" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50'	3,200	LF	X \$_ LF	= \$
100P.1105	2" PLT IN DEVELOPED AREAS, 501 - 1000 LF	3,200	LF	X \$ LF	= \$_ , .
100P.1106	2" PLT IN DEVELOPED AREAS, 1001 - 2000 LF	3,000	LF	X \$_ LF	= \$ __
100P.1107	2" PLT IN DEVELOPED AREAS, OVER 2000 LF	0	LF	X \$/ LF	= \$:
100P.1108	3" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50'	1,500	ĹF	X \$ LF	= \$_ ,
10OP.1109	3" PLT IN DEVELOPED AREAS, 501 - 1000 LF	2,000	LF	X \$ LF	= \$
100P.1110	3" PLT IN DEVELOPED AREAS, 1001 - 2000 LF	2,500	LF	X \$	= \$
100P.1111	3" PLT IN DEVELOPED AREAS, OVER 2000 LF	0	ĹF	X \$ LF	= \$
100P.1112	4" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50'	500	LF	X \$ LF	= \$. ,

Page 16 of 34

Contractor: HOLLAND AURORA CONST.

	100P.1113	4° PLT IN DEVELOPED AREAS, 501 - 1000 LF	3,000	LF	x \$	LF =	· ·
	100P.1114	4" PLT IN DEVELOPED AREAS, 1001 - 2000 LF	3,000	LF	X \$	LF =	\$
	100P.1115	4" PLT IN DEVELOPED AREAS, OVER 2000 LF	2,500	LF	X \$	LF =	\$
	10 0P .1116	6" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50'	500	LF	X \$	LF =	\$
	100P.1117	6" PLT IN DEVELOPED AREAS, 501 - 1000 LF	0	LF	X \$	LF =	\$
	100P.1118	6" PLT IN DEVELOPED AREAS, 1001 - 2000 LF	0	LF	X \$	LF =	\$
	100P.1119	6" PLT IN DEVELOPED AREAS, OVER 2000 LF	0	LF	X \$	LF =	\$
	100P.1120	8" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50'	150	LF	X \$_	LF =	\$
	100P.1121	8" PLT IN DEVELOPED AREAS, 501 - 1000 LF	1,200	LF	X \$	LF =	\$
	100P.1122	8" PLT IN DEVELOPED AREAS, 1001 - 2000 LF	0	LF	X \$_	LF ≃	\$
	100P.1123	8" PLT IN DEVELOPED AREAS, OVER 2000 LF	0	LF	X \$ /	LF =	\$
	100P.1124	2" PLT PUSHING PIPE - OTHER THAN ROADS	1,200	L F	X \$	LF =	\$.
	100P.1125	2" PLT ROAD CROSSING (TRENCHLESS)	100	LF	X \$	LF =	\$
	100P.1126	3" PLT PUSHING PIPE - OTHER THAN ROADS	1,200	LF	X \$/	LF =	\$_ ,
)	100P.1127	3" PLT ROAD CROSSING (TRENCHLESS)	100	LF	X \$/	LF =	\$

Page 17 of 34

Contractor: HOLLAND AUROKA CONST.

100P.1128	4" PLT PUSHING PIPE - OTHER THAN ROADS	1,200	LF	X \$	LF	Ξ	\$
100P.1129	4" PLT ROAD CROSSING (TRENCHLESS)	100	LF	X \$_	LF	=	\$
100P.1130	6" PLT PUSHING PIPE - OTHER THAN ROADS	50	LF	X \$'	LF	=	\$
100P.1131	6" PLT ROAD CROSSING (TRENCHLESS)	0	LF	X \$	LF	=	\$
1 00P.1132	8" PLT PUSHING PIPE - OTHER THAN ROADS	0	LF	X \$	LF	=	\$ ·
100P.1133	8" PLT ROAD CROSSING (TRENCHLESS)	0	LF	X \$	LF	=	\$ ·
100P.1134	10" PLT IN DEVELOPED AREAS, 50 - 500 LF	0	LF	X \$	LF	=	\$ ^
100P.1135	10° PLT IN DEVELOPED AREAS, 501 - 1000 LF	0	LF	X \$.F	=	\$°
100P.1136	10" PLT PUSHING PIPE - OTHER THEN ROADS	0	LF	X \$	LF	=	\$·
100P.1137	10" PLT ROAD CROSSING (TRENCHLESS)	0	LF	X \$	LF	=	\$
. 100P.1138	ADDITIONAL BUTT FUSIONS 4" OR LESS	4	EA	X \$	EA	=	\$
100P.1139	ADDITIONAL BUTT FUSIONS 6" TO 8"	4	EA	X \$	EA	=	\$ _

Subtotal Mainline Direct Bury (Developed Ar \$_		
(Enter This Value On Cover Page)	-	

Page 18 of 34

Contractor: HOLLAND AURORA CONST.

Mainline Insertion (Developed Areas)

Item Number/ Location:	Description;	Quantity:	<u>Unit:</u>	Unit Price:	Item Sum
100P.1200	1-1/4" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50'	300	LF	X \$/ LF	= \$
100P.1201	1-1/4" PLT IN DEVELOPED AREAS, 501 - 1000 LF	1,000	LF	X \$ / LF	= \$
100P.1202	1-1/4° PLT IN DEVELOPED AREAS, 1001 - 2000 LF	0	LF	X \$/ LF	= \$
100P.1203	1-1/4" PLT IN DEVELOPED AREAS, OVER 2000 LF	0	LF	X \$ LF	= \$
100P.1204	1-1/4" TEMPORARY CUT-OFF	0	EA	X \$ EA	= \$
10OP,1205	1-1/4" CUT WINDOW	0	EA	X \$_ EA	= \$
10OP.1206	2" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50'	2,500	LF	X \$. LF	= \$
10OP.1207	2" PLT IN DEVELOPED AREAS, 501 - 1000 LF	2,500	LF	X \$/ LF	= \$ _
100P.1208	2" PLT IN DEVELOPED AREAS, 1001 - 2000 LF	4,000	LF	X \$/ LF	= \$
100P.1209	2" PLT IN DEVELOPED AREAS, OVER 2000 LF	0	LF	X \$_ LF	= \$
100P.1210	2" TEMPORARY CUT-OFF	0	EA	X \$ EA	= \$
.100P.1211	2" CUT WINDOW	20	EΑ	X \$ EA	= \$
100P.1212	3" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50'	500	LF	X \$ LF	= \$_ ,

Page 19 of 34

	Contractor:_	HOLLAND	A	wroka	<u>Co NST</u>	- -	
100P.1213	3" PLT IN DEVELOPED AREAS, 501 - 1000 LF	1,000	LF	X \$	/ LF	=	\$
100P.1214	3" PLT IN DEVELOPED AREAS, 1001 - 2000 LF	2,000	LF	x \$_	LF	=	\$ ₋
100P.1215	3" PLT IN DEVELOPED AREAS, OVER 2000 LF	0	LF	X \$	/ LF	=	\$,
100P.1216	3" TEMPORARY CUT-OFF	0	ΕA	X \$	/ EA	=	\$ ·
100P.1217	3" CUT WINDOW	60	EA	X \$, ¿A	=	\$
100P.1218	4" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50'	250	LF	X \$	/ LF	=	\$
100P.1219	4" PLT IN DEVELOPED AREAS, 501 - 1000 LF	250	LF	X \$		=	\$,
100P.1220	4" PLT IN DEVELOPED AREAS, 1001 - 2000 LF	0	LF	x \$_	ĹF	=	\$
100P.1221	4" PŁT IN DEVELOPED AREAS, OVER 2000 LF	0	LF	X \$	LF	=	\$ ·
10OP.1222	4" TEMPORARY CUT-OFF	. 0	EA	X \$	EA	п	\$·
100P.1223	4" CUT WINDOW	50	EΑ	X \$	EA	=	\$. .
100P.1224	6" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50'	0	LF	X \$	/ LF	=	\$
1 0 OP.1225	6" PLT IN DEVELOPED AREAS, 501 - 1000 LF	0	LF	X \$	LF	=	\$
100P.1226	6" PLT IN DEVELOPED AREAS, 1001 - 2000 LF	0	LF	X \$_	LF	=	\$
100P.1227	6° PLT IN DEVELOPED AREAS, OVER 2000 LF	0	ĻF	X \$	_ Jf	=	\$ ~ ~ ~

Page 20 of 34

Contractor: HOLLAND AURDIA CONST.

100P.1228	6" TEMPORARY CUT-OFF	0	EA	Х \$	EA	=	\$
100P.1229	6"CUT WINDOW	5	EA	X \$	ER	=	\$
100P.1230	8" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50'	0	LF	X \$	LF	=	\$ -
100P.1231	8" PLT IN DEVELOPED AREAS, 501 - 1000 LF	0	LF	X \$	LF	=	\$
100P.1232	8" PLT IN DEVELOPED AREAS, 1001 - 2000 LF	0	LF	X \$_	LF	=	\$·
100P.1233	8" PLT IN DEVELOPED AREAS, OVER 2000 LF	0	LF	X \$/	LF	=	\$
100P.1234	8" TEMPORARY CUT-OFF	0	EA	X \$	EA	=	\$
100P.1235	8" CUT WINDOW	3	EA	X \$	ΞA	=	\$_
100P.1236	10" PLT IN DEVELOPED AREAS, 50 - 500 LF	0	LF	X \$,	T.E	=	\$ ·
100P.1237	10" PLT IN DEVELOPED AREAS, 501 - 1000 LF	0	LF	X \$.	:	=	\$ ·
100P.1238	10" TEMPORARY CUT-OFF	0	EA	x \$	ΞA	=	\$
100P.1239	10" - 12" CUT WINDOW	0	EA	X \$_	4	=	\$

Subtotal Mainline Insertion	(Developed Area \$
Enter This Value On Cover Page)	r

Page 21 of 34

Contractor: HOLLAND AURORA CONST.

Miscellaneous Work (Mains)

Item Number/ Location:	Description:	Quantity:	<u>Unit:</u>	<u>Unit Price:</u>	Item Sum
10OP.2000	2" MAIN VALVE & BOX	25	EA	X \$	= \$_ ,
100P.20 01	3° MAIN VALVÉ & BOX	5	EA	X \$ SEA	= \$
10 0P.200 2	4" MAIN VALVE & BOX	5	EA	X \$`	= \$
100P.2003	6" MAIN VALVE & BOX	0	EA	X \$:A	= \$
100P.2004	8"MAIN VALVE & BOX	0	EA	X \$_ , _	= \$
10OP.2005	CREW & EQUIPMENT (2 PERSON)	275	HR	X \$	= \$
100P.2006	CREW & EQUIPMENT (3 PERSON)	40	HR	X \$_, HR	= \$
100P.2007	FITTER TIME (FOREMAN/OPERATOR/LABORER)	200	HR	X \$ HR	= \$
100P.2008	FITTER WITH VEHICLE & TOOLS	20	HR	X \$ R	= \$
100P.2009	WELDER (WITH VEHICLE, WELDING MACHINE, ROD & TOOLS)	0	HR	X \$4R	= \$
10OP.2010	PIPE PADDING	300	CY	X \$ CY	= \$_ ,
100P.2011	SELECT FILL	200	CY	X \$	= \$,

Page 22 of 34

Contractor: Ho	LLAND F	AUKOCA .	CONSTI
----------------	---------	----------	--------

100P.2012 PERFORMANCE BOND COST (PER \$1000 OF WORK)

0 K X \$_, ___! K = \$___

Subtotal Miscellaneous Work (Mains):

\$

(Enter This Value On Cover Page)

Page 23 of 34

Contractor: HOLLAND AURORA CONST.

Miscellaneous Work (Services)

Item Number/ Location:	<u>Description:</u>	Quantity:	<u>Unit:</u>	Unit Price:	<u>Item Sum</u>
100P.2100	2" SERVICE VALVE & BOX	5	EA	X \$	A = \$_,
100P.2101	3" SERVICE VALVE & BOX	. 0	EA	X \$	A = \$
100P.2102	4" SERVICE VALVE & BOX	0	EA	Х \$, Е	, A = \$
10OP.2103	CREW & EQUIPMENT (2 PERSON)	135	HR	X \$ H	R = . \$
100P,2104	CREW & EQUIPMENT (3 PERSON)	10	HR	Х \$г Н	R = \$,
100P.2105	FITTER TIME (FOREMAN/OPERATOR/LABORER)	135	HR	Х \$ Н	R = \$
100P.2106	FITTER WITH VEHICLE & TOOLS	10	HR	X \$d	R = \$
100P.2107	WELDER (WITH VEHICLE, WELDING MACHINE, ROD & TOOLS)	20	HR	X \$ H	R = \$_,
100P,2108	, Pipe padding	200	CY	X \$	Y = \$_1,
100P.2109	SELECT FILL	100	CY	X \$	· = \$

Subtotal Miscellaneous Work (Services):	s. /	
(Enter This Value On Cover Page)	* - ,	-

Page 24 of 34

Contractor: HOLLAND AURORA CONST.

Tle-Ins - LP STL

Item Number/ Location:	<u>Description;</u>	Quantity: Un	nit: Unit Price:	<u>Item Sum</u>
100P.3000	2" STL LP TIE-IN	5 E	FA X \$,	EA = \$
100P.3001	3" STL LP TIE-IN	5 E	A X \$	
100P.3002	4" STL LP T{E-{N	5 E	A X \$	-n = \$ <u> </u>
100P.3003	6" STL LP TIE-IN	5 E	A X \$	- \$
10OP.3004	8" STL LP TIE-IN	0 E	A X \$ii	EA = \$
100P.3005	12" STL LP TIE-IN	0 E.	A X \$	A = \$(
				

Subtotal Tie-Ins - LP STL:
(Enter This Value On Cover Page)

Page 25 of 34

Contractor: HOLLAND AUROLA CONST.

Tie-Ins - LP & MP PLT

item Number/ Location:	<u>Description:</u>	Quantity:	<u>Unit:</u>	<u>Unit Price:</u>	Item Sum
100P.3100	1-1/4" PLT LP & MP TIE-IN, ELECTROFUSION	0	EA	X \$_,	= \$
100P.3101	1-14" PLT LP & MP TIE-IN BY 1-1/4" X 1-1/4" X 1-1/4" TEE, ELECTROFUSION	0	EA	X \$ EA	= \$
10OP.3102	2" PLT LP & MP TIE-IN, ELECTROFUSION	40	EA	X \$/ EA	= \$
100P.3103	2" PLT LP & MP TIE-IN BY 2" X 2" X 2" TEE, ELECTROFUSION	2	EΑ	X \$, EA	= \$
100P.3104	3" PLT LP & MP TIE-IN, ELECTROFUSION	25	EA	X \$,A	= \$
100P.3105	3" PLT LP & MP TIE-IN BY 3" X 3" X 3" TEE, ELECTROFUSION	2	EA	X \$	= \$
100P.3106	4" PLT LP & MP TIE-IN, ELECTROFUSION	10	EA	X \$, EA	= \$,
100P.3107	4" PLT LP & MP TIE-IN BY 4" X 4" X 4" TEE, ELECTROFUSION	2	EA	X \$ EA	= \$
100P. 3108	6" PLT LP & MP TIE-IN, ELECTROFUSION	5	EΑ	X \$, EA	= \$_ ,
100P.3109	6" PLT LP & MP TIE-IN BY 6" X 6" X 6" TEE, ELECTROFUSION	0	EA	X \$	= \$
100P.3110	8" PLT LP & MP TIE-IN, ELECTROFUSION	5	EA	X \$	= \$,
100P.3111	8° PLT LP & MP TIE-IN BY 8" X 8" X 8" TEE, ELECTROFUSION	0	EA	X \$A	= \$
100P.3112	2" PLT LP & MP TIE-IN, HIGH VOLUME PUNCH TEE ON 2" PLT MAIN	15	EA	X \$	= \$

Page 26 of 34

Contractor: HOUAND AURORA CONST.

100P.3113	2" PLT LP & MP TIE-IN, HIGH VOLUME PUNCH TEE ON 3" PLT MAIN	10 E	A	X \$ _	, EA	Ξ	\$_ ,
100P.3114	2" PLT LP & MP TIE-IN, HIGH VOLUME PUNCH TEE ON 4" PLT MAIN	10 E.	:A	X \$_	, LA	=	\$_ _
100P.3115	2" PLT LP & MP TIE-IN, HIGH VOLUME PUNCH TEE ON 8" PLT MAIN	1 E	:A	X \$		=	\$
100P.3116	2° PLT LP & MP TIE-IN, HIGH VOLUME PUNCH TEE ON 8° PLT MAIN	1 E	A	х \$, EA	=	\$

Subtotal Tie-Ins - LP & MP PLT:

\$

(Enter This Value On Cover Page)

Page 27 of 34

Contractor: HOLLAND AURORA CONST

Permanent Cut-offs - LP STL

Item Number/ Location:	<u>Description:</u>	Quantity: U	<u>nit:</u>	Unit Price:	Item Sum
100P,4000	2" & SMALLER STL LP PERMANENT CUT-OFF	5 {	EA	X \$, EA	= \$
100P.4001	3" STL LP PERMANENT CUT-OFF	5 (EA	X \$	= \$
100P.4002	4" STL LP PERMANENT CUT-OFF	5 E	EA	X \$	= \$
100P.4003	6" STL I.P PERMANENT CUT-OFF	5 E	EA	X \$ EA	= \$
100P.4004	8"STL LP PERMANENT CUT-OFF	0 E	ĒΑ	X \$, EA	= \$
100P.4005	12" STŁ LP PERMANENT CUT-OFF	0 E	EA	X \$	= \$

Subtotal Permanent Cut-offs - LP STL: (Enter This Value On Cover Page)

Page 28 of 34

Contractor: HOLLAND AUROLA CONST.

Permanent Cut-offs - LP & MP PLT

Item Number/ Location:	Description:	Quantity:	<u>Unit:</u>	Unit Price:		Item Sum
100P. 4 100	2" & SMALLER PLT LP & MP PERMANENT CUT-OFF	10	EA	X \$ ´ , EA	=	\$_ ,
100P.4101	3" PLT LP & MP PERMANENT CUT-OFF	5	EA	X \$	=	\$_
100P.4102	4" PLT LP & MP PERMANENT CUT-OFF	5	EA	X \$	=	\$
10OP.4103	6" PLT LP & MP PERMANENT CUT-OFF	0	EA	X \$	=	\$
100P.4104	8"PLT LP & MP PERMANENT CUT-OFF	0	EA	X \$	=	\$
,						

Subtotal Permanent Cut-offs - LP & MP PLT: \$_

(Enter This Value On Cover Page)

Page 29 of 34

Contractor: HOLLAND AURORA CONST.

Permanent Cut-offs - MP STL

<u>(tem Number/</u> Location:	Description:	Quantily: Un	it: <u>Unit Price:</u>		Item Sum
100P.4200	2" STL MP PERMANENT CUT-OFF	5 E	A X \$_	A	= \$
100P.4201	3" STL MP PERMANENT CUT-OFF	5 E	A X \$	ΞA	= \$_
100P.4202	4" STL MP PERMANENT CUT-OFF	5 E	A X \$	<u></u> .	= \$
100P.4203	6" STL MP PERMANENT CUT-OFF	2 E	A X \$	Ln.	= \$
100P.4204	8" STL MP PERMANENT CUT-OFF	2 E	A X \$	iA	= \$

Subtotal Permanent Cut-offs - MP STL:	\$ _	
(Enter This Value On Cover Page)	<u>·</u>	

Page 30 of 34

Contractor: HOLLAND AURORA CONST.

New Services

Item Number/ Location:	<u>Description;</u>	Quantity:	<u>Unit:</u>	Unit Price:	item Sum
100P.5000 13-10011	5/8" - 1-1/8" PLT MP SERVICE TAP & RISER ON 2" PLT MAIN	250	EA	X \$ EA	= \$_
100P.5001	5/8" - 1-1/8" PLT MP	ΕΛ	CΛ	X \$	= 8
13-10011	SERVICE TAP & RISER ON 3" PLT MAIN	50	ĿA	ΛΨ	•
100P.5002	5/8" - 1-1/8" PLT MP SERVICE TAP & RISER ON 4" PLT MAIN	25	EA	X \$, _A	= \$.
13-10011	CHARGE IN MINORITORY AT EL MAIN				
100P.5003 13-10011	5/8" - 1-1/8" PLT MP SERVICE TAP & RISER ON 6" PLT MAIN	10	EA	X \$, _A	= \$
	5/8" - 1-1/8" PŁT MP	40	- ^	X \$A	
100P.5004 13-10011	SERVICE TAP & RISER ON 8" PLT MAIN	10	EA	X \$A	- V
100P.5005	5/8" - 1-1/8" PLT MP SERVICE TAP & RISER ON 2" STL MAIN	0	EA	X \$A	= \$
13-10011	SERVICE IAF & NISER ON 2 OIL MAIN				,
100P.5006	5/8" - 1-1/8" PLT MP SERVICE TAP & RISER ON 3" STL MAIN	0	EA	X \$	= \$
13-10011					,
100P.5007 13-10011	5/8" - 1-1/8" PLT MP SERVICE TAP & RISER ON 4" SYL MAIN	0	EA	X \$	= \$ <u> </u>
10OP.5008	5/8" - 1-1/8" PLT MP	0	EA	X \$ EA	= \$
13-10011	SERVICE TAP & RISER ON 6" STL MAIN				ſ
100P.5009	5/8" - 1-1/8" PLT MP SERVICE TAP & RISER ON 8" STL MAIN	0	EΑ	X \$	= \$
13-10011					
10OP.5010 13-10011	518" -1-1/8" PLT MP SERVICE TAP & RISER ON 12" STL MAIN	0	EA	X \$ EA	= \$
100P.5011	5/8" - 1-1/8" PLT MP	33,000	LF	X \$, LF	= \$,
13-10011	TRENCHING & BACKFILL	**1-3*		•	· · /
100P.5012 13-10011	5/8" - 1-1/8" PLT MP ROAD CROSSING FOR NEW SERVICES (NO PERMANENT RESTORATION)	3,500	LF	X \$ LF	= \$ ~7.18

Page 31 of 34

Contractor: HOLLAND AURORA CONST.

100P.5013	5/8" - 1-1/8" PLT MP INSTALL TUBING THROUGH EXISTING CONDUIT	3,500	LF	X \$		=	\$
13-10011							
100P.5014 13-10011	1-1/4" PLT MP SERVICE TAP & RISER ON ANY MAIN	5	EA	X \$	' EA	=	\$_ ,
100P.5018 13-10011	1-1/4" PLT MP TRENCHING & BACKFILL	2,000	LF	X \$_	/ LF	=	\$ <u></u>
100P.5019 13-10011	1-1/4" PLT MP ROAD CROSSING FOR NEW SERVICES	200	LF	X \$_	LF	=	\$_ , .
100P.5020 13-10011	1-1/4" PLT MP INSTALL TUBING THROUGH EXISTING CONDUIT	200	LF	X \$	/ LF	=	\$
100P.5021 24-10012	2" PLT MP SERVICE TAP & RISER	10	EA	X \$	/ EA	=	\$
100P.5022 24-10012	2" PLT MP TRENCHING & BACKFILL	2,000	LF	X \$	LF	=	\$
100P.5023 24-10012	2" PLT MP ROAD CROSSING FOR NEW SERVICES	200	LF	X \$.	F	=	\$
100P.5024 24-10012	2" PLT MP INSTALL TUBING THROUGH EXISTING CONDUIT	200	LF	X \$./ LF	=	\$
100P.5025 24-10012	3" PLT MP SERVICE TAP & RISER	1	EA	X \$	♥ :	=	\$
100P.5026 24-10012	3" PLT MP TRENCHING & BACKFILL	500	LF	X \$	_/ LF	=	\$
100P.5027 24-10012	3" PLT MP ROAD CROSSING FOR NEW SERVICES	0	LF	X \$_	_ _ F	=	\$
100P.5028 24-10012	3" PŁT MP INSTALL TUBING THROUGH EXISTING CONDUIT	0	LF	X \$	LF	=	\$
100P.5029 24-10012	2" RISER ON 1-1/8" SERVICE	20	EA	X \$		=	\$_ ,
100P.5030 13-10011	5/8" - 1-1/8" INSTALL SERVICE IN CUSTOMER DUG TRENCH (INCLUDES BACKFILL)	5,000	LF	X \$_	LF .	=	\$.

Page 32 of 34

Contractor:_	HOLLAND	AURORA	CONST.
--------------	---------	--------	--------

100P.5031 13-10011	1-1/4" INSTALL SERVICE IN CUSTOMER DUG TRENCH (INCLUDES BACKFILL)	3,000	LF	X \$	_/ LF	=	\$
100P.5032 24-10012	2° INSTALL SERVICE IN CUSTOMER DUG TRENCH (INCLUDES BACKFILL)	0	LF	X \$	F	=	\$
100P.5033 24-10012	3" INSTALL SERVICE IN CUSTOMER DUG TRENCH (INCLUDES BACKFILL)	0	EA	X \$_	_ e a	=	\$·
100P.5034	FLEX RISER - ADDITIONAL COST	300	EA	X \$	· EA	=	\$

Subtotal New Services: \$_ (Enter This Value On Cover Page)

Page 33 of 34

Contractor: HOLLAND AURORA CONST.

Directional Drilling

Item Number/ Location:	Description:	Quantity:	<u>Unit:</u>	Unit Price:	<u>item Sum</u>
100P.6000	DRILLING CREW - LABOR & EQUIPMENT	5	HR	X \$	R = \$,
100P.6001	2" OR LESS DRILL & INSTALL PIPE MINIMUM 50 LF	0	LF	X \$_	= \$ *
100P.6002	2" OR LESS DRILL & INSTALL PIPE 51 - 100 LF	100	LF	X \$ LI	F = \$
100P.6003	2" OR LESS DRILL & INSTALL PIPE 101 - 200 LF	100	LF	X \$.	F = \$,
100P.6004	2" OR LESS DRILL & INSTALL PIPE 201 - 500 LF	200	LF	X \$.	F = \$ <u>,</u>
100P.6005	2" OR LESS DRILL & INSTALL PIPE 501 - 1000 LF	0	LF	X \$, L	F = \$
10OP.6006	3" OR 4" DRILL & INSTALL PIPE MINIMUM 50 LF	0	LF	X \$: = \$ <u> </u>
10OP.6007	3" OR 4" DRILL & INSTALL PIPE 51 - 100 LF	100	LF	X \$i	F = \$
100P.6008	3" OR 4" DRILL & INSTALL PIPE 101 - 200 LF	100	LF	· <u></u>	F = \$_
10OP.6009	3" OR 4" DRILL & INSTALL PIPE 201 - 500 LF	200	LF	X \$	= \$
10OP.6010	3" OR 4" DRILL & INSTALL PIPE 501 - 1000 LF	500	ŁF	X \$_	: = \$ <u></u>

Page 34 of 34

		9			
	Contract	or: HOLLAND	D AUKORA	CONS	r
100P.6011	6' Drill & Install Pipe Minimum 50 LF	0 L	F X \$_	LF =	\$
100P.6012	6" DRILL & INSTALL PIPE 51 - 100 LF	0 Li	F X \$. =	\$ *
100P.6013	6" DRILL & INSTALL PIPE 101 - 200 LF	0 Ц	= x \$_	£F =	\$
100P.6014	6" DRILL & INSTALL PIPE 201 - 500 LF	O LF	- X \$_	=	\$·
100P.6015	6" DRILL & INSTALL PIPE 501 • 1000 LF	0 LF	- X \$	=	\$·
100P.6016	8" DRILL & INSTALL PIPE MINIMUM 50 F	0 LF	X \$; =	\$
100P.6017	8" DRILL & INSTALL PIPE 51 - 100 LF	O LF	: X	LF =	\$ ***
100P.6018	8" DRILL & INSTALL PIPE 101 - 200 LF	0 LF	· x \$_	,F =	\$,
100P.6019	8" DRILL & INSTALL PIPE 201 - 500 LF	0 LF	x \$_	F =	\$I
100P.6020	SPOT HOLES IN ASPHALT	5 E A	X \$	=	\$_
100P.6021	SPOT HOLES IN CONCRETE	5 EA	X \$_	=	\$_
10OP.6022	SPOT HOLES IN EARTH	15 EA	X \$		\$_

Subtotal Directional Drilling:	\$ <u>.</u>	
(Enter This Value On Cover Page)	<u> </u>	

ST-124 (7/97)

New York State

Department of

Taxation

and Finance

New York State and Local Sales and Use Tax

Certificate of Capital improvement

After this certificate is completed and signed by both the customer and the contractor performing the capital improvement, it must be kept by the contractor.

Read this form completely before making any entries.

This certificate may not be used to purchase building materials.

Name of customer (print or type)		Name of contractor (print or type)				
National Fuel Gas Distribution Corporation Holland Aurora Construction, Inc.						
Street address		Street address				
6363 Main Street		70 N. Main St.,		· 		
City State	ZIP code	City	State NY	ZIP code		
Williamsville NY Certificate of Authority number (If any)	14221	Holland Certificate of Authorit		14080		
13-2759381 C		Catillicars of Wathout	ty number (ii aity)			
To be completed by the customer:	·····	<u> </u>				
Describe capital improvement to be performed:						
, ,						
Pipeline construction			·			
	· · · · · · · · · · · · · · · ·					
		N	······································			
:		· · · · · · · · · · · · · · · · · · ·		·		
oject Name						
Blanket Services and Mainline Extensions						
Street address (where the work is to be performed)	Clty	•	State	ZIP code		
i certify that:						
I am the 🛛 owner, 🗀 tenant, of the real proper	ly identified on thi	is form, and				
The work described above will result in a capital	improvement to	the real property with	hin the guidelines listed o	on the back of this		
form, and						
This contract (check one) 🔲 includes, 🛛 does				installed, retains its		
identity as tangible personal property and does	not become a per	rmanent part of the r	eal property.			
I understand that:						
I will be responsible for any sales tax, Interest, a				rsonal property and		
for labor, if it is determined that this work does n						
will be required to pay the contractor the appro				ated services)		
transferred to me pursuant to this contract, when permanent part of the real property; and	n the property ins	talled by the contrac	tor does not become a	•		
I will be subject to civil or criminal penalties (or t	ooth) under the Te	avlow if lieeue a fa	lee or fraudulent certifics	nte.		
I will be adoject to divil of diffilling perialities (of t	John, ander the 12	an E0W, 11 1 10000 0 10	ing or maddalon columns	ato,		
Signature of customer . / / / /	-1	Title	Da	ite		
- Jan 1/1/1/1		Sr. Vice Presider	nt 12/3	104		
To be completed by the contractor:				7		
I, the contractor, certify that I have entered into	a contract to perfo	orm the work describ	ed by the customer nam	ed above. (A copy of		
the written contract, if any, is attached.)			رفيات مفاصلات ما الله المعامل	a man maganasilis Belska		
I, understand that my fallure to collect tax as a refor the tax otherwise due, plus penalties and interes		an improperly comp	neted certificate Will Mak	e me personally liable		
Signature of contractor		ritle	Da	te		
a.S. in an a second agent	·					

This certificate is not valid unless all entries are completed.

Guidelines

If a contractor has been given a properly completed Certificate of Capital Improvement by the customer within 90 days after rendering services, the burden of proving the job or transaction was a capital improvement (i.e., was not taxable to the customer) rests **solely** on the customer.

If the contractor has **not** been given a properly completed Certificate of Capital Improvement within 90 days, the work performed will be deemed to have been a taxable transaction. In this instance, if the contractor fails to pay the appropriate tax on the full amount of the contract, the contractor will be required to bear the burden of proving the transaction was a capital improvement.

The contractor must maintain a method of associating an exempt sale to a particular customer with the exemption certificate relating to that sale. The contractor must keep the exemption certificate for at least three years after the due date of the last return to which it relates or the date the return was filed, if later.

This certificate, when completed by the customer and given to the contractor, is evidence that the work to be performed will result in a capital improvement to real property. This certificate may not be used by a contractor, subcontractor, a property owner or a tenant to purchase building materials or other tangible personal property tax free. Acceptance of this certificate by a contractor does not relieve the contractor of the liability for payment of sales tax. A contractor must pay sales tax on the purchase of building materials or other tangible personal property incorporated into the real property as a capital improvement.

A capital improvement to real property is defined in section 1101(b)(9) of the Tax Law and Sales Tax Regulation, section 527.7(a)(3), as an addition or alteration to real property which:

 a) substantially adds to the value of the real property or appreciably prolongs the useful life of the real property,

and

 b) becomes part of the real property or is permanently affixed to it so that removal would cause material damage to the property or article itself,

and

c) is intended to become a permanent installation.

The work performed by the contractor must meet all three of the above requirements to be considered a capital improvement. This certificate may not be issued unless the work qualifies as a capital improvement.

The term "materials" is defined as items which become a physical component part of real or personal property, such as lumber, bricks, or steel (Sales Tax Regulation, section 541.2(I)). This also includes other items such as doors, windows, kits, and prefabricated buildings used in construction.

For guidance as to whether a job is a repair or a capital improvement, refer to Publication 862, Sales and Use Tax Classifications of Capital Improvements and Repairs to Real Property.

Floor Covering

On or after June, 1989, floor covering such as carpet, carpet padding, linoleum and viny! roll flooring, carpet tile, linoleum tile, and viny! tile, installed as the initial finished floor covering in new construction, a new addition to an existing building or structure, or in a total reconstruction of an existing building or structure, constitutes a capital improvement regardless of the method of installation. As a capital improvement, the charge to the property owner for the installation of such floor covering is not subject to New York State and local sales and use taxes.

Floor covering installed other than as described in the preceding paragraph does not qualify as a capital improvement, even though it meets the criteria stated in (a), (b), and (c) above. In other words, floor covering installed other than (1) in new construction, (2) in an addition to an existing building or structure, or (3) in a total reconstruction of an existing building or structure is not a capital improvement, and the installation charge is subject to the sales tax regardless of the manner in which the covering is installed.

The retail purchase of floor covering (carpet, padding, etc.) itself is subject to tax.

The term floor covering does not include flooring such as ceramic tile, hardwood, slate, terrazzo, and marble. Thus, the rules for determining when floor covering constitutes a capital improvement do not apply to such flooring.

ST-124 (7/97)

New York State

Department of

Taxation

and Finance

Name of customer (print or type)

New York State and Local Sales and Use Tax

Certificate of Capital Improvement

Name of contractor (print or type)

After this certificate is completed and signed by both the customer and the contractor performing the capital improvement, it must be kept by the contractor.

Read this form completely before making any entries.

This certificate may not be used to purchase building materials.

National Fuel Ga	Fuel Gas Supply Corporation Holland Aurora Construction, Inc.				
Street address			Street address		
6363 Main Street	State	ZIP code	70 N. Main St.,	P. O. Box 69 State	ZIP code
Williamsville	NY	14221	Holland	NY	14080
Certificate of Authority r 25-0850705		77221	Certificate of Authorit		14000
To be completed I	by the customer:				
Describe capital improve	ement to be performed:				
Pipeline construc	tion				
					
	· · · · · · · · · · · · · · · · · · ·	······		······	
· ·					
,					
oject Name	and Majolina Evia	aniona			
	and Mainline Externe work is to be performe		City	State	ZIP code
Ollect gardes (micie fi	to work is to be parioritie	4)	Oity	Otore	217 0009
certify that:	~~~			·	
I am the 🛛 owner,	tenant, of the real	property identified o	n this form, and		
The work describe	d above will result in a	capital improvemen	t to the real property with	nin the guidelines listed (on the back of this
form, and	ala a a a S 🖂 da al asta a 😥		6 10 -64		handall. d
			he sale of tangible perso a permanent part of the re		nstalled, retains its
	hersonar broberty and	TOSS NOT DECOTING S	i politicuoni pari di mo i	sai property,	
I understand that:	a for any salas tov into	arast and nanalty di	ue on the contractor's total	al charge for tangible no	reanal property and
			a capital Improvement, a		asonal property and
I will be required to	pay the contractor the	appropriate sales t	ax on tangible personal p	property (and any associ	ated services)
		t, when the property	installed by the contract	or does not become a	•
permanent part of	the real property; and	aa (ar bath) undan th	e Tax Law, if I issue a fal	laa ay fuu udulant aartiffaa	-t-
I will be subject to	civil or criminal penalu	es (or both) under th	e tax Law, ii i issue a lai	ise or iraudulent certifica	119. .
Signature of customen			Title	Đ	ite
	~//~/	C lare	Sr. Vice Presiden		· · · ·
To be completed by					
i, the contractor, co	ertify that I have entere	d into a contract to p	perform the work describe	ed by the customer nam	ed above. (A copy of
the written contract, if	any, is attached.)	ae a raoult of accan	ting an improperly comp	latad cartificata will mak	a ma norconally liable
for the tax otherwise of	lue, plus penalties and	interest.	and an unknohona coult	otou opitiioate will flian	o me heraorrana nana
Signature of contractor			Title	Da	te

This certificate is not valid unless all entries are completed.

Guidelines

If a contractor has been given a properly completed Certificate of Capital Improvement by the customer within 90 days after rendering services, the burden of proving the job or transaction was a capital improvement (i.e., was not taxable to the customer) rests **solely** on the customer.

If the contractor has **not** been given a properly completed Certificate of Capital Improvement within 90 days, the work performed will be deemed to have been a taxable transaction. In this instance, if the contractor fails to pay the appropriate tax on the full amount of the contract, the contractor will be required to bear the burden of proving the transaction was a capital improvement.

The contractor must maintain a method of associating an exempt sale to a particular customer with the exemption certificate relating to that sale. The contractor must keep the exemption certificate for at least three years after the due date of the last return to which it relates or the date the return was filed, if later.

This certificate, when completed by the customer and given to the contractor, is evidence that the work to be performed will result in a capital improvement to real property. This certificate may not be used by a contractor, subcontractor, a property owner or a tenant to purchase building materials or other tangible personal property tax free. Acceptance of this certificate by a contractor does not relieve the contractor of the liability for payment of sales tax. A contractor must pay sales tax on the purchase of building materials or other tangible personal property incorporated into the real property as a capital improvement.

A capital improvement to real property is defined in section 1101(b)(9) of the Tax Law and Sales Tax Regulation, section 527.7(a)(3), as an addition or alteration to real property which:

 a) substantially adds to the value of the real property or appreciably prolongs the useful life of the real property,

and

 b) becomes part of the real property or is permanently affixed to it so that removal would cause material damage to the property or article itself,

and

c) is intended to become a permanent installation.

The work performed by the contractor must meet all three of the above requirements to be considered a capital improvement. This certificate may not be issued unless the work qualifies as a capital improvement.

The term "materials" is defined as items which become a physical component part of real or personal property, such as lumber, bricks, or steel (Sales Tax Regulation, section 541.2(i)). This also includes other items such as doors, windows, kits, and prefabricated buildings used in construction.

For guidance as to whether a job is a repair or a capital improvement, refer to Publication 862, Sales and Use Tax Classifications of Capital Improvements and Repairs to Real Property.

Floor Covering

On or after June, 1989, floor covering such as carpet, carpet padding, linoleum and vinyl roll flooring, carpet tile, linoleum tile, and vinyl tile, installed as the initial finished floor covering in new construction, a new addition to an existing building or structure, or in a total reconstruction of an existing building or structure, constitutes a capital improvement regardless of the method of installation. As a capital improvement, the charge to the property owner for the installation of such floor covering is **not** subject to New York State and local sales and use taxes.

Floor covering installed other than as described in the preceding paragraph does not qualify as a capital improvement, even though it meets the criteria stated in (a), (b), and (c) above. In other words, floor covering installed other than (1) in new construction, (2) in an addition to an existing building or structure, or (3) in a total reconstruction of an existing building or structure is not a capital improvement, and the installation charge is subject to the sales tax regardless of the manner in which the covering is installed.

The retail purchase of floor covering (carpet, padding, etc.) itself is subject to tax,

The term floor covering does **not** include flooring such as ceramic tile, hardwood, slate, terrazzo, and marble. Thus, the rules for determining when floor covering constitutes a capital improvement do not apply to such flooring.

1100 State St. Erle, PA 16501

PRE-BID MEETING MINUTES

Tuesday, October 20, 2009

General Comments:

> These minutes shall be incorporated as contract documents.

Project Review:

- Cost of pipe shall <u>NOT</u> be included in the unit prices for directional drilling. However, the cost to fuse pipe together for drilling will be included.
- 2. The pay increment for directional drilling (.6001 .6019) will be determined by each drill set-up" location. (e.g. 3 road crossings at 60 lf/each = 3 crossings at the 50′ 100′ increment price.)
- 3. Special Condition #17: When the bid documents indicate or National Fuel directs the contractor to direct bury or insert, the contractor may have the option to use trenchless methods at the unit prices for direct bury plus pipe pushing or insertion (no extra payment for cutting windows). Spot holes will only be paid where required for road crossings.
- 4. We will delete items .5015, .5016, .5017, as item .5014 will be paid for the labor to install any main connection for a 1-1/4" service. (Same as .5021 and .5025 for 2" and 3" services, respectively.)
- 5. Bid items .623, .624, and .625 are by insertion. If direct bury is necessary, then item .5018, .5022, or .5026 will be used.
- 6. Unit prices for mainline work do not include the cost to install fittings (90° Ell, tee, 45° Eli etc.) when that work is not anticipated. This work will be paid using hourly rates plus material.
- 7. Item .610 will include up to 50 LF (not 150' LF).
- 8. Relights that are commercial, industrial or involve excessive relighting of equipment will be paid hourly.
- 9. Williamson connections for services will be paid hourly using welder rates.
- 10. On mainline insertions, there will be no separate payment for temporary service connections.
- 11. If a separate excavation is required to cut and plug an old service connection, contingency payments will be used (C-22 or C-23). Item .610 description was revised accordingly.
- 12. When a 1-1/8" stick EFV is required, the contractor will be paid using contingency C-58.
- 13. If the contractor material catalog lists an identical item <u>more than once</u>, the bidder should use the <u>highest unit price</u> listed.
- 14. Special Condition #25: This condition will apply for both new and renewal services.

. •

The bids are due by noon on the due date (see attached calendar) to John Macchia in the Engineering Department at 6363 Main Street, Williamsville, NY. Questions may be directed to John Macchia, at (716) 857-7867.

FACSIMILE OR EMAIL TRANSMISSIONS WILL NOT BE ACCEPTED

The Bid must be submitted on-line unless otherwise directed by National Fuel

- 1. This document is an invitation to qualified pipeline contractors to submit an offer to perform pipeline construction and related work for National Fuel Gas Distribution and Supply Corporation ("National Fuel"). Your bid submission shall constitute your offer to perform such work at the prices set forth in your bid submission.
- 2. Term of Contract
 - Three renewable contracts.

January 1, 2010 - December 31, 2010

January 1, 2011 - December 31, 2011

January 1, 2012 - December 31, 2012

- This Agreement shall be effective as of the date first above written, and shall continue in effect,
 unless terminated earlier pursuant to other provisions of this Agreement. Additionally, the
 Agreement shall automatically renew for up to one additional one-year term should neither party
 provide at least 30-days prior written notice to the other of its intent not to renew prior to the
 expiration of the term then in effect.
- 3. The Contract Documents shall consist of the following:
 - The Bid Submission (i.e., the awarded Contract);
 - These Special Conditions:
 - The current Pipeline Contractor Administration Manual;
 - · Contingency Prices;
 - Meter Set Drawings;
 - Current Contractor Foreman / Pipeline Inspector Manual.
 - The current National Fuel Gas Material Catalog with Prices dated 10/12/09;
 - The current Restoration Special Conditions (Administration Manual).
 - The current Construction Specifications and Procedures Manual (Supply Company)
- 4. Invoicing: On a weekly basis, the Contractor shall submit a tally sheet to the Company's District Manager, summarizing that portion of the Work completed by the Contractor during the previous week, and agreed upon by the Company. The Company shall utilize these tally sheets in making appropriate payments to the Contractor on a bi-weekly basis. Invoices are subject to Company Material Allowance reductions as set forth in the Contract Documents. Terms of payment are net 30 days.
- 5. All restoration is rough grade tamped and level. Temporary asphalt is to be installed for all street excavations and the cost included in the appropriate street bid item. For pavement excavations other than street, temporary asphalt will be installed as directed by National Fuel using a contingency payment item.

- 6. All bid items must have a unit price submitted even if the quantity is zero. Company also reserves the right to reject any total bid at the sole discretion of National Fuel.
- 7. National Fuel reserves the right to reject any unit bid item that it deems as unacceptable, as well as any item with a bid quantity of zero. The work for that bid item may be paid using hourly rates or by contingency.
- 8. Company material allowance prices may be adjusted for material cost increases and / or overhead rate changes. The total estimated National Fuel material cost must be submitted on the price quotation cover sheet. This cost is included in the individual bid items unless otherwise noted. There will be no adjustments for material price changes for the first calendar year of the contract, unless there is a significant change, at the discretion of National Fuel. The cost of mainline plastic pipe 1-1/4° and larger, and paid by the linear foot, shall not be included in the unit bid prices. Instead, the contractor will submit a Change Order for the actual material cost charged and submit that Change Order with the associated taily sheets. Those Change Orders shall include the MMD packing slip to verify the unit price charged.

When National Fuel approves any additional compensation for material cost increases, the contractor must submit a Change Order and the appropriate "material worksheet" and verify the actual prices charged (packing slips). These submittals must match the quantities used on the associated tally sheets.

- 9. The bid package will be awarded on the combined overall lowest bid of the individual servicenter bids contained in the bid package. The Company may award contracts for any servicenter on an "alternate" basis. The alternate Contractor would be awarded work on an as-needed basis when the primary blanket Contractor does not have crews available when needed. There will be no minimum guarantee of work for the alternate Contract. National Fuel Gas reserves the right to disqualify a low bidder if the bid amount on any bid items is deemed excessive or unbalanced.
- 10. National Fuel Gas will guarantee at least 25% of the estimated dollar value of work of the total low bid amount, annually, for the combined servicenter areas awarded. This will include all like and similar work performed on a blanket contract basis. The Company may offer work in areas other than those areas awarded in an effort to achieve the 25% value. If work is assigned in other service areas, the contractor may be entitled to compensation for additional travel expenses. Any work declined by the contractor will be applied to the guarantee value.
- 11. Contractors bidding on this work must have the capability of completing road crossings using trenchless construction methods. There will also be items provided for directional drilling. The contractor may choose to install a road crossing by directional drilling however, the directional drilling prices apply only when specified by National Fuel. Company materials are not included in the Directional Drilling prices.
- 12. Backfill for work under surfaces other than earth shall include pipe padding and select backfill. Excavated material under any surface other than earth must be removed and disposed. Standard traffic protection is included but flagmen would be paid as an extra.
- 13. All plastic pipe installations must include tracer wire, split bolt connections, and warning tape (if direct bury). Wire will be verified for continuity

- 14. Warning tape shall be installed, per National Fuel specifications, on all pipe (mains & services) that has been placed by direct bury, regardless of the length of the excavation. When pipe is inserted, tape will be required over the pipe in the open-excavated areas. Tape should be installed at a depth approximately halfway between the top of the pipe and the top of the trench, not less than 12" over the pipe.
- 15. All mains and services being uprated from low to medium pressure will be tested at 90 psig for a minimum of one hour. The cost of testing should be included in the associated bld items.
- 16. 12-gauge copper clad tracer wire is required for all installations.
- 17. When the bid documents indicate, or National Fuel directs the contractor to "direct bury", the contractor has the option of using trenchless construction to complete the work at the unit price for direct bury.
- 18. The contractor is responsible to coordinate the work with the customer/property owner. The contractor will verify work site availability to avoid delays,
- 19. Company material will be available from our Mineral Springs warehouse in New York.. Contractors will be assigned one day per week to pick-up or receive deliveries from our warehouse. Two (2) working days notice is required for each order. Deliveries of contractor materials <u>may</u> be accommodated to the local servicenter. Advance notice is required and delivery schedules vary and are limited.
- 20. To accommodate PCB testing, the contractor may be required to furnish National Fuel with pipe samples. There is no separate payment for this work. If the contractor is required to axial cut the pipe, a contingency item will apply.
- 21. The incremental quantity for mainline work will be determined by using the total mainline linear footage per project or per job site location. The price increment for each size of mainline pipe will be determined by using the total footage of the project (e.g. one project includes 800' of 2" & 800' of 3" equals total 1600 LF of main. We would use the 1001 2000 LF price for both 2" and 3" main).
- 22. National Fuel will not respond to One-Call requests to locate existing gas facilities on blanket work for National Fuel (NY & PA). The contractor will be provided with measurements and records to locate our existing facilities using the appropriate equipment and the provided information. Contractor personnel will be required to attend a ½ day training session to "operator qualify" in line locating to accommodate this work and will need to be field-certified to perform locating unsupervised.
- 23. Work in streets will be paid on a crew and equipment basis. If specialized equipment such as large (operator required) power saws are needed, the contractor will be compensated via Change Order. Bid Item .502, "service cut-off in street", includes street excavation and backfill and there will be no additional compensation for that work. If the bid items do not specify street excavation, additional payment will be applicable.
- 24. For mainline insertions, the bid items for temporary cut-offs shall include furnishing the materials (CSI, end cap, stiffeners) to accommodate the existing gas line. Payment will be made for the pipe size cut.
- 25. The main connection saddle material for 1-1/4", 2" and 3" service renewals and new services will be paid by Change Order. An inserted riser and riser valve will be required and included in the renewal price.

- 26. Service renewal items include the pipe, riser, riser valve and meter bar. The main connection will be paid using the appropriate, separate bid item.
- 27. Payment Items: Whenever a bid item is identical to a contingency item, the bid item shall be used for payment. If a bid item is not appropriate, a contingency item shall be used as an alternate payment method. If there is no contingency that suits the work, a Change Order shall be created using contingency rates for the time and material charges.
- 28. Coal Tar Pipe Removal: The contractor shall comply with all "cold tar pipe removal and handling procedure" as required by the contract documents.
- 29. For bidding purposes, all excavations shall be considered to be in earth unless otherwise stated in the bid items. Additional payment will be made for payement removal and backfill for work in surfaces other than earth (e.g. concrete, asphalt, street). No additional payments will be made for excavations under stone or gravel, however, pipe padding and select backfill will be required and pald using a separate bid item or contingency.
- 30. Plastic-to-plastic tie-ins must be made using either mechanical couplings or electrofusion.

 Butt-fuse tie-ins are not permitted in any excavation.
- 31. Warranty of Authority: "Contractor is a corporation or limited liability company which is duly organized, validly existing and in good standing in all states in which Contractor is doing business. Contractor is also duly qualified as a foreign corporation or foreign limited liability company in all states in which the failure to so qualify would have a material adverse effect on its business or financial condition."
- 32. <u>Performance Bond</u>: At the time of bid submittal, the Contractor shall provide the Company with a unit price per thousand dollars for the cost to provide a performance bond. The cost of this bond may be applied to the bid in determining the total bid price.
- 33. An "undeveloped" area is defined as a work site where there are no established driveways, lawns, sidewalks, etc. In addition, there would be no existing utilities that would be parallel to and within the "tolerance zone" of our pipe installation
- 34. When cutting "windows" for insertions, the bidder will be provided pay items for the size of pipe cut. For sizes not provided a bid item, hourly rates will apply.
- 35. Bid items are provided for pipe padding and other select fill products by the cubic yard.

 Acceptable pipe padding is specified in National Fuel procedures. Any other select backfill will be covered using the select fill item per cubic yard.
- 36. SD meter set bid items include labor and equipment to deliver and install. The pre-fab sets will be provided by National Fuel at no cost to the contractor.
- 37. If the contractor is required to furnish any non-National Fuel materials (or special rental equipment) on a "cost-plus" basis, for which there is no appropriate bid item, those materials may be charged at invoice cost plus 5% overhead and profit.
- 38. The contractor provides the welder for the Williamson bid Items. If contractor request National Fuel to provide the welder, contractor must credit National Fuel.
- 39. In NY, all services include one wall bracket per service riser. In PA, only <u>new</u> services require a wall bracket.
- 40. If the contractor is reimbursed for time spent on failed trenchless installation, payment will be made using hourly rates.

UNIT PRICE QUOTATION AND MEASUREMENT (2010 – 2012)

The contractor's unit price quotations, and associated measurement for payment, shall include but not be limited to the following descriptions of work:

A. Service Cut-offs (Items .500, .501, & .502) not associated with a new or renewal service

2" and Smaller Service Cut-offs - Main

- 1. Turn off curb valve remove box lid.
- 2. Excavate the main and service tap. All appropriate main fittings should be removed from the main. The service should be cut and capped as close to the main as practical.
- 3. Remove curb valve cover and fill curb box with acceptable material.
- 4. Remove and return existing meter set, cap and/or plug line.
- 5. Make any coating repairs as necessary.
- 6. Backfill in pavement and street with required select fill.

B. Service Work

The following GENERAL items shall be included on the scope of the work required to install, renew, and maintain services.

- 1. Disassembly and removal and return of existing meter set, cap and/or plug old line.
- 2. Install marking and locating devices
- 3. Cathodic protection (as necessary paid as an extra)
- 4. Painting exterior piping as required
- 5. Drill the service to minimize exposed houseline
- 6. Install wall brackets or channel posts as required.
- 7. Air testing all lines. (Applicable for all new, converted, transferred or renewed services.)
- 8. Furnish all material required to complete the work, main connection, including riser, riser valve, regulator, meter bar and reducing coupling (If necessary).
- 9. In NY, furnish and install one wall bracket per riser. In PA, furnish and install one wall bracket per riser on new services only.
- 10. Double plug and cap all abandoned below grade service piping entrance piping.
- 11. Install tracer wire with all pipe as well as warning tape in any open excavations.
- 12. Coordinate and schedule with customer

Service Conversions

When an existing service is converted from one operating pressure to another.

- 1. Plastic Service-On-Plastic Main Inside Meter With 1-Hole Service at house(Bid Item No. 601).
 - a) Install new riser, riser valve, meter / regulator set
 - b) Excavation, backfill, and compact
 - c) Plug and cap old service entrance
 - d) Furnish all materials required to complete the work
 - e) Pressure test

- 2. Plastic Service-on-Plastic Main Outside Meter with No-Hote Service (Bid Item No. 602).
 - a) Install new meter/regulator set and houseline connection
 - b) Furnish all materials required to complete the work
- Plastic Service-on-Plastic Main <u>Outside Meter</u> Requiring New Riser, Riser Valve, Regulator, and Meter Bar (Bid Item No. 601).
 - a) Install new riser, riser valve, meter / regulator, and houseline connection
 - b) Excavation, backfill, and compact
 - c) Furnish all materials required to complete the work
 - d) Pressure test
- 4. Plastic Service-on-Coated Steel Main Inside Meter with 2-Hole Excavation (Bid Item No. 600).
 - a) Install new main fittings (cathodic protection)
 - b) Install new riser, riser valve, meter / regulator, and houseline connection
 - c) Pressure test
 - d) Plug old main connection
 - e) Excavation, backfill, and compact
 - f) Make any coating repairs as necessary
 - g) Plug and cap old service entrance
 - h) Furnish all materials required to complete the work
- 5. Plastic Service-on-Coated Main Outside Meter with 1-Hole Excavation (Bid Item No. 601).
 - a) Install new main fittings (cathodic protection)
 - b) Plug old main connection
 - c) Install new regulator and meter set.
 - d) Pressure test
 - e) Excavation, backfill, and compact
 - f) Make any coating repairs as necessary
 - g) Furnish all materials required to complete the work
- 6. Plastic Service-on-Coated Main Outside Meter with 2-Hole Excavation (Bid Item No. 600).
 - a) Install new main fittings (cathodic protection required)
 - b) Install new riser, riser valve, meter / regulator, and houseline connection
 - c) Pressure test
 - d) Plug old main connection
 - e) Excavation, backfill, and compact
 - f) Make any coating repairs as necessary
 - g) Furnish all materials required to complete the work

Service Transfer

This involves transferring a plastic service from one main to another main of the same operating pressure.

- 1. Plastic Service-On-Plastic Main Inside Meter 2-Hole Service (Bid Item No. 603).
 - a) Install new main fittings
 - b) Pressure test
 - c) Install new riser, meter / regulator and houseline connection
 - d) Plug old main connection

- e) Excavation, backfill, and compact
- f) Plug and cap old service entrance
- g) Furnish all materials required to complete the work
- 2. Plastic Service-on-Plastic Main Outside Meter (old style riser) 2-Hole Service (Bid item No. 603).
 - a) Install new main fittings
 - b) Pressure test
 - c) Install new riser, meter / regulator, and houseline connection
 - d) Plug old service at main
 - e) Excavation, backfill, and compact
 - f) Furnish all materials required to complete the work
- 3. Plastic Service-on-Plastic Main Outside Meter 1-Hole service (Bid Item No. 604).
 - a) Install new main fittings
 - b) Pressure test
 - c) Excavation, backfill, and compact
 - d) Plug or cap old service at main
 - e) Furnish all materials required to complete the work
- 4. Plastic Service-on-Coated Steel Main Inside Meter 2-Hole service (Bid Item No. 603).
 - a) Install new main fittings (cathodic protection)
 - b) Pressure test
 - c) Install new riser, meter / regulator and houseline connection
 - d) Plug or cap old service at main
 - e) Excavation, backfill, and compact
 - f) Make any coating repairs as necessary
 - g) Plug and cap old service entrance
 - h) Furnish all materials required to complete the work
- 5. Plastic Service-on-Coated Steel Main Outside Meter 1-Hole Service (Bid Item No. 604).
 - a) Install main fittings (cathodic protection)
 - b) Pressure test
 - c) Excavation, backfill, and compact
 - d) Make any coating repairs as necessary
 - **e**)
 - Plug or cap old service at main
 - g) Furnish all materials required to complete the work
- 6. Plastic Service-on-Coated Steel Main <u>Outside Meter</u> (old style riser) 2-Hole Service (Bid Item No. 603).
 - a) Install main fittings (cathodic protection)
 - b) Pressure test
 - c) Install new riser, meter / regulator, and houseline connection
 - d) Excavation, backfill, and compact
 - e) Make any coating repairs as necessary
 - f) Plug or cap old service at main
 - g) Furnish all materials required to complete the work

Service Conversions Transfer

This work involves transferring an existing plastic or coated service to a main of a different operating pressure.

- 1. Plastic Service-On-Plastic Main Inside Meter With 2-Hole Service (Bid Item No. 605).
 - a) Install new main fittings
 - b) Install new riser, meter/regulator, and houseline connection
 - c) Pressure test
 - d) Excavation, backfill and compact
 - e) Plug or cap old main connection
 - f) Plug and cap old service entrance
 - g) Furnish all materials required to complete the work
- 2. Plastic Service-On-Plastic Main Outside Meter With 1-Hole (Bid Item No. 606).
 - a) Install new main fittings
 - b) Pressure test
 - c) Excavation, backfill and compact
 - d) Install meter/regulator and houseline connection
 - e) Plug or cap old main connection
 - f) Fumish all materials required to complete the work
- 3. Plastic Service-On Plastic Main <u>Outside Meter</u> With 2-Hole Requiring New Riser, Regulator and Meter Bar (Bid Item No. 605).
 - a) Install new main fittings
 - b) Pressure test
 - c) Install new riser, meter/regulator, and houseline connection
 - d) Excavation, backfill and compact
 - e) Plug or cap old main connection
 - f) Furnish all materials required to complete the work
- 4. Plastic Service-On-Coated Steel Main Inside Meter With 2-Hole Excavation (Bid Item No. 605).
 - a) Install new main fittings (cathodic protection)
 - b) Install new riser, meter/regulator, and houseline connection
 - c) Pressure test
 - d) Plug or cap old main connection
 - e) Excavation, backfill and compact
 - f) Make any coating repairs as necessary
 - g) Plug and cap old service entrance
 - h) Furnish all materials required to complete the work

- 5. Plastic Service-On-Coated Main Outside Meter With 1-Hole Excavation (Bid Item No. 606).
 - a) Install new main fittings (cathodic protection)
 - b) Install new meter/regulator and houseline connection
 - c) Pressure test
 - d) Excavation, backfill and compact
 - e) Make any coating repairs as necessary
 - f) Plug or cap old main connection
 - g) Furnish all materials required to complete the work
- 6. Plastic Service-On-Coated Main <u>Outside Meter</u> (old style riser) With 2-Hole Excavation (Bid Item No. 605).
 - a) Install new main fittings (cathodic protection)
 - b) Install new riser, meter/regulator, and houseline connection
 - c) Pressure test
 - d) Plug or cap old main connection
 - e) Excavation, backfill and compact
 - f) Make any coating repairs as necessary
 - g) Furnish all materials required to complete the work

Service Renewals

- 1. Short side renewal inside or outside meter with 2-hole excavation and replacement of service tubing (Bid Item No. 607)
 - a) Excavation, backfill, surplus disposal, and compact
 - b) Install main tap and riser
 - c) Plug or cap old service tap, if necessary
 - d) Remove existing curb stop and box
 - e) Excavate at the existing outside riser or where the service presently enters the building below grade and plug and cap old service entrance.
 - f) Fill above grade building openings if necessary
 - g) Replace existing steel service with 5/8" or 1-1/8" plastic tubing (up to 150 LF for blanket contract)
 - h) Install service riser, riser valve, regulator, and single meter bar assembly
 - i) Temporary connection to main for mainline insertions.
 - i) Pressure test
 - k) Plug and cap abandoned service lines
 - i) Install curb stop and box on commercial services as directed by National Fuel
 - m) Tie-in houseline
 - n) Make any coating repairs as necessary
 - o) Furnish all materials required to complete the work
- Long side renewal <u>inside or outside</u> meter with 3-hole excavation and replacement of service tubing (Bid Item No. 608). This item would apply for a long side service from the main insertable all the way to the building.
 - a) Excavation, backfill, surplus disposal, and compact
 - b) Install main tap and riser
 - c) Plug or cap old service tap, if necessary
 - d) Remove existing curb stop and box (third hole)
 - e) Excavate at the existing outside riser or where the service presently enters the building below grade and plug and cap old service entrance.
 - f) Fill above grade building openings if necessary

- g) Replace existing steel service with 5/8" or 1-1/8" plastic tubing (up to 150 LF for blanket contract)
- h) Install service riser, riser valve, regulator, and single meter bar assembly
- i) Temporary connection to main for mainline insertions.
- i) Pressure test
- k) Plug and cap abandoned service lines
- I) Install curb stop and box on commercial services as directed by National Fuel
- m) Tie-in houseline
- n) Make any coating repairs as necessary
- o) Furnish all materials required to complete the work
- 3. New road crossing for a short-side service (.609). This item is used for a trenchless service crossing.
 - a) Excavation, backfill, surplus disposal and compact
 - b) Furnish and place plastic casing (1-1/8" 1-1/4") and insert service carrier pipe (5/8" 1-1/8")
 - c) Furnish all materials required to complete the work
- Short side renewal inside or outside meter with 2-hole excavation with direct bury of service tubing (Bid Item No. 610)
 - a) Excavation, backfill, surplus disposal, and compact
 - b) Install main tap and riser
 - c) Plug or cap existing service tap
 - d) Remove curb valve cover and fill curb box with acceptable material
 - e) Remove the existing outside riser and fill above grade building openings, or plug and cap old service entrance for below grade service entrance.
 - f) Cap and fill any below grade holes in the building and seal any above grade holes
 - g) Direct bury of service tubing (up to 50 LF for blanket contract)
 - h) Service line in excess of 50 LF will be paid by contingency for blanket contract work
 - i) Install service riser, riser valve, regulator, and meter bar assembly
 - i) Pressure test
 - k) Install curb stop and box on commercial services as directed by National Fuel
 - I) Tie-in houseline
 - m) Temporary connection to mains for mainline insertions.
 - n) Make any coating repairs as necessary
 - o) Furnish all materials required to complete the work
 - Separate excavation to abandon an old service connection will be paid using contingency item C22 or C23.
- 5. Double Meter Sets (Bid Item .611)
 - a) Furnish and install double meter bar
 - b) Drill houseline entry
 - c) Place meters
 - d) Note: This item is for the incremental cost of installing a second meter. The cost of furnishing and installing the first meter with a single meter bar should be included in an appropriate service renewal item. The material cost for this item should be the difference between a single meter bar and a double meter bar.
- 6. Additional Meter Beyond Double (Bld Item .612)
 - a) Furnish and install an additional single meter bar on meter sets containing three meters or greater
 - b) Drill houseline entry
 - c) Place meter
 - d) Note: Payment is for the "third" meter and each additional meter

- 7. Install Houseline 3/4" 1" diameter (Bid Item .613 and .614)
 - a) Furnish pipe and fittings
 - b) Install pipe and fittings rigid piping, (minimum 1 LF)
 - c) Paint exterior pipe & fittings
 - d) Test houseline
- 8. Relights Per Meter (Bid Item ,615)
 - a) Test houseline
 - b) Regulator test and inspection (NY only)
 - c) Relight appliances
 - d) Receipts of Advice (ROA's) as required
 - e) Schedule work with customer
- 9. Main Connection for Renewal Item (5/8" 1-1/8") (Bid Item .616 .622 and .627 633)
 - a) Furnish and install plastic service tapping tee (.616 .622) electrofused tee for 10" and 12"
 - b) Furnish and install saddle and tee for steel or cast iron mains. Includes EFV for 5/8" saddles.
 - c) Furnish and install reducer if necessary (5/8" x 1-1/8" permasert).
- 10. 1-1/4", 2", and 3" Renewal by Insertion (Bid Item .623, .624, and .625)
 - a) Excavation, backfill, surplus disposal, and compact
 - b) Install main tap and riser (main connection material paid by Change Order)
 - c) Plug or cap old service tap, if necessary
 - d) Remove existing curb stop and box
 - e) Excavate at the existing outside riser or where the service presently enters the building below grade and plug and cap old service entrance.
 - f) Fill above grade building openings if necessary
 - g) Replace existing steel service with 1-1/4" 3" plastic tubing by insertion (up to 150 LF for blanket contract)
 - h) Install service riser, riser valve, regulator, and single meter bar assembly
 - Temporary connection to main for mainline insertions.
 - Pressure test
 - k) Plug and cap abandoned service lines
 - I) Install curb stop and box on commercial services as directed by National Fuel
 - m) Tie-in houseline
 - n) Furnish all materials required to complete the work
- 11. 5/8" 1-1/8" Push Service Tubing (Bid item .626) This item is used where direct bury is not practical.
 - a) Furnish plastic pipe
 - b) Push tubing as approved by National Fuel for this payment
 - c) Excavation, backfill, and compact
- C. Williamson Fittings, Tees and Shortstops (Items .700 .707)

Welding and Tapping of Williamson Fittings.

 This item is for the welding, tapping and stopping with a Williamson fitting with the supervision of a National Fuel Gas inspector.

- 2. The contractor <u>will provide the welder</u> to weld the fitting to the main. The welder must be certified by National Fuel. If National Fuel furnishes the welder, a credit Change Order will be required.
- 3. A Williamson tee will include welding a "pup" section.
- 4. The contractor personnel operating the Williamson tapping equipment must have completed National Fuel's Williamson training class and must follow the manufacturer's recommended procedures and the procedures in National Fuel's Operating Procedures Manual.
- 5. If installing a tee, this will be considered a tie-in and there will be no additional tie-in bid item payment (.700 .703). This will include excavation, backfill, surplus removal, and compact.
- 6. For shortstops, a tie-in or bell-hole item may be required as additional payment (.704 707). If no other work is done in the excavation.
- 7. Install appropriate coating materials.
- 8. Furnish all materials required to complete the work.

D. Commercial/industrial Mater-Regulator Sets Installation (Items .800 - .807 and .809 - .816)

installation of Standard Meter Sets (Labor and equipment cost only)

- Contractor will assemble the palletized meter set and connect to existing riser.
- 2. Perform pressure test as per the Operating Procedures Manual Section 3.3, Page 10.
- 3. Install all necessary pipe supports as indicated on drawings.
- 4. The number of bolts per flange connection are as follows:
 - 2" pipe: 4 bolts/flange
 - 3" pipe: 4 bolts/flange
 - 4" pipe: 8 bolts/flange
- 5. The 2" regulators as shown on Set SD-12 and SD-14 require four bolts for installation.
- 6. Renewals to include removal of existing set.
- 7. National Fuel will furnish and order the meter sets for pickup, delivery and installation by the contractor
- 8. The installation of the meter sets may not occur at the same time the service is installed.
- 9. National Fuel will provide the materials for these items at no cost to the contractor, except .808 and .817, concrete base.
- 10. Concrete Base Supports (.808 and .817) will require sonotube and concrete.

E. Leak Repairs

Crew and Equipment (2 person) (items .900 & .901) Foreman/Laborer/Operator (items .902 & .903)

1. The contractor will provide a 2-person crew that will include at least one foreman who is "leak repair" qualified. The other crew member may be any job classification (foreman, laborer, operator.) The minimum equipment will include a truck with tools, compressor and a backhoe/excavator. The crew shall be equipped with all the tools necessary to perform this work. Gas testing and line locating equipment will also be required. The crew shall have a cell phone to accommodate communications with National Fuel. The crew foreman must also have a complete set of personal protective equipment (PPE.) The hourly rate will include all overhead and profit.

Straight Time Rate:

This applies to the first eight hours worked Monday through Friday. Lunchtlme will not be paid.

Premium Time Rate:

This applies to hours worked in excess of eight hours Monday through Friday. This also applies to all hours worked on Saturdays, Sundays, and the standard holidays (Christmas, New Years, Thanksgiving, Memorial Day, Independence Day, and Labor Day.)

Dump Truck with Driver (Tandem) (Item .904)

The cost of any trucking required to remove surplus will be paid per hour worked. This item applies
when a separate dump truck is required and is not part of the standard crew and equipment. This item
will allow for a driver

Single Axle Dump (No Driver) (Item .905)

 This item applies when the contractor furnishes a dump truck as part of the standard crew & equipment. One person from the 2-man crew would operate the truck.

Crew and Equipment - Travel Time (In Excess of ½ hour) (Item .906 & .907)

1. This rate applies for crew and equipment travel time in excess of one-half hour to report to the servicenter area where the work is performed. The contractor shall allow for one-half hour or less travel time to and ½ hour or less from work per day. Time required to travel from job site to job site during the shift will be paid at the regular crew rate.

Materials

1. The contractor will be required to procure all National Fuel provided materials through our warehouse or the local servicenter stockrooms. The material will be transferred to the contractor's account. The contractor will be reimbursed for all material used on the job as itemized on the appropriate paperwork. Unused excess material may be returned to National Fuel for credit to the contractor's account.

Any stone, gravel, blacktop, or other material required to complete the work will be paid using the appropriate contingency price or as an extra. If no contingency price applies, then the contractor will involce National Fuel with appropriate documentation.

National Fuel reserves the right to furnish some or all material at no cost to the contractor.

Personal Protective Equipment (PPE)

1. The crew foreman must have the required PPE. National Fuel will provide this equipment at no cost to the contractor. However, National Fuel assumes no liability as a result of any manufacturer's defects in this equipment. The contractor may purchase their PPE from an approved source and National Fuel will reimburse the contractor for that cost. The contractor's cost should not exceed the price paid by National Fuel for the same equipment.

Other Work

1. When a blanket contractor is performing leak repair work in their blanket service area and "capital" work is required (e.g. service renewals, relights, mainline replacement), National Fuel reserves the right to use the blanket bid items for payment in lieu of the leak repair hourly rates.

F. Mainline Extensions (Developed and Undeveloped)

New 2"or 3" Plastic Main: (items .1000 - .1005, .1007 - .1012 and .1040 - 1045, .1047 - .1052) New 4" Plastic Main: (items .1014 - .1019, 1054 - .1059) New 6"or 8" Plastic Main: (items .1021 - .1024, .1026 - .1029 and .1061 - .1064, .1066 - .1069)

- Installation of new main in undeveloped and developed areas following procedures in the National Fuel
 Operating Procedures Manual. The main will be installed a minimum of 30 inches of cover.
 Installations within State highway right of ways will be installed with 36" of cover.
- 2. Excavated material shall be placed back into the trench with adequate compaction per National Fuel's Level Trench Policy, and surplus removed and disposed..
- 3. Fusion of any incremental joints and end caps.
- 4. Pressure test mains as listed in the applicable section 2.1 of the Operating Procedures Manual.
- The pipe footage for billing purposes shall be the linear measurement along the centerline of the installed pipe and fittings. Minimum paid length: 50 feet.
- 6. Care must be taken to minimize properly damage.

New 2", 3", 4", 6", and 8" Plastic Main in undeveloped areas:

- 1. This item is for installation of new mains in areas of new construction in subdivisions or along relatively unimproved sections of frontage along existing roadways.
- 2. The minimum installation for use of this item shall be fifty linear feet (50') on one side of a roadway.
- 3. The remainder of requirements from New 2", 3", 4" 6" or 8" Plastic Main shall apply.

2" or 3" Plastic Road Crossings for Mains (Trenchless) (Items .1030 and .1031)

4" Plastic Road Crossings for Mains (Tranchiess) (Item .1032)

6" or 8" Plastic Road Crossings for Mains (Trenchless) (Items .1033 and .1034)

- Crossing installation includes excavation and backfill of sending and receiving pits to install mainline a
 minimum of 36 inches of cover for all diameters up to 3 inches, 42 inches for 4 inch diameter main and
 48 inches for 6 and 8 inch diameter main. Cover shall be 5 feet for state highways for all diameters.
- Crossings shall be installed by rodding, jacking or pneumatic missile. The fallure of one attempt (or method) at a location and success with another does not entitle the contractor to extra payments. The contractor is expected to make two reasonable attempts to install the road crossing as part of this unit price.
- Measurement for payment will be from edge of shoulder to edge of shoulder (including stoned shoulders), measured perpendicular to the centerline, plus five feet on each side.
- Mainline installed into existing installed casing shall be paid under the other appropriate mainline items and not under this item.

Insert Plastic Pipe into Existing Casing: (Items .1006, .1013, .1020, .1025)

- 1. Contractor will install new plastic main in an existing casing.
- 2. Excavate to expose both ends, furnish and install plastic pipe.
- 3. Backfill and compact as necessary.
- 4. Fusions shall be minimized
- 5. Pressure test (a separate test is not required).
- 6. Payment is per linear foot (no minimum)

G. Additional Butt Fusions 4" - 8" (Items .1035, .1036, .1075, .1076 and .1138, .1139)

This item is used for new pipe when the contractor knows, ahead of time, that additional fusions will be required (e.g. tees, offsets). The required fittings will be paid for by Change Order.

H. Mainline Direct Bury Developed Areas

```
1-1/4" Plastic Main Replacement, Direct Bury (Items .1100 - .1103)
2" Plastic Main Replacement, Direct Bury (Items .1104 - .1107)
3" Plastic Main Replacement, Direct Bury (Items .1108 - .1111)
4" Plastic Main Replacement, Direct Bury (Items .1112 - .1115)
6" Plastic Main Replacement, Direct Bury (Items .1116 - .1119)
8" Plastic Main Replacement, Direct Bury (Items .1120 - .1123)
10" Plastic Main Replacement, Direct Bury (Items .1134 & .1135)
```

- Installation of main in developed areas following procedures in the National Fuel Operating Procedures
 Manual. The main will be installed with 30 inches of cover. Installations within State highway right of
 ways will be installed 36 inches of cover.
- 2. Excavated material shall be placed back into the trench with adequate compaction per National Fuel's Level Trench Policy.
- 3. Fusion of any incremental joints.
 - Pressure test mains as listed in the applicable section of the Operating Procedures Manual.
- 4. The pipe footage for billing purposes shall be the linear measurement along the centerline of the installed pipe.
- 5. Minimum payment will be 50 linear feet.

```
2" Plastic Pushing Pipe — Other Than Roads (Item .1124)
3" Plastic Pushing Pipe — Other Than Roads (Item .1126)
4" Plastic Pushing Pipe — Other Than Roads (Item .1128)
6" Plastic Pushing Pipe — Other Than Roads (Item .1130)
8" Plastic Pushing Pipe — Other Than Roads (Item .1132)
10" Plastic Pushing Pipe — Other Than Roads (Item .1136)
```

- Installation of main in developed areas following procedures in the National Fuel Operating Procedure
 Manual. The main will be installed 30 inches below existing grade. Installations within State highway
 right of ways will be installed 36 inches below existing grade.
- 2. The proper precautions and procedures will be used to ensure the pipe is not gouged during the pushing process.
- 3. Fusion of any incremental joints.
- 4. Pressure test mains as listed in the applicable section 2.1 of the Operating Procedures Manual.
- 5. The pipe footage for billing purposes shall be the linear measurement along the centerline of the installed pipe.

```
2" or 3" Plastic Road Crossings for Mains (Trenchless) (Items .1125 and .1127)
4" Plastic Road Crossings for Mains (Trenchless) (Item .1129)
6" or 8" Plastic Road Crossings for Mains (Trenchless) (Items .1131 and .1133)
```

- 1. Crossing installation includes excavation and backfill of sending and receiving pits to install mainline a minimum of 36 inches of cover for all diameters up to 3 inches, 42 inches for 4 inch diameter main and 48 inches for 6 and 8 inch diameter main. Cover shall be 5 feet for state highways for all diameters.
- Crossings shall be installed by rodding, jacking or pneumatic missile. The fallure of one attempt (or method) at a location and success with another does not entitle the contractor to extra payments. The contractor is expected to make two reasonable attempts to install the road crossing as part of this unit price.
- 3. Measurement for payment will be from edge of shoulder to edge of shoulder (including stoned shoulders), measured perpendicular to the centerline, plus five feet on each side.
- 4. Mainline installed into developer installed casing shall be paid under the other appropriate mainline items and not under this item.

I. Mainline insertion (Developed Areas)

- 1-1/4" Plastic Main Replacement, Insertion (Items .1200 .1203)
- 2" Plastic Main Replacement, Insertion (Items .1206 .1209)
- 3" Plastic Main Replacement, Insertion (Items .1212 .1215)
- 4" Plastic Main Replacement, Insertion (Items .1218 .1221)
- 6" Plastic Main Replacement, Insertion (Items .1224 .1227)
- 8" Plastic Main Replacement, Insertion (Items .1230 .1233)
- 10" Plastic Main Replacement, insertion (Items .1236 & .1237)
- Installation of main in developed areas following procedures in the National Fuel Operating Procedures
 Manual. The proper precautions and materials will be used to ensure the pipe is not gouged during the
 insertion process.
- National Fuel reserves the right to determine if the existing main should be inserted based upon the
 depth below existing grade being shallow or excessive. If National Fuel determines that the main shall
 not be inserted it will be direct buried according to the requirements of Section C. Excavated material
 shall be placed back into the trench with adequate compact per National Fuel's Level Trench Policy.
- 3. Fusion of any incremental joints.
- 4. Pressure test mains as listed in the applicable section 2.1 of the Operating Procedures Manual.
- The pipe footage for billing purposes shall be the linear measurement along the centerline of the installed pipe.
- 6. Includes temporary service connection to existing main
- Maintine item includes cost of making windows for service connections on cast iron mains.
- Minimum payment will be 50 linear feet

Temporary Cut-offs for Mainline Insertions (items .1204, .1210, .1216, .1222, .1228, & .1234; .1238)

- 1. Tap and bag existing main
- 2. Cut existing main
- 3. Furnish and install temporary coupling
- Contractor must make every effort to conduct the insertion work so as to minimize the frequency of temporary cut-offs.
- Contractor will be paid for the size of the pipe that is cut and capped (e.g. insert new 2" plastic into 8" steel = pay item .1235).

Cutting "Windows" on steel pipe for insertions (Items .1205, .1211, .1217, .1223, .1229, .1235, & 1239)

These bid items apply to cutting openings for connections (service or other) to the new mainline carrier pipe. This does NOT include axial cutting. Payment will apply to the size of pipe cut. Excavation and backfill in earth is included.

Minimum window size 24" up to 4" main* Minimum window size 34" for 6" main* Minimum window size 40" for 8" main* Minimum window size 48" for 10" main*

*Based on pipe size being CUT.

J. Miscellaneous Work (Mains)

- 2" Main Valve and Box (Item .2000)
- 3" Main Valve and Box (item .2001)
- 4" Main Valve and Box (Item .2002)
- 6" Main Valve and Box (Item .2003)
- 8" Main Valve and Box (Item .2004)

Crew and Equipment (2 person) (Item .2005)

Crew and Equipment (3 person) (Item .2006)

Fitter Time (Foreman/Operator/Laborer) (Item .2007)

Fitter Time with Vehicle and Tools (Item ,2008)

Welder (with vehicle, welding machine, welding rod and tools) (Item .2009)

Pipe Padding Material in Place (per cubic yard) (,2010)

Furnish and install pipe padding meeting the requirements of National Fuel.

Select Fill in Place (per cubic vard) (,2011)

Furnish and install select backfill meeting the requirements of National Fuel.

- 1. Install butt fuse type valve with suitable fusion in a hole excavated under another bid item and in conjunction with other associated work.
- 2. Install valve box with square cover.
- 3. Crew and Equipment (2 person): This item will be paid for work, which is beyond the scope of any other bid items or contingency items. Payment will be based upon an hourly rate for manpower (2 people) and equipment. Contractor will furnish vehicles, trucking, excavating equipment and any tools required to complete the work. Specialized equipment that requires an operator (such as large walk-behind saws and rented dump trucks as approved by National Fuel), will be paid for separately.
- Crew and Equipment (3 person): Same as #3 above with one additional person included in the crew if required.
- 5. Fitter Time (Foreman/Operator/Laborer) per hour.
- 6. Welder must be certified by National Fuel.
- 7. Fitter with vehicle and tools: 1 person working alone and separate from the main crew. The work requires an equipped vehicle.

K. Miscellaneous Work (Services)

- 2" Service Valve and Box (item .2100)
- 3" Service Valve and Box (Item .2101)
- 4" Service Valve and Box (Item .2102)

Crew and Equipment (2 person) (Item .2103)

Crew and Equipment (3 person) (Item .2104)

Fitter Time (Foreman/Operator/Laborer) (Item .2105)

Fitter Time with Vehicle and Tools (Item .2106)

Welder (with vehicle, welding machine, welding rod and tools) (Item .2107)

Pipe Padding Material in Place (per cubic yard) (.2108)

Furnish and Install pipe padding meeting the requirements of National Fuel.

Select Fill in Place (per cubic yard) (.21090)

Furnish and install select backfill meeting the requirements of National Fuel.

- 1. Install butt fuse type valve with suitable fusion in a hole excavated under another bid item and in conjunction with other associated work.
- 2. Install valve box with round cover.
- Same as Crew and Equipment (2 person) as stated in #3 above for Miscellaneous Work (Mains).
- 4. Same as Crew and Equipment (3 person) as stated in #4 above for Miscellaneous Work (Mains).
- 5. Fitter Time (Foreman/Operator/Laborer) per hour.
- 6. Welder must be certified by National Fuel.
- 7. Fitter with vehicle and tools: 1 person working alone and separate from the main crew. The work requires an equipped vehicle.

L. Mainline Tie-ins and Cut-offs

1-1/4" - 12" LP Steel Mainline Tie-ins and Cut-offs

- 1. Mainline cut-offs will be paid on the same basis as tie-ins with the work procedures being essentially the same for both items.
- 2. Uncover the existing main, with a safe excavation of adequate size to conduct the associated tie-in. This to include a depth of up to five feet (5').
- 3. Conduct the appropriate gas bagging procedure.
- 4. Cut the existing main.
- 5. Install the appropriate mechanical coupling to join the sections of main, complete any necessary coating repair.
- 6. Purging of the main is to be included in the tie-in procedure.
- 7. When more than one tie-in or cut-off is required in the same excavation, contractor will be paid for each additional tie-in or cut-off at 75% of the bid price for that item except in the case of full tees

M. Tie-ins installed by use of a full tee (Items .3101, .3103, .3105, .3107, .3109, .3111)

- 1. Uncover the existing main, with a safe excavation of adequate size to conduct the associated tie-in. This to include a depth of up to five feet (5').
- 2. Electrofuse tee to plastic main. Payment will be one each, this bld item includes up to three fusions.

N. 1-1/4"- 8" LP & MP Plastic Mainline Tie-ins and Cut-offs

- 1. Mainline cut-offs will be paid on the same basis as tie-ins with the work procedures being essentially the same for both items.
- Uncover the existing main, with a safe excavation of adequate size to conduct the associated tie-in.
 This to include a depth of up to five feet (5').
- 3. Squeeze off at the section of main.
- 4. Cut off the existing main.
- 5. Make a sultable electrofusion joining the two sections of main.
- 6. Purging of the main is to be included in the tie-in procedure.
- 8. When more than one tie-in or cut-off is required in the same excavation, contractor will be paid for each additional tie-in or cut-off as 75% of the bid price for that item.

O. 1-1/4" - 8" MP Steel Mainline and Cutoffs

- Mainline cut-offs will be paid on the same basis as tie-ins with the work procedures being essentially
 the same for both items.
 - 2. Uncover the existing main, with a safe excavation of adequate size to conduct the associated tie-in. This to include a depth of up to five feet (5').
- The control of gas flow will either be controlled through valving or stopping operations by NFG
 personnel or through Williamson stopping operations performed by the contractor as defined elsewhere
 in this contract..
- 4. Cut the existing main.
- 5. Install the appropriate mechanical coupling to join the sections of main, complete any necessary coating repair.
- 6. Purging of the main is to be included in the tie-in procedure.
- 7. Pavement Excavation (6 X 4 X4) via contingency
 - a) Saw cut (if required), break pavement
 - b) Excavate and surplus disposal
 - c) Backfill with select fill
 - d) Temporary asphalt, if required, to be paid by contingency

8. When more than one tie-in or cut-off is required in the same excavation, contractor will be paid for each additional tie-in or cut-off as 75% of the bid price for that item.

P. New Services

Main Tap and Riser Installation for 5/8" to 1-1/8" New Services (Items .5000 - .5010)
Main Tap and Riser installation for 1-1/4", 2" & 3" New Services: (Items .5014 - .5017, .5021, .5025)
Main connection material paid by Change Order.

- Installation of service tap at gas main: including excavation and backfill, and connection of service tubing to saddle. Includes EFV for 5/8" saddles. (Welder extra if required.)
- 2. Installation of Riser and Service Bar unit at the building: including excavation and backfill, connection of service tubing, wall bracket and completed service Common Order Form.
- Payment will be made per unit, with service tap installation and, Riser and Meter Bar installation comprising the unit.
- 4. Appropriate repair to coating for steel mains prior to backfill.

Installation of 5/8" to 1-1/8" New Service Tubing (.5011)
Installation of 1-1/4", 2" & 3" New Service Tubing (.5018, .5022, .5026)

- Excavation and backfill of trench necessary to install service tubing with 24 inches of cover below existing grade between the mainline and the riser
- In areas where the main being tapped for the new service is in highway right-of-way, the tubing shall be
 installed with the standard depth of cover for main for that portion of the service trench in the highway
 right-of-way.
- 3. Backfill shall be compacted adequately to ensure minimal settlement.
- 4. Pressure test as listed in the section 3.3 of the Operating Procedures Manual.
- 5. Measurement for payment purposes on short side service installations will be from the center of the service saddle to the center of the riser, in linear feet.

New 5/8" to 1-1/8" Service under roadway pavement: (.5012)
New 1-1/4", 2" & 3" Service under roadway pavement: (.5019, .5023, .5027)

- For long side services, excavation and backfill of sending and receiving pits to install service tubing a
 minimum of 36 inches below the pavement for all diameters up to 3 inches. Cover shall be 5 feet for
 state highways for all diameters.
- Crossings shall be installed by rodding, jacking or pneumatic missile. The failure of one attempt (or method) at a location and success with another does not entitle the contractor to extra payments. The contractor is expected to make two reasonable attempts to install the road crossing as part of this unit price.
- 3. Measurement for payment will be from edge of shoulder to edge of shoulder (including stoned shoulders), measured perpendicular to the centerline, plus five feet on each side.
- Cost of appropriate size casing required for 5/8" 1-1/8" service crossings should be included in this
 work.

Inserting services through existing conduits (.5013, .5020, .5024, .5028)

Includes furnishing pipe and fittings, excavating each end and locating the conduit, as well as backfill
and compact.

Q. Directional Drilling.

- Contractor will provide the necessary drilling crew and equipment to drill and install plastic pipe.
 Operator Qualification will be required for basic excavation.
- 2. The Contractor is responsible to coordinate the work with the customer/property owner. The Contractor will verify work site availability to avoid delays.

- Contractor will be paid via "Contingency" for any additional work beyond the scope of the unit bid items
 for drilling. If a contingency is not appropriate for the work, the Contractor will be paid by "Change
 Order" using the crew and equipment rates provided in this contract.
- 4. The Contractor shall assume that the ground conditions are such that drilling may be accomplished in one "attempt" without the need for special equipment (rock heads). An "attempt" shall be considered a concerted effort to complete the drilling without completely removing all inserted rods. Contractor will be paid on a "Hourly Drilling Crew and Equipment" basis for the time spent on any unsuccessful drilling attempts.
- The Contractor must verify all existing utilities that are in the path of the new line placement. Spot holes may be required for both drilling and pulling operations. Contractor must maintain a written log verification of existing underground facilities. A copy of the written log shall be provided to National Fuel upon completion of the work. Contractor shall submit unit prices to provide "spot holes" to locate existing utilities. If spot holes are required in street pavement, the Contractor will be paid on a crew and equipment basis.
- The applicable pay quantity will be determined as the footage at each drill location (set-up). (3
 crossings drilled 45 LF each on the same project would each use the minimum 50 LF price.)
- 7. Contractor will NOT include company materials in the unit price.
- 8. Contractor will install tracer wire with all pipe, as well as warning tape over any open excavations.
- 9. Permanent property restoration will be completed by National Fuel.
- 10. The cost of making butt-fusions is included in the unit price for installation.

2010 CONTINGENCY PRICES NEW YORK & PENNSYLVANIA FOR DISTRIBUTION WORK

ITEM			UNIT PRICE		MAT'L
NO.	DESCRIPTION	UNIT	NY,	PA	ALLOW
C-1	Push pipe or tubing (5/8 - 1-1/4" diam.) 15/14 25/23	LF			
C-2	Push pipe or tubing (2" - 3" diam.)	LF.			
C-3	Push pipe or tubing (4" diam.)	LF			
C-4	Hand digging pipe or tubing - up to 4" diam. (Labor only)	LF		1 1	
C-5	Extra trench depth - mains & services (4" diam, or less)	VF/LF			
C-6	Extrá trench depth - mains & services (6" - 8" diam.)	VF/LF			
C-7	Rock excavation (breaking/blasting)	CY.	1	_	
C-8	Shale/rock excavation (no breaking or blasting required)	CY			
C-9	Select granular fill- in place (sand, gravel, stone)	CY			
C-10	Temporary asphalt - cold patch (4" depth)	SF			
C-11	Topsoll & seed	SF	1		
C-12	Sod - extra payment (when topsoll & seed was included)	SF			
C-13	Sod - complete (when no restoration was included)	SF	_		
C-14	Asphalt - hotmix	SF			
C-15	Concrete (walks, drives, aprons, ramps)	SF	1		
C-16	Concrete curbing (18" - 24" diam.)	LF	_		
C-17	Asphalt street replacement	SF		1	
C-18	Asphalt & concrete base street replacement	SF	1		
C-19	Extra depth asplialt (in 2" increments)	SF			
C-20	Protection posts - 2" diameter (in concrete, painted) (PA only)	EA	4		
C-22	Service Purge & Cut-off (when separate excavation is required) in earth	EA	_		
C-23	Service Purge & Cut-off (when separate excavation is required) in pavement	EA		<u> </u>	
C-25	Replace service tubing (5/8" - 1-1/4") with no restoration	LF		/ 4	<u> </u>
C-26	Replace service tubing (5/8" 1-1/4") with fawn restoration	LF.	+		
C-27	Wall bracket for service riser	EA	\ <u> </u>		
C-28	Install House Line - Crawl Spaces (up to 1-1/4" Diam.)	LF	-)_	
C-30	Bell or transition hole in earth	EA			
C-31	Bell or transition hole in pavement	<u>EA</u>		<u> </u>	
C-32	Line markers	EA	,		
C-33	Bell holes requiring shoring (earth or pavement)	EA			
C-34	Service tap excavation in pavement (additional payment for removal & disposal)	EA	‡	- ∤	
C-36	Service riser - (change riser only)	EA	- ^~~ }	-	
C-37	New set - hang meter on new services	EA		 - {	
C-38	Axial cuts on steel or cast mains - (< 6" diam.) per two circular cuts	LS	. <u>.</u>	- ↓	
C-39	Axiai cuts on steel or cast mains - (6" - 8" diam.) per two circular cuts	LS	• , "	-, ,	
C-40*	Pigging-on-conversions (up to 8" dlam)	LS LS	- +	<u> </u>	
C-41	Extra depth - road crossings	CY		_	
C-42*	Emergency move (crew)	EA	- -	_	
C-43*	Saw cutting (asphalt or concrete) up to 6" depth	LF LF	- +	- 4	
C-46*	Pressure testing main conversions (2" - 4" diameter)	EA	,_,	_	
C-49	Relocating meters with AMD (Automated Meter Reading Device)	EA		_	
C-57*	5/8" EFV Stick	EA	- 4	_	
C-58*	1-1/8" EFV Stick	EA	. ↓	_ 4	
C-59	Electronic marking balls	EA	- J	_ ļ	
C-60	Anodes – 17lb.	EA	_ L	_ 1.	

2010 CONTINGENCY PRICES NEW YORK & PENNSYLVANIA FOR DISTRIBUTION WORK

ITEM			UNIT PRICE		MAT'L	
NO.	DESCRIPTION	UNIT	N	Y	PA	ALLOW.
C-61	Permasert 90° ELL – 5/8" stab	EA				
C-62	Permasert 90° ELL - 1-1/8" stab (58-0092-7)	EA				
C-63	Permasert coupling 1-1/8" stab (58-0054-4)	EA				1.2
C-65	Permasert coupling 5/8" stab (58-0047-1)	EA]		
C-66	Permasert blind end - 5/8" stab (58-0045-5)	EA		. •		
C-67	Permasert blind end – 1-1/8" stab (58-0046-3)	EA		-]		
C-68	Protection post – 3" diameter (in concrete, painted) (PA only)	ĘΑ				
C-69	Protection post – 4" diameter (in concrete, painted)	EA			<u> </u>	
C-70	Furnish plastic casing - 1-1/8" diameter	LF	<u> </u>]		
C-71	Furnish plastic casing - 1-1/4" diameter	LF		_		
C-72	Furnish plastic casing – 2" diameter	LF				
C-73	Crew & equipment rate (3 person crew) non-blanket	HR		:		
C-74	Saw cutting streets - up to 8" depth	LF				
C-75	Saw culting streets – asphalt over concrete base	LF]		
C-76	Channel post	EA	1 1 4	1		
C-77	Additional 1-1/8" inserted service riser (for houseline)	EA				
C-78	Curb válve box → tracer wire	EA		_	<u>.</u>	
C-79	Curb box test station (flush)	EA	_	- 1	·	
C-80*	1-1/4" electrofusion (in lieu of buit fusion)	EA	Ц.	1		ر نا
C-81*	2" electrofusion (in lieu of butt fusion)	EA		1		
C-82*	3" electrofusion (in lieu of butt fusion)	EA_		i	<u> </u>	·
C-83*	4" electrofusion (in lieu of butt fusion)	EA			<u> </u>	56,21/2
C-84*	6" electrofusion (in flew of but fusion)	EA	· ·		·	
C-85*	8" electrofusion (in lieu of butt fusion)	ËΑ		ا نم		
C-86*	10" electrofusion (in lieu of butt fusion)	EA		1		L ` ,
C-87	4" protection post (not associated with meter installation)	EA		_	<u> </u>	
C-88*	1-1/8" x 1-1/4" reducer for 1-1/4" service	EA	_	Ţ		_
C-89	Pavement removal for main & services 1-100 SF, trenches per excavation location	SF			·- ·	
C-90	Pavement removal for main & services over 100 SF, trenches per excavation location	SF				

^{*} For Blanket Contracts ONLY

NATIONAL FUEL GAS DISTRIBUTION CORPORATION CONTINGENCY ITEM DESCRIPTIONS

Contingency Items - General Description

These items have been established to allow payment for Items of work, which were not anticipated and/or not included in the scope of work described in any contract. Individual jobs may include the cost of these items in their respective prices, however contingencies will apply in all other cases.

Item No. C-1: Push Pipe or Tubing (5/8" - 1-1/4" Diameter)

This item will apply when it is necessary to push pipe rather than open cut to avoid unnecessary damage to trees, shrubs and pavements when directed by National Fuel. Pay quantities will include a minimum 15 LF for driveways and a minimum of 5 LF for any other surface condition. The price includes furnishing all materials regulated to complete the work.

Item No. C-2: Push Pipe (2" - 3" Diameter)

Same conditions as Item No. C-1.

Item No. C-3: Push Pipe (4" Diameter)

Same conditions as Item No. C-1.

Item No. C-4; Hand Digging Pipe or Tubing (Up to 4" Diameter)

This item will apply when hand excavation is required to complete the work and could not have been anticipated prior to bid. (Work area is inaccessible to excavating equipment). The price includes furnishing all materials required to complete the work.

kem No. C-5: Extra Trench Depth - Mains & Services (4" Diameter or Less)

This item will apply when the Contractor is directed to exceed the standard depth of bury for placement of main or service piping, unless the extra depth was specified in the bid documents. Payment is calculated at the specified price per linear foot for each full vertical foot of extra depth. This item will <u>not</u> apply to road crossings.

Item No. C-6: Extra Trench Depth - (6" to 8" Diameter)

Same conditions as Item No. C-5.

Item No. C-7: Rock Excavation (Breaking Blasting)

This item will apply when sub-surface conditions require removal by blasting, machine breaking or pneumatic drilling and breaking. Removal and disposal of excavated material is included in this item. Pipe padding and select backfill will be pald to replace the rock excavation material when the rock is not under pavement or for blanket work when required. The cubic yards of rock excavation will be measured by the pipe O.D. plus 12" to determine pay limits of width of rock material removed.

Item No. C-8: Shale/Rock Excavation (No Breaking or Blasting Required)

This item will apply when shale, "hard pan", rock conditions, or other similarly difficult subsurface conditions exist where removal can be accomplished through excavation with a rock bucket or rock teeth or where production is significantly hampered by these conditions. National Fuel will determine if the sub-surface conditions are beyond the anticipated scope of the project before this item will be authorized. Pay limits per cubic yards will be determined as in Item No. C-7.

Item No. C-9: Select Granular Fill - In Place (Sand, Gravel Stone)

This item will apply when pipe padding and granular material is required to complete the Work. The price per cubic yard will be paid for sand; gravel or stone delivered and compacted in place. This price includes removal and disposal of all surplus material. Limits of payment for trench widths will be determined by the standards established in the Procedures Manual. This item will apply when material excavated in earth is deemed unsuitable for backfill of National Fuel facilities. Bid and contingency items for work in payements include select backfill. If there is an identical bid item provided, the bid item will be used.

Item No. C-10: Temporary Asphalt - Cold Patch

This item applies when National Fuel directs the Contractor to cold patch pavement areas, which are added to the original contract. The Contractor is required to maintain safe pavement surfaces for all areas indicated in the original project documents at his expense. The required depth of cold patch is 4" minimum.

Item No. C-11: Topsoil and Seed

This item will apply when restoration of lawn areas is added to the original Contract conditions and for items bid that exclude permanent lawn restoration. The scope of work will include placement of topsoil (4"), seed, fertilizer and mulch in accordance with the current National Fuel landscape restoration specifications.

Item No. C-12: Sod (Additional Payment) When Topsoil and Seed Was Required)

This item will apply as additional payment when the Contractor is directed to furnish and install rolled sod in lieu of topsoil and seed that was required as part of a bid item. The purpose of this item is to compensate the Contractor for the additional expense of replacing sod instead of topsoil and seed. All work must be performed in accordance with the current National Fuel landscape restoration conditions.

Item No. C-13: Sod - Complete (When No Permanent Restoration is Required)

This item applies when a Contractor is directed to permanently replace lawn areas with rolled sod when the pay items for work performed do not include permanent restoration. All work must be performed in accordance with the current National Fuel landscape restoration conditions.

Item No. C-14: Asphalt (Hot Mix)

This item will apply for replacement of blacktop walks, drives, and parking areas with a minimum of 3" depth to a maximum 4" depth. This will include binder and top compacted and rolled in place in accordance with the current National Fuel restoration conditions for asphalt replacement.

Item No. C-15: Concrete (Walks, Drives Aprons, Ramps)

This item will apply for replacement of concrete minimum 4" up to 6" depth, including wire mesh, expansion and saw cutting. Replacement should be measured to the nearest whole block and all work must be performed in accordance with the current National Fuel restoration conditions for concrete replacement.

Item No. C-16: Concrete Curbing (18"-24" Depth)

This item will apply for replacement of full depth concrete curbing. Curbing sizes will range from 18" - 24" depth (12" depth for "header" curb) and 6" - 9" width.

item No. C-17: Asphalt Street Replacement

This item will apply for replacement of binder and top course asphalt a minimum of 4" depth to a maximum 6" depth. Traffic protection, saw cutting and surplus removal will be included and all work must be performed in accordance with the current National Fuel restoration conditions for street repair.

Item No. C-18: Asphalt and Concrete Base Street

This item will apply for replacement of streets that have a concrete base with asphalt overlay. All traffic protection, saw cutting, cut backs and steel reinforcing will be included. All work must conform to the specifications and standards of the appropriate municipality as well as the current "Street Repair Conditions" of National Fuel.

Item No. C-19: Extra Depth Asphalt (In 2" Increments)

This item will apply as extra compensation when the depth of the existing asphalt exceeds the maximum depth required in Items No.'s C-14 and C-17 by at least 2". The Contractor will be paid this price per square foot for every full 2" of additional depth. (e.g., a 10" depth street repair of Item No. C-17 would allow two increments of this price - 10" - 6" required = 4" / 2 incr. =2).

Item No. C-20: Protection Posts - 2" Diameter (In Concrete/Painted) (PA only)

This item will apply to the installation of protection posts, 2" diameter. All post must be secured in concrete and filled with select material or concrete. The top of the post should be grouted with a smooth finish and the post will be painted. Posts must be plumb and secured firmly in place. Posts shall be painted meter gray (posts in commercial areas may be required to be painted with a reflective color as directed by NFG). The price includes furnishing all materials required to complete the Work.

item No. C-22: Service Purge and Cut-Off in Earth

This item will apply when the Contractor is required to abandon the existing service and that service is in a location other than the bell hole for the new service tap. This item will be paid only when it is necessary to excavate to complete the cut-off. It will include cutting the service at the main, removing the old curb box, plugging the service from inside the building (two plugs), and capping the end of the old service inside (restoration not included). The price includes furnishing all materials required to complete the work.

Item No. C-23: Service Purge and Cut-Off in Pavement

This item will apply when the old service is in payement (other than streets) and will include select backfill. Scope of the work is the same as item No. C-22. Permanent payement restoration will be paid under the appropriate contingency items (restoration not included). The price includes furnishing all materials required to complete the work.

Item No. C-25: Replace Service Tubing (5/8" - 1-1/4") No Restoration

This item will apply for direct bury of plastic services when insertion is not recommended as directed by National Fuel. This item will <u>not</u> apply when a Contractor chooses to direct bury when inserting is allowable. This includes installing the main connections, This item will also be used for underground downstream houseline Permanent restoration is not included but the excavation must be compacted and left level. The price includes furnishing all materials required to complete the work.

Item No. C-26: Replace Service Tubing (5/8" - 1/4") Includes Lawn Restoration

This item will apply the same as Item No. C-25 but will include topsoil and seed lawn restoration. The price includes furnishing all materials required to complete the work.

Item No. C-27: Additional Wall Brackets (Per Each)

This item will apply for furnishing and installing additional wall brackets (Item No. 36-0006-8). This compensates the contractor for each additional bracket installed. In NY, one wall bracket is required on every riser. In PA, a wall bracket is only required on new services (not renewals). In NY, this item will be paid for wall brackets in addition the one required and in PA, it will be paid for any renewal brackets and any additional brackets on new services The price includes furnishing all materials required to complete the work.

Item No. C-28: Install Houseline - Crawl Spaces (up to 1-1/4" Diameter)

Same as item No. C-27 except this item will apply to the linear feet of piping installed through crawl space areas. A crawl space is considered to be an area with a 48" or less vertical opening. The price includes furnishing all materials required to complete the work. The contractor has the option of using their houseline bid item in lieu of this item, if they so choose.

Item No. C-29; Fitter Time (Hourly Per Person)

This item will apply per labor hour for the time required to perform work that is not included in the scope of the bld items or other contingencies. This rate will include a one-person crew with hand tools. (House lines larger than 1-1/2" diameter, removing paneling or ceiling tiles, etc., prior to houseline placement.)

Item No. C-30: Bell or Transition Hole - in Earth (6'W X 4'L X 4'D) Mains and Services

This item will apply to bell hole excavations that are required to complete the work beyond the scope of excavation anticipated and included in the bid items. Service renewals will include two (2) bell holes - additional holes will be paid under this item (restoration not included).

Item No. C-31: Bell or Transition Hole - In Pavement (6'W X 4'L X 4'D) Mains and Services

Same conditions as Item No. C-30 for excavations in concrete or blacktop. <u>Note</u>: Select backfill is included in this Item (restoration and pavement removal Items not included).

Item No. C-32: Line Marker (Per Each)

The contractor will be compensated to furnish and install each line marker (Item 59-0080-8) at locations as directed by National Fuel.

Item No. C-33: Bell Holes Requiring Shoring - In Earth or Pavement

This item will apply as payment for holes that require shoring (over 5' deep) where the additional depth is required to accommodate existing facilities. Approved shoring methods will be required. Excavation and backfill is included. This Item will be paid <u>in addition to</u> item Nos. C-30, C-31, or C-32. Excavations in earth which are "stepped-back" but not shored, will be paid Item Nos. C-5 or C-6 for the length of the excavation.

<u>Item No. C-34:</u> Service Tap Excavation In Pavement (Additional Payment for Removal & Disposal)

This item will apply as compensation for the additional expense incurred when cutting, breaking and removing concrete, asphalt, brick, or other hard surface material in order to facilitate a new or existing service connection to the main when the locations of the service connections are unknown prior to bidding the work. Select backfill is included in this item (restoration not included).

Item No. C-36: Service Riser - Change Riser Only

This item will apply when converting an existing plastic service where the existing riser requires replacement. The price includes excavating, removal, and disposal of the existing riser, installing the new riser, and backfill. If the area is paved, select fill and pavement replacement will be paid as per the appropriate contingency items. The price includes furnishing all materials required to complete the work.

Item No. C-37: New Set (Hang Meter on New Services)

This item will apply to place the meter on a <u>new service</u> installation. The Contractor will test the regulator, place the meter, test the houseline (if it is in place), cap the houseline, then turn-off the riser valve and complete the paperwork. No lighting of appliances or connection to appliances is required. This work applies when performed at the same time as the service installation.

Item No. C-38: Axial Cuts on Steel or Cast Mains - (4" Diameter or Less)

This item will apply when the Blanket Contractor is required to tap an inserted main for a new or renewal service connection. The Contractor will be paid this item one time for each separate service connection. National Fuel will furnish the cutters; however, it is recommended that Contractors provide their own cutters to avoid possible delays. National Fuel will not provide additional compensation for any down time while waiting for equipment to complete the work.

Item No. C-39: Axial Cuts on Steel or Cast Mains - (6" - 8")

Same conditions as Item C-38.

Item No. C-40: Pigging-on-Conversions

This item will apply when the Contractor is converting an existing main to a higher pressure. The Contractor will place a test fitting on one end (either mechanical or fusion type) and a pig catcher on the other end. The pig will be blown through two times to clear any water or obstruction. The test end and retriever ends will then be removed. The price paid for this work will include mains up to 8" diameter, and will be paid lump sum for each pigging operation completed.

Item No. G-41: Extra Depth - Pavement

This item will apply when the Contractor is required to direct bury pipe at depths in excess of the depth indicated in the original contract documents, or shown in the original survey. This price includes excavation, surplus removal, pipe bedding and select backfill.

Item No. C-42: Emergency Move (Crew)

The Contractor will be reimbursed this item each time the crew is directed to move from one location to another at the request of National Fuel without first completing their work at that location. Contractors will also be entitled to payment when the Contractor has been dispatched work which was already completed by others, or for which the dispatched work is deemed unnecessary.

Item No. C-43: Saw Cutting (Asphalt or Concrete)

This Item will be paid when the Contractor is specifically directed by National Fuel to saw cut pavement beyond the work limits or pay limits of another item. That is, if saw cutting is not specifically required by municipal specifications or by National Fuel specifications, the Contractor would be paid this item when directed to do so. It also applies when approved by National Fuel to minimize restoration expense that would be charged to National Fuel.

Item No. C-44: Pavement Removal - Mains and Service Trenches

This item applies when the Blanket Contractor is required to trench in concrete or asphalt. The Contractor will be paid per square foot for excavation, removal and disposal of hard surface pavement for trenches or bell holes.

Item No. C-45: Crew and Equipment Rate (2 Person Crew) Non-blanket

This item will apply for work, which is beyond the scope of any other bid items or contingency items. Payment will be based on an hourly rate for manpower and equipment (includes trucking, tools, excavator, generator, compressor, etc.). For each additional crew member in excess of two (2), the "Fitter" rate (Contingency Item No. C-29) at \$38.00 per hour will be added to this rate if an appropriate bid item is not provided. (e.g., 3 man crew = \$130.00 + \$38.00 = \$168.00).

item No. C-46: Pressure Testing Main Conversions (2" - 4" Diameter)

This item will apply when National Fuel decides that a one-half (1/2) hour pressure test will be required prior to conversion of an existing main. The Contractor will be paid per each test fitting or end cap. This will include installing and removing the test ends or caps.

Item No. C-49: Relocating Meters with AMD (Automated Meter Reading Device)

This item will apply when the Contractor relocates a meter from inside to outside and is told to re-install the AMD. (This is most common in Erie, PA.) The Contractor shall run new phone cable from our existing inside NID box, and relocate that NID box outside on the building wall and extend the line to the new meter location outside. The Contractor then will make the necessary connections, remove and relocate the AMD box to the outside meter, change battery (if necessary), test call, re-sync the unit and verify the call with the office. The old meter, if changed, must be marked "AMD" to avoid suspicion of tampering.

Item No. C-57: Install 5/8" EFV "Stick"

The contractor will be paid to furnish and install each 5/8" EFV stick when not specified in another bid item.

Item No. C-58: Instali 1-1/8" EFV "Stick"

The contractor will be paid to furnish and install each 1-1/8" EFV stick when not specified in another bid item. Blanket contractors are entitled to this item, if required, when installing a 1-1/8" medium pressure service on all new and renewal services.

Item No. C-59: Electronic Marking Balls (Per Each)

The contractor will be compensated to furnish and install each marker ball per Section 2.1, pg. 12 of the Procedures Manual. They shall be installed over the piping system component at approximately 12" below the ground surface. E-balls shall be installed at locations indicated on the project plans, or as directed by National Fuel.

Item No. C-60: Anodes (Per Each)

The contractor will be compensated to furnish and install each 17# anode (Item 53-0005-3) at locations as directed by National Fuel.

Item No. C-61: Permasert 90° ELL - 5/8" Stab

The contractor will be compensated to furnish and install each 5/8" diameter 90° ELL (Item 58-0394-2) as required to complete the work. A sketch shall be provided on the service order form when using offsets.

Item No. C-62: Permasert 90° ELL - 1-1/8" Stab

The contractor will be compensated to furnish and install each 1-1/8" diameter 90° ELL (Item #58-0092-7) as required to complete the work. A sketch shall be provided on the service order form when using offsets.

Item No. C-63: Permasert Coupling - 1-1/8" Stab

The contractor will be compensated to furnish and install each 1-1/8" diameter Permasert stab coupling (Item 58-0054-4) as required to complete the work

item No. C-64: Permasert Reducer - 1-1/8" x 5/8" Stab

The contractor will be compensated to furnish and install each 1-1/8" \times 5/8" Permasert reducer (Item 58-0049-8) as required to complete the work.

Item No. C-65: Permasert Coupling - 5/8" Stab

The contractor will be compensated to furnish and install each 5/8" Permasert coupling (Item 58-0047-1) as required to complete the work.

Item No. C-66: Permasert Blind End - 5/8" Stab

The contractor will be compensated to furnish and install each 5/8" Permasert blind end (Item 58-0045-5) as required to complete the work.

Item No. C-67: Permasert Blind End 1-1/8" Stab

The contractor will be compensated to furnish and install each 1-1/8" Permasert blind end (Item 58-0046-3) as required to complete the work.

Item No. C-68: Protection Post - 3" Diameter (in Concrete, Painted) (PA only)

Same conditions as Item No. C-20 for 3" diameter.

Item No. C-89: Protection Post – 4" Diameter (in concrete, painted) when associated with a meter installation.

Same conditions as Item No. C-20 for 4" diameter.

Item No. C-70: Furnish Plastic Casing - 1-1/8" Diameter

Contractor will be compensated to furnish and install plastic casing.

Item No. C-71: Furnish Plastic Casing - 1-1/4" Diameter

Same conditions as Item No. C-70.

Item No. C-72: Furnish Plastic Casing - 2" Diameter

Same conditions as Item No. C-70.

Item No. C-73: Crew and Equipment Rate (3 Person Crew) Non-blanket

Same as Item No. C-45, with an additional person.

Item No. C-74: Saw Cutting Streets - Up to 6" Depth

This item will be paid when the Contractor is specifically directed by National Fuel to saw cut a street as part of the municipal requirements when there is no unit price bid item that includes this cost in the scope of the work for that pay item. (Note: C-17 and C-18 already include the cost of the final saw cutting in those items.)

Item No. C-75: Saw Cutting Streets - Asphalt over Concrete Base

Same conditions as Item No. C-74.

Item No. C-76; Channel Post for Meters

The Contractor will be paid this Item (#3600475) when installing a channel post support.

Item No. C-77: 1-1/8" Inserted Service Riser

The Contractor will be paid this item to furnish and install an additional riser to accommodate downstream houseline.

Item No. C-78: Furnish and Install Curb Valve Box for Tracer Wire

The Contractor will be paid this item when National Fuel requires the installation of a service valve box (and extension #5500796) for the purpose of tracer wire access (item 5500273).

Item No. C-79: Furnish and Install Curb Box Test Station

The Contractor will be paid this item when National Fuel requires the installation of a service valve box and extension for corrosion testing. This work includes cad-welding test wire leads to the main and protecting the connection.

Item No. C-80: 1-1/4" Electrofusion (in lieu of butt fusion)

This item applies for blanket contractors for the additional cost to electrofuse where an electrofusion is required because the pipe cannot be butt-fused when the pipe is in an excavation. This is valid on occasions where the interruptions in the installation cannot be anticipated at the time of bid. (e.g. installing main in a developed area and stopping short of a drive or roadway where the hole must be covered and/or backfilled and there is no room to leave excess pipe extending above ground).

Item No. C-81: 2" Electrofusion (in lieu of butt fusion)

Same conditions as Item No. C-80

Item No. C-82: 3" Electrofusion (In lieu of butt fusion)

Same conditions as Item No. C-80

Item No. C-83: 4" Electrofusion (in lieu of butt fusion)

Same conditions as Item No. C-80

Item No. C-84: 6" Electrofusion (in Ileu of butt fusion)

Same conditions as Item No. C-80

Item No. C-85: 8" Electrofusion (in Ileu of butt fusion)

Same conditions as Item No. C-80

Item No. C-86: 10" Electrofusion (in lieu of butt fusion)

Same conditions as Item No. C-80

Item No. C-87: 4" Protection Post (not associated with meter installation)

This is for work NOT associated with the installation of a meter. NFG will pay for up to TWO posts per location. Any additional posts furnished and installed, at the same location and at the same time, would be paid using contingency C-69

Item No. C-88: 1-1/8" x 1-1/4" Reducer for 1-1/4" services


This item applies for blanket pipeline work when connecting a main for a 1-1/4" service using a 1-1/8" main connector.

Item No. C-89: Pavement Removal for Mains and Services Trenchless (1-100 sq. ft.)

This item applies to excavating and removing pavement (concrete, asphalt) for a mainline or service pipe trench when that cost is not specifically included in any other bid item. The increment quantity (1-100 SF) applies to each continuous area on a job site.

Item No. C-90; Pavement Removal for Mains and Services Trenchless (over 100 sq. ft.)

Same conditions as Item No. C-89.



10NF NIAGARA FALLS BLANKET BID

CONTRACTOR	BID TOTAL
InfraSource Underground Construction	,
Babcock Utilities	
Freeway Contracting	

Our blanket bid results reflect the order of finish for each bid. We reserve the option to award some blds at a later date, depending upon future bid results and other considerations.

100P ORCHARD PARK BLANKET BID

CONTRACTOR

BID TOTAL

Holland Aurora Construction

Anderson, John Construction

E,R.S.C

Babcock Utilities

InfraSource Underground Construction

Our blanket bid results reflect the order of finish for each bid. We reserve the option to award some bids at a later date, depending upon future bid results and other considerations.

Item No.	V Description	Qty	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price
			Holland-		Anderson, John	~						Underground
			Construct		Ci		E.R.S.	C., Inc.	Babcock U	tilities Inc		ction LLC
Service Cut	-offs											
100P.500	2" OR SMALLER STL LP AT MAIN, LAWN NOT ASSOCIATED WITH ANY OTHER SERVICE WORK AT SAME LOCATION	10 EA	Procedulate	447520:00 4	# ###################################	187600100 4	gre-2010-s-	wagaseanen.	aparant		(3) (8)	46,4570
100P.501	2" OR SMALLER STL LP							_		-		
100P.502	AT MAIN, PAVEMENT (OTHER THAN STREET) NOT ASSOCIATED WITH ANY OTHER SERVICE WORK AT SAME LOCATION 2" OR SMALLER STL LP AT MAIN, STREET NOT ASSOCIATED WITH ANY OTHER SERVICE WORK AT SAME	0 5 A	Macadoo.	ujios.	Mingelland (*)		1447351144	rightire.		gatte.		simporos.
	LOCATION	0 EA		-	-	-	-		والاستجاب	*********	WINDOWS	
	SUBTOTAL Service	cut-offs		THE PERSON		- Charleston		ALC: NAME OF TAXABLE PARTY.				A STATE OF THE PERSON NAMED IN
Service Ren												
100P.500	5/8" - 1-1/8" SERVICE CONVERSION - 2 HOLE SERVICE	10 EA	-pressing.		-		45000	A CONTRACTOR OF THE PARTY OF TH		Ginternal	11000000	alideans,
100P.601	5/8" - 1-1/8" SERVICE CONVERSION - 1 HOLE SERVICE	35 EA	الايوسى الايوسى		-		444400		-postilina		**********	Mario establic
100P.602	5/8" - 1-1/8"											
100P,603	SERVICE CONVERSION - NO HOLE SERVICE WITH REGULATOR 5/8" - 1-1/8"	30 EA		ASSESSMENT		-	-				Jacobs	
100P.504	SERVICE TRANSFER - 2 HOLE SERVICE 5/8" - 1-1/8"	5 EA	***************************************	********	4019100	distance.	(interest)	Anisassar)	()*******	(7)	-	
100P.605	SERVICE TRANSPER - 1 HOLE SERVICE 5/8" - 1-1/8"	70 EA	-	Harrison Marie	1000	Against account	George	Mediceson				
	SERVICE CONVERSION & TRANSFER - 2 HOLE SERVICE	35 E A	-		- terrossio	-	-	وسننجيه				-
1002,606	5/6" - 1-1/8" SERVICE CONVERSION & TRANSFER - 1 HOLE SERVICE WITH REGULATOR	30 EA		440.000.000	-						****	
100P.607	5/8" - 1-1/8" SHORT SIDE RENEWAL - 2 HOLE SERVICE	200 EA					_					44000000
100P.508	5/8" - 1-1/8" LONG SIDE RENEWAL - 3 HOLE SERVICE	25 EA			-	-			-		-	
100P.609	NEW ROAD CROSSING IN COMUNCTION WITH A SHORT SIDE SERVICE 5/8" - 1-1/8"	1500 LF					- CONTRACTOR		eljarette.	-		
	SHORT SIDE RENEWAL, DIRECT BURY SERVICE WITH SERVICE CUT-OFF IN SAME HOLE	100 EA			ونكسب	والمتعدد	-	A-filterigament			فعسوب	المادين المادي

9-1

	100P ORCHARD PARK BLAN		ESULTS										
	ä	II.											
Item No.	Description	Qty	Unit Price	Total Price	Ualt Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	
	·		Hoffand		Anderson, Joh	a Conclustian					InfraSource L	en de en per en en en Indocumend	
			Constructi		C		E.R.S.C	C., Inc.	Babcock Ut	ilities Inc	Construc		
100P.511													
	DOUBLE METER SETS INCLUDES												
	COST OF DOUBLE METER BAR & ADDITIONAL SERVICE ENTRANCE	60 EA											
100P,612		00 LA			42200								
	ADDITIONAL METERS BEYOND												
	DOUBLE INCLUDES EACH												
	ADDITIONAL BAR & ADDITIONAL												
100P.613	SERVICE ENTRANCE	40 EA		-	-	-	-		-	-			
100015	Install Houseline (RIGID												
1000.011	PIPING) 1-20 LF	2400 LF	4	واستاكنته			A PERSONAL PROPERTY.		No. or other	- Indiana	Spinisher.		
100P.614	INSTALL HOUSELINE (RIGID												
	PIPING) OVER 20 LF	1500 LF		التجنية وخواجة	-	Section 1999			Section 2	The Person named in column 2 is not	Spirotopic.		
100P.615				*** ***									
100P.616	re-lights per meter 2" plt	725 EA	-				-		Series of	Section Section 1		-	
100, 1010	MAIN CONNECTION FOR												
100P,617	renewal ITEM 3" PLT	100 EA			44	L-SECTION S	September 1	i de consta	-	Habrasett	-		
1007,617	MAIN CONNECTION FOR												
_	RENEWAL ITEM	80 EA	-	Sections			-		Section 2	-			
1009.618	4" PLT MAIN CONNECTION FOR												
	RENEWAL ITEM	40 EA	*****	(10/0-10/00)	-	40740000	-	Antigonista	Simplica.	20,020,000	-	-	
100P.619	5" PLT MAIN CONNECTION FOR								*				
	RENEWAL ITEM	10 EA	-			**********				-	-	-	
10 OP.620	B" PLT			• • •	,	. ,		•••		•		•	
	Main Connection for Renewal Item	10 EA											
100P.621	10° PLT	10 15						-				-	
	MAIN CONNECTION FOR RENEWAL ITEM (1-1/8" SERVICE)	0 EA	معبودني	-		ميمين	وا ال الان	-	******	*****	A PERSONAL PROPERTY AND PERSONS ASSESSMENTS		
1007,622	12" PLT											-	
	MAIN CONNECTION FOR												
	RENEWAL ITEM (1-1/8" SERVICE)	C EA	****	-		STATE OF THE PERSON.	District.	-	-	- Change			
100P.623	1-1/4" RENEWAL BY INSERTION	3 EA											
100P.624	2*	3 54		, -, 4-2-0-									
	RENEWAL BY INSERTION	5 EA		(heleaning)	-	The second lines of	(2,200,00)		CONTRACTOR	-			
100p.625	3"												
100P.626	RENEWAL BY INSERTION 5/8" - 1-1/8"	0 EA		ممبوبها	-		-			-		-	
1001.023	PUSH SERVICE TUBING	900 LF	-	***	-		-	*******	-	وينتجنبي	بالشجيري		
1007,627	2" STL		.—.		•	,	-			. —	•		
	MAIN CONNECTION FOR RENEWAL ITEM	100 EA			~			-					
100P.628	3" STL	100 64		-		+			.,				
	MAIN CONNECTION FOR RENEWAL ITEM	100 EA											
100P.629	4" STL	100 EA		414			4		-	-	-		
	MAIN CONNECTION FOR	**											
	RENEWAL ITEM	80 EA	-	-	4		-		-	جيبينا لبغي	خودتينه.		

RENEW

ans No-	Daniel tian		Haile Parisa	Tabel Caire	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price
	Description	- GtA	Unit Price	Total Price	OBIC PRICE	1921 PRICE			Unic Price			I OCST PLICE
				-Aurora		in Construction					InfraSource	Underground
			Construc	tion, Inc.	•	io.	E.R.S.	C., Inc.	Babcock U	tilities Inc	Constru	ction LLC
DP.630	6" STL											
7.030	MAIN CONNECTION FOR											
	RENEWAL ITEM	20 EA	- Contraction	CONTRACTOR	PARTY 	***************************************	(1916)	1000000			· STATE STATE	
P.631	8" STL						-	• • •				
	MAIN CONNECTION FOR											
	RENEWAL ITEM	20 EA	1000	4.00						Salandary.	AND AIGS	جدمه مرحق
P.632	10" STL			-	-		_	-				
	MAIN CONNECTION FOR											
	RENEWAL ITEM	0 EA		-		-	-		-			-
P.633	12" STL											
	MAIN CONNECTION FOR RENEWAL ITEM						A770000					
	_	O EA						7.4	300000	***************************************	- Carrier	-
	SUBTOTAL Service	e Renewals		-		-		-,,,		Ş		,,
Kamson P.700	Fittings 2" MP											
F.700	Z" MP TEE TIE-IN, INCLUDES ONE											
	EXTRA WELD	10 EA										
P.701	34 MP				-				1	***************************************		·
,	TEE TIE-IN, INCLUDES ONE											
	EXTRA WELD	10 EA				- Company						
P.702	4" MP	-						1	-			,
	TEE TIE-IN, INCLUDES ONE											
	EXTRA WELD	7 EA	and the last	-	خفينسينه						- المحدث	تحكسيية
P.703	5" MP		•							<u> </u>		
	TEE TIE-IN, INCLUDES ONE			_						_		
	EXTRA WELD	7 EA			-					-/		ويستخلفنه
DP.704	2" MP				_	_						
	SHORTSTOP	3 EA			4	100000	\$000000	عالان فنجيب	September	-	SARGE TO SERVICE STATE OF THE PERSON SERVICE STATE STATE OF THE PERSON SERVICE STATE	
P.705	3" MP											
	SHORTSTOP	1 EA	Amalian Control	-	4000.00		-	-	,	A STREET OF THE	A STATE OF	********
P.706	4" MP					•					_	
	SHORTSTOP	1 EA	كسنس		2000	موعد والوروف			-	-		
P.707	5° MP			· ·					_	-		
	SHORTSTOP	4 EA				- DOM: 100	-	100000000			- Carrier	-
	SUBTOTAL William		45/55		4							
er Set I	stallations											
P.800	SD-2 STL											
	RENEW	2 E A	-CF4100	المعادويات	-	40,110100	-		AND REAL PROPERTY.	ALCOHOL:		
)P.801	SD-4 STL											
	RENEW	Q EA	*****		diam'r.	-	STREET,	-	والتصويون	- Contraction of the last of t	بالجودو نين	
2,802	SD-8 STL			•		-	*	•		-		
	RENEW	2 EA	THE REAL PROPERTY.			T-7-7-0-01-01		-	خالبات المراجع	ALC: UNKNOWN	تاريخ الأرواقي	
P.803	SD-10 STL			-		• • • • • • • • • • • • • • • • • • • •						•
	RENEW	2 EA	*******	-		And the second			and the last of th	CONTRACTOR .	44.672.60	Transportation
P.804	SD-11 STL	2 60								4-1		
007	RENEW	1 EA						-		والمستعين		************
P.805	SD-12 STL	1 04	-	-	-			-	-			
T.003	RENEW			-					-	- سالم		-
P.806	SD-14 STL	1 EA	-	Name and Address of the Owner, where	-			-	-		***************************************	
F.000	RENEW		44.0==			+7.00 0.00		+<-000-00-				
		1 EA	· Aller	-	-		-		STATE OF THE PARTY		-	7-67
P.807	5R-2 5TL											

The second secon

em No.	Description	Qty	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price
			Holland-A Construction		Anderson, John Co		E.R.S.C	_ Inc.	Bahcock U	ilities Inc	InfraSource (Construc	
OP-808	1' X 1' X 3' 6" D RENEW CONCRETE BASE, INCLUDES SONOTUBE (ALL MATERIAL INCLUDED)	4 EA										
608,40	SD-2 STL	4 64		ATIMOMO		***************************************			-3-03(00-			
OP.810	NEW SD-4 STL	5 EA	Age (1945)	-	-	and the second		National Property of the Parket	-	4-1000100	SHOULD BEING	- Parison and a second
	NEW	0 EA	*****	****	quinces.	-	40,000.00	**********	101010	-	***************************************	
OP.811	SD-8 STL NEW	10 EA	THE PARTY NAMED IN					*********		***************************************		
OP.812	SD-10 STL .		*	40.								
DP.813	NEW SD-11 STL	5 EA			-	30,000,000	********	7500100	Mineral Inc.	deline de la constante	Section Att.	declarate.
DP.814	NEW SD-12 STL	1 EA	-	****		\$4,000.00°	10,000,00	*********	(C/522.00-	4-1-2-00	42,042.65	40,700,000
	NEW	0 EA	Many		and the same	-	******	- - m\$6,1000	******		***	-
OP.815	SD-14 STL NEW	0 EA	2 <u>0.000</u> 000		98,000,000		****	*****		*****	\$400 40mg (m)	-
OP.816	SR-Z STL NEW		4300-449			•=·•••••					ma no -	
OP.817	1°X 1°3°6° D NEW CONCRETE BASE, INCLUDES SONOTUBE (ALL MATERIAL						43,000.00	40,000				4 ,
	INCLUDED) SUBTOTAL Meter Set Inst	25 EA tallations	4495.00	April 1950	400000	######################################	4500.00	######################################		444574702°	40500	
ak Repairs												
OP.900	CREW & EQUIPMENT - 2 PERSON STRAIGHT TIME	40 HR		hipeonisis		499450120%	March Strategy	фруссов	سم ودهني	-00/1000000		-
OP.901	CREW & EQUIPMENT - 2 PERSON OVERTIME	8 HR	***********************	427077000		<u> 1444-1440</u>		dejoko.co -		*****		
OP.902	FOREMAN/LABORER/OPERATOR STRAIGHT TIME	4 HR		phaser/#===	=+30:3 0 ⁻	\$250.004	*****	400,000		4900.00	क्रा स्टब्स	<u>#######</u>
OP.903	FOREMAN/LABORER/OPERATOR	4 HR	water 57	1424-0-00 ¹⁰ 4	475-65	<u> Alberton</u>	4075-644	20122000	-		400.75%	<u> </u>
OP.904	DUMP TRUCK WITH DRIVER (TANDEM)	9 HIR		40-00		****					480.42	*******
DP.905	/	2100										
DP.906	SINGLE AXLE DUMP (NO DRIVER)	O HR		-	Apple State of the last of the	***********	-	#18450-d	- CC-025	,-20U	985-044	*******
	CREW & EQUIPMENT - 2 PERSON TRAVEL TIME (IN EXCESS OF 1/2 HR)	S HR	\$200-11am	-		*******		40,020,00 **	#457.62~*	\$2/200H\$	403,59 4	\$64972Z-
P.907	CREW & EQUIPMENT - 3 PERSON TRAVEL TIME (IN EXCESS OF 1/2				******							
	HR)	2 HR	4.04.00	455500	### 6:00*	6230.000		######################################	44700		ALC: USE OF TAXABLE PARTY.	484674

Item No.	Description	Qty	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price
·			Hofland- Construct			n Construction o.	E.R.S.C	., Inc.	Babcock Uti	lities Inc	InfraSource U Construc	
Maioline Ext	ensions											
100P.1000	2" PLT IN UNDEVELOPED AREAS, 50-500 LF MINIMUM 50"	600 LF	-		THE S		400	\$ 0 ,633,656	11075	अवस्था तरा र्	wer65*	wassesered
10 0P,10 01	2" PLT IN UNDEVELOPED AREAS, 501- 1000 UF	2000 LF					-			######################################		estacio no.
1009.1002	2" PLT IN UNDEVELOPED AREAS, 1001-	-	40.01-				•	###750U100			40110	
100P.1003	2000 LF 2" PLT IN UNDEVELOPED AREAS, 2001-	2000 LF	43-004	-	*****		\$3180	10000000	\$105°		#8(2·2·*	\$107120100
100P.1004	3000 LF 2" PLT	4000 LF	40100	THE PERSON NAMED IN	Contain	ignis-fred.	40000	100,000,000	suppress.	950,000	******	
100P.1005	IN UNIDEVELOPED AREAS, 3001- 5000 LF 2" PLT	0 LF	Section 2.	-	(C)	*****			Special	-00.00	حمي	
100P.1005	IN UNDEVELOPED AREAS, OVER 5000 LF 2" PLT	0 LF	40.400	-	*******	4000	-	-	*****	4	45,020	40.00-4
	INSERT INTO EXISTING CASING	100 LF	*****	-	Şandili i	-	4000	######################################		-	41:24	\$024,004
100P.1007	3" PLT IN UNDEVELOPED AREAS, 50-500 LF MINIMUM SO'	100 LF	HATTER	100200	HATTOR	-	*****	<u> </u>	mode	- TORNING	<u> </u>	***
1009.1008	3" PLT IN UNDEVELOPED AREAS, S01- 1000 LF	O LF		-	-							450.00
100P.1009	3" PLT IN UNIDEVELOPED AREAS, 1001-						4444					
100P.1010	2000 LF 3" PLT IN UNDEVELOPED AREAS, 2001-	O LE	4000		इल्ल ाइ		-	. (****	Chillians.		-40-44	40.004
100P.1011	3000 LF 3" PLT IN UNDEVELOPED AREAS, 3001-	0 LF	\$4miles	-	خبرنيته	-	44.44	##0:00\	No. of Street, or other Persons in case of the last of	-	ACC.	***************************************
100P_1012	SOOO LF 3" PLT	0 LF	40.024	1000000	-	and distant	Postsis	<u></u>	No. of Lot	-	*****	m 01001
1000.1013	IN UNDEVELOPED AREAS, OVER 5000 LF 3° PLT	Q EF	-	and the same	-	-	4400	P0000	***	40.00	dates-	40.00-10
100P.1014	INSERT INTO EXISTING CASING 4" PLT	100 LF	******	<u> </u>	» \$6450°	****	44.55		-	######################################	-58,95	A Comp
	IN UNDEVELOPED AREAS, 50-500 LF MINIMUM 50'	. p u	,	-	ejarden)		-	-	-	CONTRACT OF STREET		30100°
100P,1015	4" PLT IN UNDEVELOPED AREAS, 501- 1000 LF	ᅂᄩ	******		-	ujûndi)	and the last	4	-		*****	******
100P.1016	4" PLT IN UNDEVELOPED AREAS, 1001- 2000 LF	0 UF	-		• •		*******		وجعد		40.00	***
100P.1017	4" PLT IN UNDEVELOPED AREAS, 2001- 3000 LF	0 UF	*****								40.00	40.00
100p.1018	4" PLT IN UNDEVELOPED AREAS, 3001-							-			*******	\$1000-1
	5000 LF	ᆙ		Name of Street, or other Persons	-		بالزويون	-	2002	****	48-62-4	40.00

Item No.	Description	e. Qiy	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	
			A-bnalleH		Anderson, John						InfraSource		
			Construction		Co		E.R.S.C	., Inc.	Sahcock Ut	ilities Inc		tion LLC	
1009-1019	4" PLT												
100.12025	IN UNDEVELOPED AREAS, OVER 5000 LF	0 LF	MARKET .	#9105	40-25-4	92407	40170**	Spine.	per la constitución de la consti	924900	-	questi,	
10 0P-10 20	4" PLT		-						•			•	
100P.1021	INSERT INTO EXISTING CASING 6" PLT	OLF	مفت	\$0 46 -1	401059	******	49100-		-	-	-	4000	
	IN UNDEVELOPED AREAS, \$0-500 LF MINIMUM 50'	0 LF		وممم	\$40:00°	*****	-40000	40,00		**	7000	-	
100P.1022	6" PLT IN UNDEVELOPED AREAS, 501-										-		
100P.1023	1000 LF 6" PLT	ᅂᄠ		****	<u>#481904</u>		-		كالثني	-	******	*****	
	IN UNDEVELOPED AREAS, 1001- 2000 LF	0 LF	1000	حددم	\$4015	\$4400 ⁻⁶	44000	هميتين	-		- Marien	46404	
100P.1024	6" PLT IN UNDEVELOPED AREAS, OVER												
100P.1025	2000 LF 6° PLT	ᅋ	1000		هريمين	\$ 2000-	-0000-000			(E)410(P)	بالمقتهد		
100P.1026	insert into existing casing 8" PLT	ᅋ	Special	******	444.004	10.00		+0.00	20.25	-	-	بتعنيف	
	IN UNDEVELOPED AREAS, 50-500 LF MINIMUM 50'	0 LF	\$100 CT	ejerein.	;w#7550	مسجمين	4000	-	***************************************	ماللين	-	-	
100P.1027	8" PLT IN UNDEVELOPED AREAS, 501- 1000 LF	0 LF			A45-504							40-88	
100P.1028	8" PLT IN UNDEVELOPED AREAS, 1001-	O LF	######################################	44.00-		20.00-					-		
100P.1029	2000 LF 8" PLT	0 UF	A COLUMN	*******	9000	Safeting.	40000	4000	t-Alice	- Species	Section 1		
	IN UNIDEVELOPED AREAS, OVER 2000 LF	OLF.	AND TO	40.00-,	455	4000		-	-		********	حاقطن	
100P.1030	Z" PLT ROAD CROSSINGS (TRENCHLESS)	50 LF	enter for	-	territ.	*****			-				
100P.1031	3" PLT ROAD CROSSINGS		1- -						<u></u>				
100P.1032	(Trenchless) 4" plt	50 LF	40135	(2007-014	\$ <u>@4+86~4</u>	Control of the last of the las	₩₩.	Siningeror:	بمنطوقها	-	diam'r.	-	
	ROAD CROSSINGS (TRENCHLESS)	50 LF	2001274	-	(1271000)	 	-	-	خجامتنى	-		4800000000	
1009.1033	6" PLT ROAD CROSSINGS (TRENCHLESS)	o LF											
100P.1034	8° PLT ROAD CROSSINGS	01-	-		3 27.00	4	400.00						
1000 1005	(TRENCHLESS)	ᄜ	\$00000	40.00	200-00	-	PROFES	*****	*******	60100	mainted?	-	
100P.1035	ADDITIONAL BUTT FUSIONS 4"				•								
100P.1036	OR LESS	4 EA		\$1001000	\$50100°	1120.01+	**********	409.69			-425-30-	-	
**************************************	ADDITIONAL BUTT FUSIONS 6" TO 8"	4 EA		\$100.00	********	-		100.00	-	*********	(ACC 1784)		
10 0 P.1040	2" PLT IN DEVELOPED AREAS, 50-500 LF MINIMUM 50'	1000 LF				10 .000.00	1004 0		to de para			**********	
100P.1041	2" PLT IN DEVELOPED AREAS, 501-1000					7.7.	440						
	LF.	1000 LF	42,00	12,000 no.	\$3.00 m	-	عاقق		44100		***************************************	-	

Æ	

Item No.												
	Description	Qty	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price
			Holland Construct		Anderson, John Co		ER.S.C	C., Inc.	Babcock Ut	i li ties Inc	InfraSource (Construc	
1009-1042	2" PLT IN DEVELOPED AREAS, 1001- 2000 LF	1000 UF	-	44, 22, 37	(maritie	40,200.00	وتشاه	معمستين	unos		opubriji.	المعيومين
100P-1043	2" PLT IN DEVELOPED AREAS, 2001- 3000 LF	0 LF	-	4077	####95		AND THE REAL PROPERTY.	Against St.	-	40100	40°	portie
100P-1044	2" PLT IN DEVELOPED AREAS, 3001- 5000 LF		42-22						04-25-		***	
100P.1045	2" PLT IN DEVELOPED AREAS, OVER	ᅂᄩ						-				
100P.1046	5000 LF 2" PLT	១៤	(Second)	- desar-	******	descion		Salatio	A STATE OF			profession .
100P.1047	INSERT INTO EXISTING CASING 3" PLT	ᅂᅜ	-	40.50	بالمتنب	doug	-	enj@piint.	49100	4000		
100P.1048	IN DEVELOPED AREAS, 50-500 LF MINIMUM 50' 3" PLT	1000 LF	-	Milleren	-	40,000.77	معشف	4.00100	مادند <u>ن</u>	differency.	4494	****
	IN DEVELOPED AREAS, S01-1000 LF	1000 LF	WHIT	Neteconea		*********	*****	-	400		-	**************************************
100P.1049	3" PLT IN DEVELOPED AREAS, 1001- 2000 LF	1000 UF	"Bodes	*******	***		-	**********	4005,		-	estalistante
100P.1050	3" PLT IN DEVELOPED AREAS, 2001- 3000 LF	o LF		-		-		10-10-			-	
100P.1051	3" PLT IN DEVELOPED AREAS, 3001- S000 LF	o UF	***************************************			-			4000			
100P.1052	3" PLT IN DEVELOPED AREAS, OVER											
10 0 P.1053	5000 LF 3" PLT	0 UF	-tenner	Statement	Section 1		- Percond		-		******	
100P.1054	INSERT INTO EXISTING CASING 4° PLT IN DEVELOPED AREAS, 50-500 LE	OUF	-	-	********	Topologia.	Appearance of the Person of th		Terrory			بمتيته
100P.1055	MINIMUM 50' 4" PLT	SOD LF	PEROZ	Population .	(destina	10,500,000	white.	40 /200000		SHOTO:00	-	d 100,500.000
100P.10\$6	IN DEVELOPED AREAS, 501-1000 1F 4" PLT	500 LF	Tome:	-	-	410,-150-100	100	0.0,000000	Section.	40,000.00	######################################	***************************************
100P.1057	IN DEVELOPED AREAS, 1001- 2000 LF 4" PLT	1000 LF	B:74	MANAGE .	- T		46 66	Manage		-	+	4.25,050,000
	IN DEVELOPED AREAS, 2001- 3000 LF	0 115	0.70	\$ moon	*********	WO TO E	******	مادين ور	******	-	40000	-
10 0 P.1058	4" PLT IN DEVELOPED AREAS, 3001- 5000 LF	0 LF	72.05		440-054		40.00	يقم وغي	الإستو ر		\$100.5°	ماعشون
100P.1059	4" PLT IN DEVELOPED AREAS, OVER 5000 LF	0 년		-	-	-	50 m T	- Bank 8-a		-	-	
100P.1060	4" PLT		-	1			4011.6		-		-	
100P.1061	INSERT INTO EXISTING CASING 6" PLT IN DEVELOPED AREAS, 50-500 LF	0 LF	Antigo	*****	dust	4	479700	_ *****		-	4693	49-00
	MINIMUM 50'	0년	-	etrus	3.00	***************************************	*********	# 55	 107-201	49.00 4	5525	\$91030

Item No.												
	Description	Qty	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price
			Holland Construc			n Construction to.	E.R.S.(C., Inc.	Babcock U	taties Inc		Underground ction LLC
100P-1062	6" PLT IN DEVELOPED AREAS, 501-1000 LF) ១៤೯	-412173			ومعن	lustrota.					
100P-1063	5" PLT IN DEVELOPED AREAS, 1001- 2000 LF	0 UF	W-20-				440004				020-1	40.00
100P.1064	6" PLT IN DEVELOPED AREAS, OVER			-								
100P,1065	2000 LF 6" PLT	0 LF	-	ڪاڊبني	-	علاقستين	1940-194	ejduð Graj	1041000		upāreta	
100P.1066	INSERT INTO EXISTING CASING 8" PLT	0 LF	Mage	4000	-	201074	- Carrier	-	dimentific	40150	12017	-
100P.1067	IN DEVELOPED AREAS, 50-500 LI MINIMUM 50' 8" PLT		حبين	****	*********	-		بخاشتهم	gacesee	******		-
	IN DEVELOPED AREAS, 501-1000 LF) 0 LF	•	-	-	****	SECRET	44650	\$4000 T	+	-	-
10 0P,10 53	8" PLT IN DEVELOPED AREAS, 1001- 2000 LF	0 LF	الدوار ونين	*******	-	=(0.004)	gáile (Tita	*****	440-204	مقاوليات مقاوليات	<u> </u>	460700
100P,1069	8" PLT IN DEVELOPED AREAS, OVER 2000 LF	0 uF	-	-			\$4.0 -30		-			4445
100P.1070	2" PLT ROAD CROSSINGS (TRENCHLESS)								422.40		407.00	and distribution
100p,1071	3" PLT ROAD CROSSINGS	50 LF	-	,	-		-		هيمنسيون		-	
100P,1072	(Trenchless) 4° M.T Road Crossings	50 LF	4000	- Shipping	i Carrier	(Tibbres)	-C1044			Sales Carried St.		موقادتينه
100p.1073	(TRENCHLESS) 6" PLT	50 LF	Partie.	(CONTRACT)	\$20.00-		-	400000	*******	400.700		***********
100P_1074	ROAD CROSSINGS (TRENCHLESS) s" PLT	O LF	\$1997.20	-	deposits	No.	425.000		*********	Acres.		
100P.107S	ROAD CROSSINGS (TRENCHLESS)	0 년	-	sales et	*******		-		\$89,50		p codin	-
	ADDITIONAL BUTT PUSIONS 4" OR LESS	4 EA	-	9-655	*****	******	-	400-01	\$00,50s	-4400-00	40000	(Cartella
100P.1076	ADDITIONAL BUTT FUSIONS 6* TO 8"	4 EA	-	\$00.000	\$75,000	-	100.00	;2004(20	\$64.75A	42200	4447.00	ger (Miller
	SUSTOTAL Mainline E	extensions		Acceptance.		\$407.70 7.70		4.110/070/070		\$40,E00.00		\$100 general
	rect Bury (Developed Areas)											
100P.1100	1-1/4" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50"	50 LF	4000	440000		-1057:88	جادا ع	-+000.00	420.54	***************************************	-	1253-500
100P,1101	1-1/4" PLT IN DEVELOPED AREAS, 501 - 1000 LF	0 LP										-
100P.1102	1-1/4" PLT IN DEVELOPED AREAS, 1001 -			40.00	-	****	-9300		+			Mary and
	2000 LF	0 L≠	4000	-	-	40:00-4	49.00 a	-	-10.00	-		-

Item No.	Description	Qty	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price
			Holland-		Anderson, Joh			 _			InfraSource	Underground
			Construct	ion, Inc.	o	D.	E.R.S.C	L, Inc.	Babcock Ut	ilities Inc	Construc	tion LLC
00P.1103	1-1/4" PLT IN DEVELOPED AREAS, OVER 2000 LF	Ů LF	46163	44,000	****	40.00	(47:00	quinda	*****		alestanos de	***
OP.1184	2" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50"	3200 LF						45-00-004		<u> </u>		
OP.1105	2" PLT IN DEVELOPED AREAS, 501 -	3200 [***************************************				\$ 0 \$00000				\$
OP.1106	1000 LF 2" PLT	3200 LF	SERVED	ALCOPE TO	ignits.			\$ payments	******	\$00,000 (III)	- April 1975	Auditions.
OP.1107	IN DEVELOPED AREAS, 2001 - 2000 LF 2" PLT	3000 LF	4000	\$40,000	4Politica	10078001005		\$22,700 table	401700	******	*******	Systemat.
	IN DEVELOPED AREAS, OVER 2000 LF	0 LF	حمين	40.00	-		diner	admost.	*****	******	THE REPORT	alman
OP_1108	3" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50"	1500 LF	****	*********	40.004	-	(Person	***********	****		-	455,02045
OP.1109	3° PLT IN DEVELOPED AREAS, 501 - 1000 LF	2000 LF	-44	47.040.400	****	±16:000000	**************************************	-	AMERICAN .	***********	/ Parameter	45500000000
XOP.1110	3" PLT IN DEVELOPED AREAS, 1001 - 2000 LF		40.00			422 544 649			***			
OP.1111	3" PLT IN DEVELOPED AREAS, OVER	2500 LF	-	- And Andread Street					C			
OP.1112	2000 LF 4" PLT IN DEVELOPED AREAS, 50 - 500	ᅂᅜ	*****	مسيه	-	-	- Appropri	-			******	بخدي
OP.1113	LF MINIMUM 50' 4" PLT	500 LF	4075	spanestill.		المستحقيق	-	-	بيلين ين.	42,000,000	وغالمنتني	480192000
OP,1114	IN DEVELOPED AREAS, 501 - 1000 LF 4" PLT	3000 LF	4200	Section 2	44000	***********		STATE OF THE PARTY OF	*****	(Majorenesis		
	IN DEVELOPED AREAS, 1001 - 2000 LF	3000 LF	\$874°		\$60150 ^{TC}		4466-4	\$67,000.000	ھنے۔	*************************************	94.0103	(Doylocium)
OOP.1115	4" PLT IN DEVELOPED AREAS, OVER 2000 LF	2500 LF	*****	424,250,000	\$200ED	025,000;01		-	3600120	de procesió de	440-00;	440,250.64
OP.1116	6" PLT IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50'	500 LF	410×44=	\$44000	-44401000	. 477500100*	-445.00	**************************************	*65.07	(40.00		940,480-00-
OP.1117	6" PLT IN DEVELOPED AREAS, 501 - 1000 UF	0 LF							-			****
OP.1118	6" PLT IN DEVELOPED AREAS, 1001 - 2000 LF				414.75-	-40.00	********					
OP.1119	6" PLT IN DEVELOPED AREAS, OVER	0 LF						40.00				
OP.1120	2000 LF 8" PLT IN DEVELOPED AREAS, 50 - 500	0 LF	6		***************************************	40000	· +					
OP.11 21	LF MINIMUM 50' 8" PLT IN DEVELOPED AREAS, 501 -	150 LF	GARBORY	-		-	- Thirty	idecom	-	deline (1)		10,10mo
OP.1122	1000 LF 8" PLT	1200 LF		Section 1		500,44848	* Specific	125,000.00	40005	#Sichesta	Pany.	70,700,00
	in developed areas, 1001 - 2000 uf	Q LEF	444.000	-	4	*****	40000	****	*****	-		-55ac

The state of the s

	Description	Qty	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price
			Holland-	Aurora	Anderson, John	n Construction					InfraSource	Underground
			Constructi		Ci		E.R.S.I	C., Inc.	Babcock Ut	tīlīties Inc		tion ILC
	S" PLT											
P.1123	IN DEVELOPED AREAS, OVER 2000 LF	016	94415 7*	40:50	-	####	-	4000	423100	44.000	497-66	440700-
P.1124	2" PLT PUSHING PIPE - OTHER THAN											
P.1125	ROADS 2" PLT	1200 UF	-	1000000		\$20.000 P		(100)0001000		\$ E17240187*	حبود ي	***************************************
P.1126	ROAD CROSSING (TRENCHLESS) 3" PLT	100 LF	NAME OF TAXABLE PARTY.	444	\$40,00	44/200100	********		-	(E)	Within the	4872.72.440
	PUSHING PIPE - OTHER THAN ROADS	1200 LF	*******	-	4000	MARIO SOTO	-	\$10000000°	\$2000TT	1001000100 1	*******	120/20000
P.1127	3" PLT ROAD CROSSING (TRENCHLESS)											
P.1128	4" PLT PUSHING PIPE - OTHER THAN	100 LF	,	\$			40000				Manier.	- Annual -
P.1129	ROADS 4" PLT	1200 LF	445.58 .	373100000000000000000000000000000000000	4,4540	440,000,000	*****	(Sentengrape	\$20 .00	13-17-23-00	سعف	4064071111111
P.1130	ROAD CROSSING (TRENCHLESS) 6" PLT	100 LF	#######	44/65/400	 	(2,012.11-	*****	ANGERSON.	401127	(2)191199	-	-
OP. 1131	PUSHING PIPE - OTHER THAN ROADS 6" PLT	50 LF	424.504	\$4,640,000	-		420000	\$2,250,00 ₁₀		\$4,605.50	\$50.040	#07700100
P.1132	ROAD CROSSING (TRENCHLESS) 8" PLT	0 LF	42444	******	4407:00	46139 *	480-00-	40.00 -	*****	-	(400/P0	-
	Pushing Pipe - Other Than Roads	0 LF	477.60	-		-		*****	وتشكون	-	-	*****
P.1133	8° PLT											
P.1134	ROAD CROSSING (TRENCHLESS) 10" PLT IN DEVELOPED AREAS, 50 - 500	0 L F	30000	-	774194	-	-	*******	-	(Albus)		-
P.1135	LF 10" PLT	O LIF	-	44.00		40.00	40000	*******	Managa	-	-	-
	IN DEVELOPED AREAS, 501 - 1000 UF	0 UF	******	490497	********	-401000	#4091994	-	-	sjamen ^a	-	-
P.1136	10° PLT PUSHING PIPE - OTHER THEN ROADS	0 LF	-		-	4000	-		-	-		-
P.1137	10" PLT	•		,	,	.,,	.,				4	
P.1138	ROAD CROSSING (TRENCHLESS)	Ç LF		4500		-	20.00	ساباران	*****	40.00	-	-
0.4400	ADDITIONAL BUTT AUSIONS 4" OR LESS	4 EA	-	-	-	*******	-	480.00			-05-30-	وتتبددهم
2.1139	ADDITIONAL BUTT FUSIONS 6" TO 8"	4 EA	4000	**************************************	400100.	1000000	-450-44	microst?	***	مودونون	***********	سعينين.
SUBTOTA	AL Mainline Direct Bury (Develop	ed Areas)						hampeostic		denimento .		
llee Yes	ertion (Developed Areas)											
2.1200	1-1/4" PLT IN DEVELOPED AREAS, 50 - 500											
	LF MINIMUM 50'	300 LF		-								

	₹	774										
Item No.	Description	Qty	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price
			Holland		Anderson, Tob	n Construction					InfraSource	
			Construct			o.	ERS	C., Inc.	Babcock U	tilities Inc	Constru	ion LC
100P.1201	1-1/4" PLT IN DEVELOPED AREAS, 501 - 1000 LF	1000 LF	Valorities.		2007	********		-	-	***********	gipādis)	
100P,1202	1-1/4" PLT IN DEVELOPED AREAS, 1001 -											
10 0P.120 3	2000 LF 1-1/4" PLT IN DEVELOPED AREAS, OVER	0 LF	dense	- Sheetin	A man	-	-	-	Service.	-	dirense	-
100P.1204	2000 LF 1-1/4"	Q LF	-	40.05	********	والمدائق	-		-			40.00
100P.1205	TEMPORARY CUT-OFF 1-1/4"	0 EA			A TAMBOOK	خالدانن ی	;2000000		-	******	AND POST	
100P.1205	CUT WINDOW	0 EA	(partico	40000	A STATE OF THE PERSON NAMED IN	uppe###	Approximately 1	-	420	emp010302		CONT.
100P.1207	IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50° 2" PLT	2500 LF	-	******			-	-	-		(circuit)	4944-00-00
	IN DEVELOPED AREAS, 501 - 1000 LF	2500 LF	ATAME	Authorne,	*	- 1/2- Olah		-	4000	-	-	100/000A
100P.1208	Z" PLT IN DEVELOPED AREAS, 1001 - 2000 LF	4000 LF										
100P.1209	2" PLT IN DEVELOPED AREAS, OVER		-				-		-			
100P.1210	2000 LF 2"	0 LF			<u>gipters:</u>	-	-	(1000)				411114
100P.1211	TEMPORARY CUT-OFF 2*	0 EA		مينين 		992000		******	4-100107-			
1009,1212	CUT WINDOW 3" PLT IN DEVELOPED AREAS, 50 - 500	20 EA	-	-		-	4,500	40,000	-	-	(277-4	-
100P,1213	LF MINIMUM 50'	500 LF	September 1	(m)Patrick	-	**********	-	Animaritans	-	Minneson,	*******	Antoninia
	IN DEVELOPED AREAS, 501 - 1000 LF	1000 LF	-		ujadi.	(2)455100	-45	49,0171111	-	-		-
100P.1214	3" PLT IN DEVELOPED AREAS, 1001 - 2000 LF	2000 LF		مسيحين ا	Ministe		-	-	Atmos	-	quinte.	infigures.
100P.1215	3" PLT IN DEVELOPED AREAS, OVER 2000 UF	0 LF		40.00								
10 0P. 1216	3" TEMPORARY CUT-OFF	0 EA					-		(77) mm			
100P.1217	3" CUT WINDOW	60 EA	-				_	والمراجع المراجع	-jarense	****	3400.00	
100P.1218	4" PLT IN DEVELOPED AREAS, 50 - SOO LF MINIMUM 50"	25D LF		-		الانتونيادي الانتونيادي	والمالين		-	440,040,075		; delicented
100P.1219	4" PLT IN DEVELOPED AREAS, 501 1000 LF	250 LF									-	
100P.1220	4" PLT IN DEVELOPED AREAS, 1001 -	43U LF		\	· ·	***********	* almon			,		
100P.1221	2000 UF 4" PLT	0 LF		-	decor	-	-		40.073		-	
	in developed Areas, over 2000 uf	0 LF	America	-	-	-	-	Manag	-	-	-	-

	3	影										
Isam No.	Description	Qty	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price
· 			Hoffand- Construct		Anderson, Joh C	n Construction o.	E.R.S.	C., Inc.	Bahcock U	ilities Inc	InfraSource Construc	
100P.1222	4" TEMPORARY CUT-OFF	0 EA		mijeridi,	-	CARPOR TO	windows	-	-		-	-
100P,1223	4" CUT WINDOW	50 EA						40.00				
100P.1224	6" PLT IN DEVELOPED AREAS, 50 - 500								-			
1009.1225	LF MINIMUM 50° 6" PLT IN DEVELOPED AREAS, 501 -	ĎĽF			مقالتميو	, , , , , , , , , , , , , , , , , , , 	-	- Antonio		(1111)	- Alleria de la compansa de la comp	Window)
1009_1226	1000 LF 6" PLT	0 LF		-		-	-					***************************************
10 0P.122 7	IN DEVELOPED AREAS, 1001 - 2000 LF 6" PLT	0 LF	-	STATES	-	-		-	CHARLES	Giovan	None	
	in developed areas, over 2000 LP	0 LF	*****	******	(ministry)	and the same	-	-	-		-	
100P,1228	6" TEMPORARY CUT-OFF 6"	0 EA	410 100°	galantila	******		-	distant	-		-	-
100P.1229	CUT WINDOW 8" PLT	Ş EA	404004	******	-	-	والمعيدين	****	-	-	-	4000.00
1007.1230	IN DEVELOPED AREAS, 50 - 500 LF MINIMUM 50'	0 LF	يشتن	-	*****	Sparte	-		-	خشمي	-	4000
100p,1231	8" PLT IN DEVELOPED AREAS, 501 - 1000 LF	0 LF	-	-				-				
100P.1232	8" PLT IN DEVELOPED AREAS, 1001 - 2000 LF	0 LF			*******		***					
10 0 P.1233	8" PLT IN DEVELOPED AREAS, OVER								,			
100P.1234	2000 LF 8"	C UF	-		-	-	-	متعيهم		@####		
100p.1235	TEMPORARY CUT-DFF 8"	0 EA			*****	elector.	,	-		المستعدي		
100P.1236	CUT WINDOW 10" PLT IN DEVELOPED AREAS, 50 - 500	3 EA	475-144	-		42		***************************************	Spanning.		spanning.	42-10-10-1
1002.1237	LF 10" PLT	0 LF	minute.	THE STATE OF THE S	and-series.		4923100		-	- TOTAL		-
100P,1238	IN DÉVELOPED AREAS, 501 - 1000 LF 10"	0 LF	-	-	\$1000	Admin	*******	Mag.	-	-	-	HALLAG
100P.1239	TEMPORARY CUT-OFF 10" - 12"	0 EA	*****	giù d'OL	\$67,050.00	January	-	24-00	Manage	*****		
1007.1239	CUT WINDOW	O EA	Company of the Compan	\$0.00\$		*****	\$ 00.00	-		-		- Allen
SUBTO	TAL Mainline Insertion (Develop	ed Areas)								***************************************		(Lapisano):
Miscellaneo 100P.2000	us Work (Mains) 2"		_									
1009,2001	Main valve & Box 3"	25 E A	Sec. of Lot	THE REAL PROPERTY.		***************************************		philipped.	- Control of	jangana		\$64,459400
100P.2002	Main valve & Box 4"	5 EA	:#####################################	40.400.40			\$ <u>56644</u>					
	MAIN VALVE & BOX	5 EA	-477.00-	-		science (CD)	+022004		-	-	: Persona	

Item No.	Description	Qty	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price
·			Holland-/ Constructi		Anderson, John Co		E.R.S.G	C., Inc.	Babcock U	tilities Inc	InfraSource U Construc	
100P.2003	6" MAIN VALVE & BOX 8"	0 EA	-	*****	-	*****	******	_		*****		
100P.2005	MAIN VALVE & BOX	0 6 A	-	SANS	(4), (3,00	******	-	-	40,000,000	MATERIA		-
100P.2005	CREW & EQUIPMENT (2 PERSON)	275 HR	-	******	-		Jan 1770	<u> įsūrėniu Pt</u>	******	(0.1000.00)	ALCOHOL:	410/0710814 ,
100P.2007	CREW & EQUIPMENT (3 PERSON)	40 HIR		\$0,000,000	(and other	47750000	Program	***	AMPRICA	*********	\$ 945,64	(a),000,10
10 0P.20 08	FITTER TIME (FOREMAN/OPERATOR/LABORER)	200 HR	upono	AND CONTROL	-	F0/0.0000	40777	-	44441	مسيي	*****	
1009-2009	FITTER WITH VEHICLE & TOOLS	20 HR	رونت	-	******	**********	*****	delinearing		\$4700000	-	
	WELDER (WITH VEHICLE, WELDING MACHINE, ROD & TOOLS)	O MR	##0556	işandiği.	\$115,69 \$	epoints.	4860-004	40.00		pione.	-	######################################
19 0P.201 0	PIPE PADDING	300 CY		-	4490	442-600-00	##40-00	(CARLES CO.	-	3600000000	#48×80*	MANAGEM P
100P.2011	SELECT FILL.	200 CY	Maintaine.		-	40,000	-	*******		######################################		project cont.
100P,2012	PERFORMANCE BOND COST (PER \$1000 OF WORK) SUBTOTAL Miscellaneous Work	0 K : (Mains)	-	.poster	2000000	enjestite gangeriteren	*******	4000	*****		apanenti.	(Title)
	us Work (Services)											
100P.2100 100P.2101	2" SERVICE VALVE & BOX 3"	5 EA	name (50		********	30,05000	\$400000m	42,00000	*********	-	****	\$0,040FEP-
	SERVICE VALVE & BOX	0 EA	******		*******	******	jevo joso		(PROSES)	40:00	\$000700	94180h
100P.2102	4" SERVICE VALVE & BOX	O EA	77 2100		4505-694	Minney		# 2000)	-			-
10 0 P.2104	CREW & EQUIPMENT (2 PERSON)	135 HR		9 27,000100	S ETHIOUT.	\$40,000 100	-	\$ 637136156.	\$601 NO.	\$ 0.0,000.04	مستتنه	SPRINGE APP
100P.2105	CREW & EQUIPMENT (3 PERSON)	10 HR	107-30	-	-		***************************************	\$2,000,000	\$60 modes	مان ده دار شه		************
100P.2106	FITTER TIME (FOREMAN/OPERATOR/LABORER)	135 HR	بالقيادي	16,20000	حميميه		-	\$4,775.00	*****	Alegania	-	40,440.40
100P.2107	FITTER WITH VEHICLE & TOOLS	10 HR	*******	خارب بينشك		WALL TO THE OWNER OF THE OWNER	-	******	400,22	******	-	4004704
	WELDER (WITH VEHICLE, WELDING MACHINE, ROD & TOOLS)	20 HR	position	40,000,000	*******	(E)Districts	p100-000		######################################	digitation	-	*****
100P.2108	PIPE PADDING	200 CY		****	(metros)	307107/TG ₀₀	-	(2)	-	(*,000.00*)	محنطان	710-110-110

. 47 1.01

	Description	Qty	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price
ه سب سب سب سب			Holland- Construct		Anderson, Joh	n Construction	E.R.S.(C., Inc.	Babcock Ut	ilities Inc		Underground ction LLC
					_			,			C	
10 0 P,2109												
	SELECT FILL	100 CY	-	**************************************			Tiponom;	A COLUMN TWO IS NOT THE OWNER, TH		-	SPACE AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IN COL	Section 1989
	SUSTOTAL Miscellaneous Work	(Services)				The Party of the P		Section 1		STATE OF THE PERSON NAMED IN		4-0-10-1770
Tie-Ins - LP												
100P,3000	Z" STL LP											
	TITE-IN	S EA	STATE OF THE PARTY.	#8+4564 0		407 TO 020	district	1000000	-	************		
1002-3001	3" STL LP					•						
	TIE-IN	5 EA	-	\$ Company	-	-		-		Spinster, or other	-	No. of Concession, Name of Street, or other Persons, Name of Street, or ot
100P,3002	4" STL LP											
	TEE-IN	S EA		-	-	طفيليانديانه		والمشاوية	-	-		\$972480
10OP,3003	6" STL LP											•
	TJE-JN	5 EA	Section 2	*********	********	-		Section 2019	-	(discourse	-	
100P.3004	8" STLLP											
	TIE-IN	O EA	بخليتين		-		A PERSONAL PROPERTY.			-	وببروعين	وقيون
100P.3005	12" STL LP											
	TIE-JN	O EA		-	-		45770401000	جمهو		4444	خاوانا والجائد	
	SUBTOTAL Tie-1	ns - LP STL				Witness		ALC: NAME OF TAXABLE PARTY.		Waterstan		
Tie-Ins - LF												
100P.3100	1-1/4" PLT LP & MP		*****							-1.0		
1000 2101	TIE-IN, ELECTROFUSION	O EA	-	-	- Control of the Cont					-	-	-
100P.3101	1-14" PLT LP & MP TIE-IN BY 1-1/4" X 1-1/4" X 1-											
	1/4" THE, ELECTROPUSION	Q EA			-							
100P.3102	2" PLT LP & MP	•	*********							-,	•,	-,
	TIE-IN, ELECTROFUSION	40 EA	-		Service and Print	(Street		*********		AND LOCAL		9000040-84s
100P.3103	2" PLT LP & MP		*					4-,				4,-
	TIE-IN BY 2" X 2" X 2" TEE,											
	ELECTROFUSION	2 <u>E</u> A	وممحميها	-	- Section		موروزون	-	جينده دنه	-	4000	**************************************
100P.3104	3" PLT LP & MP		•									
	TIE-IN, ELECTROFUSION	25 EA	بخالة الأدا	-		-		خجيبة الأفايشان	A		APPENDICULAR PROPERTY.	initia de
100P.3105	3" PLT LP & MP											
	TIE-IN BY 3" X 3" X 3" TEE, ELECTROFUSION	2 EA			4000.00							
100P,3106	4" PLT LP & MP	200	-	440,004		4	-			4-4-0-0-0-0-		- Interior
100,0100	TIE-IN, ELECTROFUSION	10 EA	****		-				-	****		*****
100P.3107	4" PLT LP & MP	20.0			42 , 2000							
	TIE-IN BY 4" X 4" X 4" TEE,											
	ELECTROFUSION	2 EA	Spinister,	والشرخاصة			-	-	The state of the s		3	(BOOMS)
100P_3108	6" PLT LP & MP				_					_		
	TIE-IN, ELECTROFUSION	5 EA		ship neorben	MARKET		\$600mg.	******	**********	distantives.	****	44,000
100P,3109	6" PLT LP & MP	•										
	TIE-IN BY 6" X 6" X 6" TEE, ELECTROFUSION	0 EA									-	
100P.3110	8" PLT LP & MP	0 🗠	-									
100513170	TTE-IN, ELECTROPUSION	S EA						-				
100P.3111	8" PLT LP & MP	2 54			4,44,44					44,		
1400 20111	TIE-IN BY 8" X 8" X 8" TEE,											
	ELECTROFUSION	D EA	*******	حفدهين	-	-	*********	-	************	-	Section 19	والمتجافزات
100P.3112	2" PLT LP & MP					•					-	
	TIE-IN, HIGH VOLUME PUNCH									_		
	TEE ON 2" PLT MAIN	15 EA		STATE OF THE PERSON NAMED IN	400000	معددهدشهم	400000	-		\$04Hellett.		\$0,000.00
100P.3113	2" PLT LP & MP TIE-IN, HIGH VOLUME PUNCH											
	THE ON 3" PLT MAIN	10 EA	-		in an						****	

Item No.	- Decembring	Qty .	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	
	Description												
			Holland			n Construction		_			InfraSource I		
			Construct	tion, Inc.	6	o.	E.R.S.	C., Inc.	Babcock Uti	lities Inc	Construc	tion LLC	
100P.3114	Z" PLT LP & MP												
1007.5114	TIE-IN, HIGH VOLUME PUNCH												
	TEE ON 4" PLT MAIN	10 EA		ACTIVITY	# Control	107604100	4200.00	\$ 9,000,00	(10.077.0 5	CONTRACTOR	1000	9 PROPERTY.	
100P.3115	2" PLT LP & MP												
	TIE-IN, HIGH VOLUME PUNCH												
****	TEE ON 6° PLT MAIN	1 EA	and the same of		\$ 100.00		3-1001-4	100000	-	******		-	
100P.3116	2" PLT LP & MP TIE-IN, HIGH VOLUME PUNCH												
	TEE ON 8" PLT MAIN	1 EA	***				044000	444000	****	Western Co.			
	SUBTOTAL Tie-Ins - LP			adeprised to	•	***********	_	*******		\$50,050.00		300,000.00	
Permanent (Cut-offs - LP STL												
100P,4000	2" & SMALLER STL LP												
	PERMANENT CUT-OFF	S EA	S. Control of	******	-	***************************************	## ###################################	# 0,050:00	PROBLEM	Salanonio.	****	Selection	
100P.4801	3" STL LP									_	_		
	PERMANENT CUT-OFF	S EA	مختصص	201000100	the same	######################################	Name of Street	<u> </u>	**********	400	420000		
100P,4902	4" STL LP												
	PERMANENT CUT-OFF	5 EA			******	Chips store	4000109	30,0,0	*********	**********			
100P.4003	6" STL LP		****					-		44.502-25-			
100P,4004	PERMANENT CUT-OFF 8" STIL LP	5 EA	30000				10000	Sales		-	*********	40122	
1005,4004	PERMANENT CUT-OFF	0 EA	AD-711-A-6-1-		*******	45.004			-				
100P.4005	12" STL LP	0 124											
2007.7000	PERMANENT CUT-OFF	D EA	Charles Co. C.D.	The same	97-599-50	44000	42-500000	-	********	-	41.534.53		
	SUBTOTAL Permanent Cut-of		,	1727 Tanas		40000000	-	Application.	, _	*****		SETTEMPT	
				, ,		• • •						• •	
Permanent	Cut-offs - LP & MP PLT												
100P.4100	2" & SMALLER PLT LP & MP												
	PERMANENT CUT-OFF	10 EA	(FERRICAL)			\$50,000 CHOS	ARCHITICAL PROPERTY.		-	* الفران الم			
100P.4101	3" PLT LP & MP						**						
	PERMANENT CUT-OFF	5 EA	100000	*****	ediano.	SALE SERVICES	*****	(4)00100		1707000	de agrico.	The residence of the last of t	
100P.4102	4" PLT LP & MP				_			-					
	PERMANENT CUT-OFF	S EA	**************************************	-	-	(April 2) (April 2)	300000	delicated.		American States	-	- indicated	
100P.4103	6" PLT LP & MP PERMANENT CUT-OFF												
100P.4104	8" PLT LP & MP	Q EA					-				4		
1007,4104	PERMANENT CUT-OFF	CEA			-000-00-		SALES OF THE SALES	10000			*****		
SI)	BTOTAL Permanent Cut-offs - Li		4 -0-1000	-		-				Sections		;#7700100h	
										, <u> </u>			
Permanent :	Cut-offs - MP STL												
100P.4200	2" STL MP												
	PERMANENT CUT-OFF	5 EA		**********		September 1975	-	Antonous	40000	40,000,000	of spinos	40,000,00	
100P.4201	3" STL MP												
	PERMANENT CUT-OFF	5 EA	Appendix.	ومعيونين		- Charles	4480100	Opinson.		-	-	-	
100P.420Z	4" STL MP					-			ACRES				
40en 43en	PERMANENT CUT-OFF	S EA	Spanner.	Section 1999	-	-		\$0,000,00	Section 1		-		
100P.4203	6" STL MP			4034-44	403E-44			-	*******	41.534.00	-		
100P.4204	PERMANENT CUT-OFF 8" STL MP	2 EA	-		-	(missance)	-	-				the farming	
1001.4604	PERMANENT CUT-OFF	2 EA	-AF0E-60-		-	-	-	-	SHIPPINE	90.050.00		3800000	
	SUBTOTAL Permanent Cut-of						- +	-		- About		-	
	SECTO PAL PERINGSPERIE COCON							4-1					

	€												
Item No.	Description	Qty	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	
								~					
			Construct		Anderson, Joh C	o.	E.R.S.C	., Inc.	Babcock U	tilities Inc	InfraSource i Construc		
100P.5023	2" PLT MP ROAD CROSSING FOR NEW	***											
100P,5024	SERVICES 2" PLT MP INSTALL TUBING THROUGH	200 LF		(Married Married Marri	410004	7 (17)	4-20-1010	(Mines)	-	Section 1	هدمني	idaine	
100P,5025	EXISTING CONDUIT 3" PLT MP	200 LF	\$0.40°	- Annual A		Miles court	Sections	****	şi denderin.	 Page 1979	*******	40,000	
100P_5026	SERVICE TAP & RISER 3" PLT MP	1 EA	**************************************	jraneni.	Mark Control		-	Section	-	-		STATE OF THE PARTY	
100P.5027	TRENCHING & BACKFILL 3" PLT MP	500 LF	Attenday	AND DESCRIPTION OF	****		\$40gh	S TOTAL	-	SINGER STORM	Acres	Marianan	
100P,5028	ROAD CROSSING FOR NEW SERVICES 3" PLT MP	ᅂ	Name.	-	-			Addition	-	WHICE THE	******	-	
	INSTALL TUBING THROUGH EXISTING CONDUIT	0 LF	~40100		-	-		خليفضي	periodica.	-		-	
100P.5029	2" RISER ON 1-1/8" SERVICE	20 EA	4050-00	*****	-	40,44000	****	********	******	AND THE	3494FIII	SOUTH TO	
100P.5030	5/8" - 1-1/8" INSTALL SERVICE IN CUSTOMER DUG TRENCH (INCLUDES BACKFILL)	5000 LF	herean.										
100P.5031	1-1/4" INSTALL SERVICE IN CUSTOMER DUG TRENCH (INCLUDES			440,241		(12)200no				3000000	4.50		
10 0P.503 2	BACKFILL)	3000 LF			4-60		40.00	-	-	40.530.00	-	****	
	INSTALL SERVICE IN CUSTOMER DUG TRENCH (INCLUDES BACKFILL)	0년	****	جويدين جويدين	وعصون	-	-	معمون	ejorota.	920-00-		, Janes	
100P.5033	3" INSTALL SERVICE IN CUSTOMER DUG TRENCH (INCLUDES							-			•		
10 0P,503 4	BACKFILL)	0 EA	-		-		 	40444	-	\$0100m	-40-64	-	
	FLEX RISER - ADDITIONAL CUST SUBTOTAL New		-	(A) Table (A)	Action	Salvadinas Salvadinas		************	p-libraries	***************************************	40000		
Directional 1 1009,6800	_												
100p.5001	DRILLING CREW - LABOR & EQUIPMENT 2" OR LESS	5 HR	\$2000	\$ 4,000.0	-	-		44-000-00-	-		***********	***	
	DRILL & INSTALL PIPE MINIMUM 50 LF	0 LF	****	****	944400		<u> </u>			بدائد ت		40.00	
100P,6002	2" OR LESS DRILL & INSTALL PIPE 51 - 100 LF	100 LF	1940-UEL	14,691197	********	\$5/50000a	\$20.00 	(3)(30)(3	***************************************	ملفظهميتن	خنييب	43,507,00 7	
100P.6003	2" OR LESS DRILL & INSTALL PIPE 101 - 200 LF	100 LF		distriction .	-	بالقلمين		******	-		*******		
100P.6004	2" OR LESS DRILL & INSTALL PIPE 201 - 500										-		
1009.6005	LF 2" OR LESS DRILL & INSTALL PIPE 501 -	200 LF	Serve .		And the same of t	(Mily450104)	-	- Ambientage	establish.	(F)COLOG	***************************************	}0,010.00	
	1000 LF	οUF	Shrade	·	Section	-	-	-		******		-	

tem No.	Description	Qty	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price
 -			Holland-/ Construction		Anderson, John Co		E.R.S.	C., Inc.	Babcock Uti	lities Inc	InfraSource L Construc	
OP,6006	3" OR 4" DRILL & INSTALL PIPE MINIMUM 50 LF	0 LF	form:	***		40,00	*****	a##7##h	squipper 4			-
OP.6007	3" OR 4" DRILL & INSTALL PIPE 51 - 100 LF	400.15		******						*****		
8008.90	3" OR 4" DRILL & INSTALL PIPE 101 - 200	100 LF				4-,	4		<u> </u>	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-	
DP.6009	16 3" OR 4" DRILL & INSTALL PIPE 201 - 500	100 LF		- 1	diferent		Heren	427Fehria	400.02	***************************************	******	42,000/00
OP.6010	LF 3° OR 4"	200 LF	-	of or party		-	-	\$ absentag	(4775)	40,500,00	المحمد ي	
PD 5014	DRILL & INSTALL PIPE 501 - 1000 LF	500 LF	44544		900000	******	-	distant and a	********		QDOUGE	
OP.5011	DRILL & INSTALL PIPE MINIMUM 50 LF	0 UF	********	mioma.	diameter.		-		-	وفقيقف		sep\$198-
OP,5012	6" DRILL & INSTALL PIPE 51 - 100 LF	0 LF				•	4704107**	40-40-	المعروض	****	-	
OP.6013	6" DRILL & INSTALL PIPE 101 - 200							·				
OP.6014	EF 6" DRILL & INSTALL PIPE 201 - 500	0 UF	-	- Second	İMPANISAN	Approx.	- Control	dura	29:30	Section .	part HESTA	Second
OP.601 5	LF 6° DRILL & INSTALL PIPE 501 -	0 UF	-	******	(Miles)	 101101	#E100#	poor -	PAPISO	4000	approacy of	-
DP-6016	1000 LF 8"	0 UF	\$10000	-	GARTES	-	-	Manne	بنشبيع	*****	High start	\$6150¶
OP,6017	DRILL & INSTALL PIPE MINIMUM 50 F 8"	0년	-	*****	Applicate	##IGU	****	Institute	\$\$41007	*****		\$4169 T
	DRILL & INSTALL PIPE 51 - 100 LF	0 LF	Spanos P	(cion-	\$Queen-	-	10000	*****	, oc.,	-	-	-
DP.6018	8" DRILL & INSTALL PIPE 101 - 200 LF	D LF	*****	150-00-5	والأأبيان	₩	425.004	-	مالاندان مالاندان		والنواقي	4000
DP.6019	8" DRILL & INSTALL PIPE 201 - 500 LF	Q LIF	40075	-			1400-1773	477	<u> AGANTA</u>	€3000 \$	450474	
DP.6020	SPOT HOLES IN ASPHALT	5 EA	paores:	Alcourse.	ACCUSED NO.		French		-	-	-4-160-10-P	(3)
OP.6021 OP.6022	SPOT HOUES IN CONCRETE	5 EA	**********	***********	/200100	-	\$500.043	40,000.00	glanst.	*	(140)	***************************************
7F.10022	SPOT HOLES IN EARTH SUBTOTAL Directions	15 EA at Drilling	(107.00	Signature Spinoson		مهمنیده مهمنیده	\$ <u>440-00</u>	*idaletano	-	۱۹۰۰ محمد بروی دادی محمد بروسی	doin	Spinson Pennyana
TAL BASE I		BASE BID	s		•	-			2	-	=	A CONTRACTOR
	Bids opened by:	Engineering	!		Date:	····				•		
		Audit:			Date:							

10NF NIAGARA FALLS BLANKET BID

CONTRACTOR

BID TOTAL

InfraSource Underground Construction

Babcock Utilities

Freeway Contracting

Our blanket bid results reflect the order of finish for each bid. We reserve the option to award some bids at a later date, depending upon future bid results and other considerations.