


One Verizon Way
Floor 4
Basking Ridge, NJ 07920
Tel (908) 559-5620
Fax (908) 766-6974
william.d.smith@verizon.com

William D. Smith
Assistant General Counsel



September 25, 2007

BY HAND

Honorable Jaclyn A. Brillling
Secretary
New York Public Service Commission
Three Empire State Plaza
Albany, New York 12223

**Re: Cases 97-C-0271 and 99-C-0949 – Performance Assurance Plan – August 2007
Monthly Report**

Dear Secretary Brillling:

Verizon New York Inc. ("Verizon") hereby submits its monthly report under the 2007 Performance Assurance Plan (the "2007 PAP") to the Public Service Commission (the "Commission"). The 2007 PAP became operational on March 1, 2007,¹ and the August 2007 PAP Report is attached as Exhibit 1.

The August 2007 PAP Report can be summarized as follows:


¹ See Case 99-C-0949, Order Amending Performance Assurance Plan (issued and effective September 25, 2006); see also E-mail from Honorable Jaclyn A. Brillling, Secretary, to Parties in Case 99-C-0949 (dated October 24, 2006) granting Verizon's request for implementation of the PAP for March 2007.

	MOE Score	Market Adjustment
MOE:		
UNE-Loop	-.0455	\$0
Resale	-.1245	\$0
Trunks	.0000	\$0
Critical Measures	NA	\$14,715
Individual Rule	NA	\$2,520
Total	NA	\$17,235

Each CLEC can obtain its CLEC-specific report, which indicates the amount of bill credits the CLEC is entitled to receive, from the Wholesale Internet Service Engine ("WISE") website.² The October 2007 bills will reflect any bill credits that Verizon has agreed to provide to the respective CLECs.

If you have any questions regarding these reports, please contact me at the above number.

Respectfully submitted,



William D. Smith

cc: Brian P. Ossias, Esq. (Confidential and Public Version)
All Active Parties (Public Version)

² CLEC-specific information related to the August 2007 report, which Verizon has designated as confidential, is included in Exhibit 2.

EXHIBIT 1

PAP Report for August 2007

August-07

Performance Assurance Plan - Verizon NY

Version 4.0

Section	Mode	Weighted Score	Market Adjustment
MOE	Loop	-0.0455	\$0
MOE	Resale	-0.1245	\$0
MOE	Trunks	0.0000	\$0
MOE	Total		\$0
Critical Measure	Loop		\$0
Critical Measure	Resale		\$0
Critical Measure	Trunks		\$0
Critical Measure	Specials		\$14,715
Critical Measure	Other		\$0
Critical Measure	Total		\$14,715
Individual Rule	Total		\$2,520
All	Grand Total		\$17,235

Performance Assurance Plan - Verizon NY

Version 4.0

Blank Stat Score = Insufficient activity or no activity to perform a statistical test

Perf Score	Wgt	Wgt Score	Metric #	Metric Description	Product	VZ Perf	CLEC Perf	VZ Obs	CLEC Obs	VZ Std Dev	Difference or Stat Score	Bill Credit
-6	330	-0.0455	MOE-Loop	Loop Based Mode of Entry Totals								\$
0	2	0.0000	PO-1-01-6020	Average Response Time - Customer Service Record (CSR)	EDI	2.2	3.34		5.614		0.4180	
0	2	0.0000	PO-1-01-6030	Average Response Time - Customer Service Record (CSR)	CORBA	2.02	0.70		3.156		-2.2165	
0	5	0.0000	PO-1-01-6050	Average Response Time - Customer Service Record (CSR)	WEB GUI/LSI/W	2.50	46		36.661		-1.4554	
0	2	0.0000	PO-1-03-6020	Average Response Time - Address Validation	EDI	2.50	4.59		21.777		1.6739	
0	2	0.0000	PO-1-03-6030	Average Response Time - Address Validation	CORBA	1.96	1.57		33.866		-1.0333	
0	5	0.0000	PO-1-03-6050	Average Response Time - Address Validation	WEB GUI/LSI/W	2.44	3.24		24.841		0.3398	
0	2	0.0000	PO-1-06-6020	Average Response Time - Mechanized Loop Qualification - xDSL	EDI	11.25	5.48		2.143		-5.7695	
0	2	0.0000	PO-1-06-6050	Average Response Time - Mechanized Loop Qualification - xDSL	WFR GUI/LSI/W	11.25	3.37		1.612		-7.8763	
0	5	0.0000	PO-2-02-6010	OSS Interface Availability - Prime Time	APTS		100.00					
0	5	0.0000	PO-2-02-6020	OSS Interface Availability - Prime Time	EDI		99.94					
0	5	0.0000	PO-2-02-6030	OSS Interface Availability - Prime Time	CORBA		100.00					
0	5	0.0000	PO-2-02-6080	OSS Interface Availability - Prime Time	Web GUI		99.88					
0	2	0.0000	PO-8-01-6000	% On Time - Manual Loop Qualification	Systems Metrics		98.36		122			
0	10	0.0000	OR-1-02-3331	% On Time LSRC - Flow-through	UNE-L/Pre-qual Complex/LNP		99.79		104.073			
0	5	0.0000	OR-1-04-3331	% On Time LSRC/ASRC - No Facil Chk (Electr No Flow-through)	UNE-L/Pre-qual Complex/LNP		99.22		5.428			
0	5	0.0000	OR-1-06-3331	% On Time LSRC/ASRC - Facil Chk (Electr No Flow-through)	UNE-L/Pre-qual Complex/LNP		100.00		724			
0	5	0.0000	OR-2-02-3331	% On Time LSR Reject - Flow-through	UNE-L/Pre-qual Complex/LNP		99.68		11.045			
0	5	0.0000	OR-2-04-3331	% On Time LSR/ASR Rej - No Facil Chk (Electr No Flow-through)	UNE-L/Pre-qual Complex/LNP		98.96		1.156			
0	2	0.0000	OR-2-04-3341	% On Time LSR/ASR Rej - No Facil Chk (Electr No Flow-through)	UNE 2W Digital		100.00		1			
0	2	0.0000	OR-2-04-3342	% On Time LSR/ASR Rej - No Facil Chk (Electr No Flow-through)	UNE 2W xDSL Loops		100.00		154			
0	2	0.0000	OR-2-06-3331	% On Time LSR/ASR Rej - Facil Chk (Electr No Flow-through)	UNE-L/Pre-qual Complex/LNP		99.06		213			
0	2	0.0000	OR-2-06-3341	% On Time LSR/ASR Rej - Facil Chk (Electr No Flow-through)	UNE 2W Digital				3			
0	5	0.0000	OR-4-16-1000	% Provisioning Comp. Notifiers sent - 1 Business Day	Resale/UNE (EDI)		98.56		70.562			
0	5	0.0000	OR-5-03-3112	% Flow Through Achieved	UNE-L		97.36		6.425			
0	5	0.0000	OR-6-03-3331	% Accuracy - LSRC	UNE-L/Complex/LNP		0.00		7.354			
0	5	0.0000	PR-3-10-3342	% Completed in six (6) Days - one (1) to five (5) Lines - Total	UNE 2W xDSL Loops		95.45		616			
0	10	0.0000	PR-4-02-3112	Average Delay Days - Total	UNE-L	3.90	2.63	1,200	16	6.11	0.8758	
0	2	0.0000	PR-4-02-3341	Average Delay Days - Total	UNE 2W Digital	8.11	4.09	18	3	7.71		
0	5	0.0000	PR-4-02-3342	Average Delay Days - Total	UNE 2W xDSL Loops	8.33	2.51	15	49	10.99	2.9119	
0	5	0.0000	PR-4-04-3113	% Missed Appointment - Verizon - Dispatch	UNE-L New	11.00	3.56	27.314	450		5.0000	
0	2	0.0000	PR-4-04-1341	% Missed Appointment - Verizon - Dispatch	Resale/UNE 2W Digital	1.73	8.00	207	25		0.2593	
0	2	0.0000	PR-4-05-3341	% Missed Appointment - Verizon - No Dispatch	UNE 2W Digital	6.64		157	7			
0	2	0.0000	PR-4-14-3342	% Completed On Time - 2-Wire xDSL	UNE 2W xDSL Loops		97.03		943			
0	5	0.0000	PR-5-01-3112	% Missed Appointment - Verizon - Facilities	UNE-L	2.51	0.89	27.314	450		2.6690	
0	5	0.0000	PR-5-02-3112	% Orders Held for Facilities > 15 Days	UNE-L	0.64	0.00	27.314	450		5.0000	
0	10	0.0000	PR-6-01-3113	% Installation Troubles reported within 30 Days	UNE-L New	8.47	5.15	44.669	1,727		5.0000	
-1	2	-0.0061	PR-6-01-3341	% Installation Troubles reported within 30 Days	UNE 2W Digital	6.47	26.09	44.669	23		-2.3050	
0	10	0.0000	PR-6-01-3342	% Installation Troubles reported within 30 Days	UNE 2W xDSL Loops	5.47	9.49	44.669	1,425		-1.1892	
0	20	0.0000	PR-6-02-3520	% Installation Troubles reported within seven (7) Days	UNE-L Basic HC		1.13		2,469			
0	10	0.0000	PR-6-02-3523	% Installation Troubles reported within seven (7) Days	UNE-L Large Job HC		1.66		475			
0	2	0.0000	PR-8-01-3341	Percent Open Orders in a Hold Status > 30 Days	UNE 2W Digital	0.27	0.00	365	29		5.0000	
0	5	0.0000	PR-8-01-3342	Percent Open Orders in a Hold Status > 30 Days	UNE 2W xDSL Loops	1.50	0.80	247	1,250		1.5169	
0	20	0.0000	PR-9-01-3520	% On Time Performance - Hot Cut	UNE-L Basic HC		98.11		699			
0	10	0.0000	PR-9-01-3523	% On Time Performance - Hot Cut	UNE-L Large Job HC		100.00		445			
0	10	0.0000	PR-9-08-3533	Average Duration of Hot Cut Installation Troubles	UNE-L Total HC	18.68	18.36	4,554	36	29.13	0.0203	
0	2	0.0000	MR-1-01-6050	Average Response Time - Create Trouble	LSI-TA	9.8	3.84		5.944		-5.9644	
0	10	0.0000	MR-3-01-3112	% Missed Repair Appointment - Loop	UNE-L	27.83	25.06	167,685	3,075		3.4352	
0	2	0.0000	MR-3-01-3341	% Missed Repair Appointment - Loop	UNE 2W Digital	27.91	30.48	167,934	31		-0.7528	
0	5	0.0000	MR-3-01-3342	% Missed Repair Appointment - Loop	UNE 2W xDSL Loops	27.91	28.09	167,934	946		-0.0625	
0	10	0.0000	MR-3-02-3112	% Missed Repair Appointment - Central Office	UNE-L	18.56	3.00	5,154	233		5.0000	
0	2	0.0000	MR-3-02-3341	% Missed Repair Appointment - Central Office	UNE 2W Digital	18.90	0.00	5,200	1			
0	5	0.0000	MR-3-02-3342	% Missed Repair Appointment - Central Office	UNE 2W xDSL Loops	18.90	13.30	5,200	127		1.7395	
0	5	0.0000	MR-4-02-3112	Mean Time To Repair - Loop Trouble	UNE-L	3.29	28.91	167,685	1,073	65.96	2.4082	
-1	2	-0.0061	MR-4-02-3341	Mean Time To Repair - Loop Trouble	UNE 2W Digital	31.31	54.61	167,934	31	65.92	-1.9181	
-1	2	-0.0061	MR-4-02-3342	Mean Time To Repair - Loop Trouble	UNE 2W xDSL Loops	31.31	41.52	167,934	648	65.92	-2.4387	
0	5	0.0000	MR-4-03-3112	Mean Time To Repair - Central Office Trouble	UNE-L	13.56	5.45	5,194	739	33.00	5.0000	
0	2	0.0000	MR-4-03-3341	Mean Time To Repair - Central Office Trouble	UNE 2W Digital	13.72	11.11	5,200	2	33.12		
0	2	0.0000	MR-4-03-3342	Mean Time To Repair - Central Office Trouble	UNE 2W xDSL Loops	13.72	10.54	5,200	127	33.12	1.2446	
-1	2	-0.0061	MR-4-04-3341	% Cleared (all troubles) within 24 Hours	UNE 2W Digital	65.61	36.36	113,134	33		-3.2514	
0	2	0.0000	MR-4-04-3342	% Cleared (all troubles) within 24 Hours	UNE 2W xDSL Loops	65.61	62.84	113,134	775		-1.5734	
-1	5	-0.0152	MR-4-07-3112	% Out of Service > 12 Hours	UNE-L	65.59	68.36	94,704	2,090		-3.0596	
-1	2	-0.0061	MR-4-07-3341	% Out of Service > 12 Hours	UNE 2W Digital	65.59	87.59	94,980	32		-2.5893	
0	2	0.0000	MR-4-07-3342	% Out of Service > 12 Hours	UNE 2W xDSL Loops	65.59	67.15	94,980	712		-0.8749	
0	10	0.0000	MR-4-08-3112	% Out of Service > 24 Hours	UNE-L	31.22	29.81	94,704	2,020		1.5634	
0	10	0.0000	MR-5-01-3112	% Repeat Reports within 30 Days	UNE-L	22.60	18.79	116,454	3,369		4.5430	
0	2	0.0000	MR-5-01-3341	% Repeat Reports within 30 Days	UNE 2W Digital	22.01	33.33	116,823	33		-1.3321	
0	2	0.0000	MR-5-01-3342	% Repeat Reports within 30 Days	UNE 2W xDSL Loops	22.03	21.94	116,823	775		0.9988	

Performance Assurance Plan - Verizon NY

Version 4.0

Blank Stat Score = Insufficient activity or no activity to perform a statistical test

Perf Score	Wgt	Wgtl Score	Metric #	Metric Description	Product	VZ Perf	CLEC Perf	VZ Obs	CLEC Obs	VZ Std Dev	Difference or Stat Score	B/N Credit
-4	241	-0.1245	MOE-Resale	Resale Mode of Entry Totals								\$
0	2	0.0000	PO-1-01-6020	Average Response Time - Customer Service Record (CSR)	ECI	1.62	3.34		5.874		0.4180	
0	2	0.0000	PO-1-01-6050	Average Response Time - Customer Service Record (CSR)	WEB GUI/LSI/W	2.94	1.46		36.852		-1.4554	
0	2	0.0000	PO-1-03-6020	Average Response Time - Address Validation	ECI	2.90	4.58		21.777		1.6739	
0	2	0.0000	PO-1-03-6050	Average Response Time - Address Validation	WEB GUI/LSI/W	4.94	3.24		24.411		0.3398	
0	5	0.0000	PO-2-02-6020	CSS Interface Availability - Prime Time	EDI		99.94					
0	5	0.0000	PO-2-02-6080	CSS Interface Availability - Prime Time	Web GUI		99.88					
0	10	0.0000	OR-1-02-2320	% On Time LSRC - Flow-through	Resale POTS/Pre-qual Compl		99.78		2.727			
0	5	0.0000	OR-1-04-2320	% On Time LSRC/ASRC - No Facil Chk (Electr No Flow-through)	Resale POTS/Pre-qual Compl		99.61		3.13			
0	5	0.0000	OR-2-02-2320	% On Time LSR Reject - Flow-through	Resale POTS/Pre-qual Compl		99.34		3.54			
0	2	0.0000	OR-2-04-2320	% On Time LSR/ASR Rej - No Facil Chk (Electr No Flow-through)	Resale POTS/Pre-qual Compl		99.74		3.87			
0	2	0.0000	OR-2-06-2320	% On Time LSR/ASR Rej - Facil Chk (Electr No Flow-through)	Resale POTS/Pre-qual Compl		100.00		74			
0	5	0.0000	OR-4-16-1000	% Provisioning Comp: Notifiers sent < 1 Business Day	Resale/UNE (EDI)		98.56		76.952			
0	10	0.0000	OR-5-03-2000	% Flow Through Achieved	Resale		97.36		2.808			
0	10	0.0000	OR-6-03-2000	% Accuracy - LSRC	Resale		97.95		2.73			
0	5	0.0000	PR-3-01-2100	% Completed in 1 Day - one (1) to five (5) Lines - No Dispatch	Resale POTS	74.66	97.52	58.716	421		5.0000	
-1	15	-0.0622	PR-4-02-2100	Average Delay Days - Total	Resale POTS	3.92	6.62	3.240	26	6.11	-1.8889	
0	10	0.0000	PR-4-04-2100	% Missed Appointment - Verizon - Dispatch	Resale POTS	11.60	1.61	27.316	224		0.0761	
0	20	0.0000	PR-4-05-2100	% Missed Appointment - Verizon - No Dispatch	Resale POTS	0.00	0.00	175.822	1.564		5.0000	
-1	5	-0.0207	PR-5-01-2100	% Missed Appointment - Verizon - Facilities	Resale POTS	2.51	6.79	27.714	224		-3.2128	
0	5	0.0000	PR-5-02-2100	% Orders Held for Facilities > 15 Days	Resale POTS	0.64	0.51	27.714	224		-0.1945	
0	15	0.0000	PR-6-01-2100	% Installation Troubles reported within 30 Days	Resale POTS	7.53	2.57	211.081	2.423		5.0000	
0	2	0.0000	MR-1-01-6050	Average Response Time - Create Trouble	LSI-TA	9.5	1.84		5.944		-5.9644	
0	2	0.0000	MR-1-06-6050	Average Response Time - Test Trouble (POTS Only)	LSI-TA	67.45	58.04		13.715		-9.4107	
0	10	0.0000	MR-3-01-2110	% Missed Repair Appointment - Loop	Resale POTS Bus	37.65	36.37	23.765	376		0.9737	
0	10	0.0000	MR-3-01-2120	% Missed Repair Appointment - Loop	Resale POTS Res	21.97	45.21	83.644	468		-0.0762	
0	10	0.0000	MR-3-02-2110	% Missed Repair Appointment - Central Office	Resale POTS Bus	21.37	27.27	3.409	33		-0.5563	
0	10	0.0000	MR-3-02-2120	% Missed Repair Appointment - Central Office	Resale POTS Res	15.64	30.77	5.363	14		-1.1102	
0	5	0.0000	MR-4-02-2110	Mean Time To Repair - Loop Trouble	Resale POTS Bus	24.77	20.82	23.765	376	79.04	-0.6186	
0	5	0.0000	MR-4-02-2120	Mean Time To Repair - Loop Trouble	Resale POTS Res	31.62	29.33	83.685	468	58.54	0.8916	
0	5	0.0000	MR-4-03-2110	Mean Time To Repair - Central Office Trouble	Resale POTS Bus	13.26	11.42	3.409	33	37.19	0.1137	
0	5	0.0000	MR-4-03-2120	Mean Time To Repair - Central Office Trouble	Resale POTS Res	14.27	14.88	5.363	13	30.40	-0.3330	
-2	5	-0.0415	MR-4-07-2110	% Out of Service > 12 Hours	Resale POTS - Bus	56.00	65.45	23.086	730		-3.4139	
0	5	0.0000	MR-4-07-2120	% Out of Service > 12 Hours	Resale POTS - Res	67.73	65.93	73.481	377		1.6213	
0	5	0.0000	MR-4-08-2110	% Out of Service > 24 Hours	Resale POTS Bus	26.33	26.36	23.086	730		0.8477	
0	5	0.0000	MR-4-08-2120	% Out of Service > 24 Hours	Resale POTS Res	31.62	30.77	73.481	377		0.4055	
0	10	0.0000	MR-5-01-2100	% Repeat Reports within 30 Days	Resale POTS	22.00	18.88	116.454	890		2.3185	
0	5	0.0000	BI-1-02-1000	% DUF in four (4) Business Days	Resale & UNE		99.39		6.119.626			
0	140	0.0000	MOE-Trunks	Trunks Mode of Entry Totals								\$
0	5	0.0000	OR-1-12-5020	% On Time FOC	Interconnect Trunks(<=192 Forecast)		100.00		18			
0	10	0.0000	OR-1-13-5000	% On Time Design Layout Record (DLR)	Interconnect Trunks		100.00		93			
0	5	0.0000	OR-1-19-5020	% On Time Response - Request for Inbound Augment Trunks	VZ Inbound Aug Trunks(<=192)				8			
0	5	0.0000	OR-2-12-5020	% On Time Trunk ASR Reject	Interconnect Trunks		100.00		8			
0	20	0.0000	PR-4-07-3540	% On Time Performance - LNP Only	UNE LNP		99.79		50.819			
0	20	0.0000	PR-4-15-5000	% On Time Provisioning - Trunks	Interconnect Trunks		100.00		6.994			
0	5	0.0000	PR-5-01-5000	% Missed Appointment - Verizon - Facilities	Interconnect Trunks	0.00	0.00	11.596	7.590		5.0000	
0	5	0.0000	PR-5-02-5000	% Orders Held for Facilities > 15 Days	Interconnect Trunks	0.00	0.00	11.652	7.590		5.0000	
0	10	0.0000	PR-6-01-5000	% Installation Troubles reported within 30 Days	Interconnect Trunks	0.00	0.00	11.988	8.944		5.0000	
0	5	0.0000	PR-8-01-5000	Percent Open Orders in a Hold Status > 30 Days	Interconnect Trunks	2.66	0.00	144	160		5.0000	
0	5	0.0000	MR-4-01-5000	Mean Time To Repair - Total	Interconnect Trunks	9.47	1.45	23	9	33.49	1.3210	
0	5	0.0000	MR-4-05-5000	% Out of Service > 2 Hours	Interconnect Trunks	34.75	33.33	23	9		0.4725	
0	5	0.0000	MR-4-06-5000	% Out of Service > 4 Hours	Interconnect Trunks	13.04	0.00	23	9		5.0000	
0	5	0.0000	MR-4-07-5000	% Out of Service > 12 Hours	Interconnect Trunks	8.70	0.00	23	9		5.0000	
0	5	0.0000	MR-4-08-5000	% Out of Service > 24 Hours	Interconnect Trunks	4.25	0.00	23	9		5.0000	
0	10	0.0000	MR-5-01-5000	% Repeat Reports within 30 Days	Interconnect Trunks	8.76	11.11	23	9		0.3663	
0	5	0.0000	NP-1-03-5000	# of Final Trunk Groups Blocked 2 months	CLEC Trunks		0.00					
0	10	0.0000	NP-1-04-5000	# of Final Trunk Groups Blocked 3 months	CLEC Trunks		0.00					

Performance Assurance Plan - Verizon NY

Version 4.0

Blank Stat. Score = Insufficient activity or no activity to perform a statistical test

Part Score	Wgt	Wgt'd Score	Metric #	Metric Description	Product	VZ Perf	CLEC Perf	VZ Obs	CLEC Obs	VZ Std Dev	Difference or Stat. Score	Bill Credit
CM-ALL Critical Measures Totals												
0	10		OR-1-02-3331	% On Time LSR/C - Flow-through	UNE-L/Pre-qual Complex/NP		99.10		104.67			\$0
0	5		OR-1-04-3331	% On Time LSR/C/ASRC - No Facil Chk (Electr. No Flow-through)	UNE-L/Pre-qual Complex/NP		99.22		7.19			\$0
0	5		OR-1-06-3331	% On Time LSR/C/ASRC - Facil Chk (Electr. No Flow-through)	UNE-L/Pre-qual Complex/NP		99.00		7.24			\$0
0	2		PR-4-04-1341	% Missed Appointment - Verizon - Dispatch	Resale/UNE 2W Digital	7.75	8.19	207	25		0.2593	\$0
0	10		PR-4-04-3113	% Missed Appointment - Verizon - Dispatch	UNE-L New	99.62	3.56	27.112	48.0		5.0000	\$0
0	2		PR-4-14-3342	% Completed On Time - 2-Wire xDSL	UNE 2W xDSL Loops		97.03		94.3			\$0
0	10		PR-6-01-3113	% Installation Troubles reported within 30 Days	UNE-L New	8.47	3.15	44.683	1.727		5.0000	\$0
0	2		PR-6-01-3342	% Installation Troubles reported within 30 Days	UNE 2W xDSL Loops	8.47	9.40	44.683	1.415		-1.1892	\$0
0	20		PR-6-02-3520	% Installation Troubles reported within seven (7) Days	UNE-L Basic HC		9.11		2.1e3			\$0
0	10		PR-6-02-3523	% Installation Troubles reported within seven (7) Days	UNE-L Large Job HC		9.11		475			\$0
0	20		PR-9-01-3520	% On Time Performance - Hot Cut	UNE-L Basic HC		99.11		969			\$0
0	10		PR-9-01-3523	% On Time Performance - Hot Cut	UNE-L Large Job HC		99.00		445			\$0
0	2		MR-3-01-3112	% Missed Repair Appointment - Loop	UNE-L	27.83	25.06	107.665	3.073		3.4352	\$0
0	2		MR-3-01-3342	% Missed Repair Appointment - Loop	UNE 2W xDSL Loops	27.31	25.06	107.665	6.48		-0.0625	\$0
0	10		MR-4-08-3112	% Out of Service > 24 Hours	UNE-L	91.22	29.51	34.714	1.620		1.5634	\$0
0	10		OR-1-02-2320	% On Time LSR/C - Flow-through	Resale POTS/Pre-qual Complex		99.78		2.727			\$0
0	5		OR-1-04-2320	% On Time LSR/C/ASRC - No Facil Chk (Electr. No Flow-through)	Resale POTS/Pre-qual Complex		99.81		5.19			\$0
0	10		PR-4-04-2100	% Missed Appointment - Verizon - Dispatch	Resale POTS	11.50	11.61	27.314	22.4		0.0761	\$0
0	20		PR-4-05-2100	% Missed Appointment - Verizon - No Dispatch	Resale POTS	0.05	0.09	176.828	1.364		5.0000	\$0
0	15		PR-6-01-2100	% Installation Troubles reported within 30 Days	Resale POTS	7.58	2.97	211.681	2.421		5.0000	\$0
0	1		MR-3-01-2110	% Missed Repair Appointment - Loop	Resale POTS Bus	27.59	25.21	23.765	370		0.9737	\$0
0	1		MR-3-01-2120	% Missed Repair Appointment - Loop	Resale POTS Res	24.97	25.21	23.685	468		-0.0762	\$0
0	5		MR-4-08-2110	% Out of Service > 24 Hours	Resale POTS Bus	29.33	26.36	25.085	930		0.8477	\$0
0	5		MR-4-08-2120	% Out of Service > 24 Hours	Resale POTS Res	3.62	30.77	73.481	377		0.4055	\$0
0	5		OR-1-12-5020	% On Time FOC	Interconnect Trunks (≤ 192 Forecast)		99.00		15			\$0
0	10		OR-1-13-5000	% On Time Design Layout Record (DLR)	Interconnect Trunks		99.00		91			\$0
0	20		PR-4-07-3540	% On Time Performance - LNP Only	UNE LNP		99.79		30.919			\$0
0	20		PR-4-15-5000	% On Time Provisioning - Trunks	Interconnect Trunks		99.00		8.994			\$0
0	10		NP-1-04-5000	# of Final Trunk Groups Blocked 3 months	CLEC Trunks		9.00					\$0
0	2		OR-1-06-3211	% On Time LSR/C/ASRC - Facil Chk (Electr. No Flow-through)	UNE Specials DS1		99.90		979			\$0
0	2		OR-2-04-1200	% On Time LSR/ASR Req - No Facil Chk (Electr. No Flow-through)	UNE/RES Specials		99.00		76			\$0
0	2		OR-2-06-1200	% On Time LSR/ASR Req - Facil Chk (Electr. No Flow-through)	UNE/RES Specials		99.00		176			\$0
0	2		PR-4-01-1210	% Missed Appointment - Verizon - Total	UNE/RES Specials DS0	6.07	0.00	242	2			\$0
0	2		PR-4-01-1211	% Missed Appointment - Verizon - Total	UNE/RES Specials DS1	6.89	8.33	150	216		-0.5211	\$0
0	2		PR-4-01-1213	% Missed Appointment - Verizon - Total	UNE/RES Specials DS3	4.84		62	0			\$0
0	2		PR-4-01-3530	% Missed Appointment - Verizon - Total	UNE IOF	4.84	5.88	62	17		0.3285	\$0
0	2		PR-4-02-1200	Average Delay Days - Total	UNE/RES Specials	7.92	9.78	49	14	7.07	-0.7873	\$0
0	5		PR-4-02-3530	Average Delay Days - Total	UNE IOF	12.00	6.00	3	1	6.93		\$0
0	5		PR-5-01-1200	% Missed Appointment - Verizon - Facilities	UNE/RES Specials	2.27	4.29	6.18	283		-1.4368	\$0
0	5		PR-5-02-1200	% Orders Held for Facilities > 15 Days	UNE/RES Specials	0.49	4.43	6.18	280		-1.0759	\$0
0	5		PR-6-01-1200	% Installation Troubles reported within 30 Days	UNE/RES Specials	5.45	4.01	1.432	199		1.1710	\$0
0	2		MR-4-01-1216	Mean Time To Repair - Total	UNE/RES Specials (Non DS0/DS0)	62.99	14.40	1.978	13	285.06	0.6061	\$0
-1	2		MR-4-01-1217	Mean Time To Repair - Total	UNE/RES Specials (DS1/DS3)	8.39	9.46	1.742	34	6.69	-2.0675	\$14.715
0	2		MR-4-08-1216	% Out of Service > 24 hours	UNE/RES Specials (Non DS0/DS0)	11.72	7.69	1.977	13		0.9529	\$0
0	2		MR-4-08-1217	% Out of Service > 24 Hours	UNE/RES Specials (DS1/DS3)	3.19	3.61	1.887	332		0.2842	\$0
0	2		PO-2-02-6010	OSS Interface Availability - Prime Time	WPTS		99.00					\$0
0	5		PO-2-02-6020	OSS Interface Availability - Prime Time	EDI		99.94					\$0
0	5		PO-2-02-6080	OSS Interface Availability - Prime Time	Web GUI		99.88					\$0
0	10		PO-4-01-6660	% Change Management Notices Sent on Time	Change Notif/Conf (Type 3,4,5)		100.00					\$0
0	25		BI-9-01-1000	% Billing Completeness in Twelve Billing Cycles	Resale/UNE		99.21		25.264.054			\$0

EXHIBIT 2

CLEC-Specific Information related to August 2007 PAP Report

**THIS EXHIBIT CONTAINS CLEC-SPECIFIC
CONFIDENTIAL INFORMATION**

CONFIDENTIAL PAGES ARE DESIGNATED AS SUCH